

251-2293
110 12
1/12

ORTHO Metaldehyde 4% Bait (Pelleted)
EPA Reg No. 239-2293
Submitted: October 1, 1986

COPY A

STATEMENT OF PRACTICAL TREATMENT

If swallowed contact physician, Poison Control Center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, wash skin with plenty of soap and water. If inhaled, remove person from exposure area. Note to Physicians: Emergency Information - call (415) 233-3737.

ACCEPTED
APR 27 1987
Under Federal Insecticide,
Fungicide, and Rodenticide Act,
approved for the pesticide
registered under
EPA Reg. No. 239-2293

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. **IMPORTANT: KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.**

STATEMENT OF PRACTICAL TREATMENT

If swallowed, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, wash skin with plenty of soap and water. If inhaled, remove person from exposure area. Note to Physicians: Emergency Information — call (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Do not enter treated areas without protective clothing until dusts have settled.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bags in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.



ORTHO
Metaldehyde
4% Bait
(Pelleted)

Active Ingredient Metaldehyde 4%
 Inert Ingredients 96%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN.
 KEEP PETS OUT OF TREATED AREA
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET WEIGHT 50 POUNDS

Chevron Chemical Company © 1985
 Ortho Agricultural Chemicals Division
 San Francisco CA 94120-7144
 Product 3879 Made in U.S.A.
 EPA Est. 739-CA-1
 Reg. No. 239-2293

DIRECTIONS

For the uses listed here. Do not place bait

VEGETABLES (Asparagus, Brussels Sprouts, Cauliflower, Celery, Collards, Corn, Garlic, Horseradish, Kaniard Greens, Okra, Potatoes, Pumpkins, Radishes, Squash, Sweet Potatoes, melons; Slugs, Snails) per 1,000 sq. ft. Apply not apply to edible parts.

ARTICHOKEs: Slugs, Snails light bud stage 25 to ground application or preferable to apply in early.

AVOCADOS: Slugs, Snails liberally under trees. places slugs or snails ON FOLIAGE OR FRUIT.

CITRUS (ORANGES, LEMONS, LIMEs): 40 lbs. per acre by broadcast distribution. NOTE: Must be completely dry but soil not completely dry or early evening. Apply within 14 days of harvest.

STRAWBERRIES: Snails Apply only to soil surface. Do not apply to edible parts. Do not apply to

ORNAMENTAL PLANTS: 10 sq. ft. Apply only to soil surface. Treatments as necessary to control

CONDITIONS OF SALE: This product is sold as a bait and its use is restricted to the uses listed on the label and its use for any other purpose is neither made, nor authorized, nor warranted by any other warranty or representation of the material. 2. Critical and unforeseen conditions may prevent it from eliminating pests and crops to be controlled, and damage to crops may occur even though stated hereon and even if used in accordance and user acknowledges those assumed by the user. Storage and use of this