

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. **IMPORTANT: KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.**

STATEMENT OF PRACTICAL TREATMENT

If swallowed contact physician, Poison Control Center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, wash skin with plenty of soap and water. If inhaled, remove person from exposure area. Note to Physicians: Emergency Information — call (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Do not enter treated areas without protective clothing until dusts have settled.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bags in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.



ORTHO

Metaldehyde

4% Bait

(Pelleted)

(MOLLUSCICIDE)

Active Ingredient	By Wt.
Metaldehyde	4%
Inert Ingredients	96%

KEEP OUT OF REACH OF CHILDREN
CAUTION

THIS PESTICIDE MAY BE FATAL TO DOGS
OR OTHER PETS IF EATEN.
KEEP PETS OUT OF TREATED AREA
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

NET WEIGHT 50 POUNDS

Chevron Chemical Company © 1987

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Product 3879 Made in U.S.A.

Form 10881-B

EPA Est. 239-CA-1

EPA Reg. No. 239-2293

DIRECTIONS
For the uses listed here, bait should be scattered on the soil surface. Do not place bait in piles.

VEGETABLES: (Asparagus, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Celery, Collards, Corn, Cowpeas, Cucumbers, Eggplants, Endive, Garlic, Horseradish, Kale, Kohlrabi, Leeks, Lettuce, Melons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons), Slugs, Snails — Apply 50 to 500 lbs. per acre or 12 lbs. per 1,000 sq. ft. Apply only to soil surface around plants. Do not apply to edible parts of plants.

ARTICHOKES: Slugs, Snails—By air or ground application before tight bud stage 25 to 70 lbs. per acre. After tight bud stage by ground application only. Do not contaminate edible parts. It is preferable to apply in the evening. Repeat application as necessary.

AVOCADOS: Slugs, Snails—Apply 37.5 lbs. per acre broadcast liberally under trees, around irrigation pipes, buildings and other places slugs or snails may congregate. **CAUTION: DO NOT GET ON FOLIAGE OR FRUIT.**

CITRUS (ORANGES, LEMONS, GRAPEFRUIT): Slugs, Snails—Apply 40 lbs. per acre by airplane or ground equipment to give even distribution. **NOTE:** Make application when foliage and fruit are completely dry but soil is wet following an irrigation. Late afternoon or early evening applications are preferred. Do not apply within 14 day of harvest.

STRAWBERRIES: Slugs, Snails — Apply 50 to 100 lbs. per acre. Apply only to soil surface around plants. Do not contaminate edible parts. Do not apply within 6 days of harvest.

ORNAMENTAL PLANTS: Slugs, Snails—Apply 12 lbs. per 1,000 sq. ft. Apply only to soil surface around plants. Repeat treatments as necessary to maintain control.

ACCEPTED
DEC 1 0 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2293

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of **FITNESS** or of **MERCHANTABILITY**, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage and use of this material.