

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

Causes irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. Wash hands after use. Remove and launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

Note to Physicians: Emergency Information - call (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not enter treated areas without protective clothing until dusts have settled.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

**STORAGE AND DISPOSAL
PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container.

Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food.

For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



**ORTHO
ORTHO-CIDE[®]
BOTRAN[®]
10-5 Dust**

(FUNGICIDE)

Active Ingredients	By Wt.
*Captan	9.5%
Related Derivatives	0.5%
2-6-Dichloro-4-nitroaniline	5.0%
Inert Ingredients	85.0%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide U.S. Patent No. 3,119,736 BOTRAN [®] is a registered trademark of Upjohn Co.	

**KEEP OUT OF REACH OF CHILDREN
DANGER-PELIGRO**
FOR AGRICULTURAL USE ONLY. DO NOT
STORE IN AREAS ACCESSIBLE TO
CHILDREN
**PRECAUCION AL USUARIO: Si usted no lee
ingles, no use este producto hasta que la etiqueta
le haya sido explicada ampliamente.**
**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**

Chevron Chemical Company © 1984
Ortho Agricultural Chemicals Division
San Francisco CA 94120-7144 Richmond CA 94804-0036
Product 5022 Made in U.S.A.
Form 7850-K EPA Est. 239-CA-2
EPA Reg. No. 239-2307-AA

NET WEIGHT 50 POUNDS

DIRECTIONS

This product is formulated for application by ground or air equipment.

APRICOTS: Fruit Decay (Brown Rot and Rhizopus Rot)—50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply to Apricots within 1 day of harvest.

PEACHES, NECTARINES: Brown Rot, Peach Scab—50 lbs. per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Fruit Decay (Brown Rot, Rhizopus Rot)—50 lbs. per acre. Apply 18 days, 10 days and 1 day prior to harvest. Do not apply within 1 day of harvest to peaches or nectarines.

SWEET CHERRIES: Cherry Leaf Spot, Brown Rot—50 to 60 lbs. per acre. Apply at Popcorn, blossom and petal fall stages, continuing at 10 to 14 day intervals. Fruit Decay (Brown Rot, Rhizopus Rot)—50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply to Cherries within 1 day of harvest.

ORNAMENTAL CROPS


ROSES, HYDRANGEA: Blight (Botrytis)—30 lbs. per acre. Field: Apply prior to shipment or storage. Stored Areas: Thoroughly dust storage area and all canes and dead foliage; repeat application during long storage periods.

CHRYSANTHEMUM, GERANIUM, ROSES: Blight (Botrytis)—30 lbs. per acre. Apply at first sign of disease to give even coverage of upper and lower leaf surfaces. Repeat at 7 to 10 day intervals.

GLADIOLUS: Dry Rot (Stromatinia)—Soil—250 lbs. per 14,520 linear feet of furrow. Dust into furrow at planting time, so treated soil surrounds corms. Foliage—30 lbs. per acre, dust thoroughly to insure coverage between spikes. Apply to bunched flower spikes after harvest and before shipment or storage.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

COMPATIBILITY: Do not use this product on foliage closely following oil sprays.



CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.