



ORTHO

DIAZINON Soil & Foliage Dust



READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS
KEEP FERTILIZER IN ORIGINAL CONTAINER

DIRECTIONS

SOIL APPLICATION: Control Cutworms and Wireworms prior to planting the following vegetables:

Beans	Cucumbers	Peas
Broccoli	Endive	Peppers
Cabbage	Lettuce	Potatoes
Carrots	Melon	Spinach
Cauliflower	Onion	Squash
Corn	Parsnip	Tomatoes

Apply evenly as a broadcast treatment over the surface of the soil. The contents of this package (2 lbs.) should be spread evenly over 900 sq. ft. Immediately after spreading, mix thoroughly with the soil to a depth of 6 to 8 inches.

Special Uses

Onions: To control Onion Maggot, apply in furrow at rate of 6 Tablespoonfuls per 100 ft. of row at time of planting.

Radishes: To control Root Maggot, apply in furrow at rate of 9 Tablespoonfuls per 100 ft. of row at time of planting.

FOLIAGE APPLICATION: Apply dust at first signs of insects. Repeat as necessary. For best results, dust in early morning or late evening when temperature is low and air is still. Apply dust so that all parts of plants are contacted, especially upper and lower leaf surfaces. Do not shake directly on foliage of plants from container. Use an ORTHO Whirly Duster or similar type applicator to avoid over application which may damage young tender foliage. Number in () indicates days required between last application and harvest.

Plants	Insects
Beans (7)	Aphids, Western Spotted Cucumber Beetles
Broccoli (5), Cabbage (7), Cauliflower (5)	Aphids, Diamondback Moth Larvae, Imported Cabbage Worm
Carrots (10)	Aphids
Cucumbers (7), Melons (3), Squash (7)	Aphids, Cucumber Beetles, Leafhoppers, Leafminers, Mites, Thrips
Onions (10)	Onion Thrips
Peppers (5), Potatoes (35)	Aphids, Flea Beetles, Leafminers, Leafhoppers
Tomatoes (3)	Aphids, Leafminers, Banded Cucumber Beetles
Strawberries (5)	Aphids, Cyclamen Mites, Twospotted Mites, Spittlebugs
Roses, Flowers, Shrubs	Aphids, Mites, Leafhoppers, Mealybugs, Whiteflies, Scale Crawlers, Lacebugs

NOTE: Do not use on ferns, poinsettias, hibiscus and gardenias since injury may occur. Not effective against certain Spider Mites on evergreens.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Note to Physicians: Emergency Information - call (415) 233-3737.

Avoid contamination of feed and foodstuffs. Avoid storage near food and feed products. Dispose of container promptly when empty.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DIAZINON® - trademark of CIBA GEIGY Corporation.

Chevron Chemical Company

Ortho Division, San Francisco, California 94602

Form 974-74 (M) 4-74

Form 9746-74 EPA Reg. No. 100-100000

EPA Reg. No. 100-100000



Chevron



ORTHO

DIAZINON[®] Soil & Foliage Dust

Insecticide for
VEGETABLES
FRUIT
FLOWERS



CAUTION: Keep out of reach of children.
See back panel for additional cautions.

NET WT. 2 LBS.

80

BEST DOCUMENT AVAILABLE

DIAZINON[®] & Foliage Dust

ANCE WITH LABEL CAUTIONS AND DIRECTIONS

is prior to planting the following vegetables

Peas
Peppers
Potatoes
Spinach
Squash
Tomatoes

the soil. The contents of this package (2 lbs.) should be spread
thoroughly with the soil to a depth of 6 to 8 inches

rate of 6 Tablespoonfuls per 100 ft. of row at time of planting
at rate of 9 Tablespoonfuls per 100 ft. of row at time of planting
Repeat as necessary. For best results, dust in early morning.
Apply dust so that all parts of plants are contacted, especially
foliage of plants from container. Use an ORTHO Whirly Duster.
may damage young tender foliage. Number in () indicates days

Cucumber Beetles
Larvae Imported Cabbage Worm
Leafhoppers Leafminers Mites Thrips

miners Leafhoppers
Cucumber Beetles
Twospotted Mites Spittlebugs
Mealybugs Whiteflies Scale Crawlers Lacebugs

gardenias since injury may occur. Not effective against nematodes.

Avoid breathing dust. May be absorbed through skin. Avoid
handling.

3 3737
near food and feed products. Dispose of container promptly.

ids feeding on treated areas may be killed. Keep out of lakes,
occur. Do not apply when weather conditions favor drift from
equipment or disposal of wastes. Apply this product only as

ment or residues on crops. Protective information may be ob-

not in accordance with directions.



ORTHO

DIAZINON Soil & Foliage Dust



READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

DIRECTIONS SOIL APPLICATION

For control of insects in soil, apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

Apply 10 to 20 lbs. of Diazinon Soil & Foliage Dust per acre to the soil surface in the following manner:

Apply 10 to 20 lbs. of Diazinon Soil & Foliage Dust per acre to the soil surface in the following manner:

Special Uses

Onions - Apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

Radishes - Apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

FOLIAGE APPLICATION - Apply Diazinon Soil & Foliage Dust to the foliage in the following manner:

Plants

Apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

Apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

Apply Diazinon Soil & Foliage Dust to the soil surface in the following manner:

NOTE: Do not use on trees, shrubs, or other plants.

CAUTION

Do not use on food crops.

Do not use on food crops.

Do not use on food crops.

OTHER

Chevron Chemical Company

D
S
D

Ins
VEI
FRI
FLO



CA
See
NE

DIAZINON & Foliage Dust

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For use on vegetables, fruit, and flowers. Apply to foliage and soil. Do not use on lawns or ornamentals. Keep out of reach of children. Do not use in areas where children or pets play. Do not use in areas where food is stored. Do not use in areas where food is prepared. Do not use in areas where food is served. Do not use in areas where food is consumed. Do not use in areas where food is sold. Do not use in areas where food is distributed. Do not use in areas where food is transported. Do not use in areas where food is stored. Do not use in areas where food is prepared. Do not use in areas where food is served. Do not use in areas where food is consumed. Do not use in areas where food is sold. Do not use in areas where food is distributed. Do not use in areas where food is transported.

For use on vegetables, fruit, and flowers. Apply to foliage and soil. Do not use on lawns or ornamentals. Keep out of reach of children. Do not use in areas where children or pets play. Do not use in areas where food is stored. Do not use in areas where food is prepared. Do not use in areas where food is served. Do not use in areas where food is consumed. Do not use in areas where food is sold. Do not use in areas where food is distributed. Do not use in areas where food is transported.

For use on vegetables, fruit, and flowers. Apply to foliage and soil. Do not use on lawns or ornamentals. Keep out of reach of children. Do not use in areas where children or pets play. Do not use in areas where food is stored. Do not use in areas where food is prepared. Do not use in areas where food is served. Do not use in areas where food is consumed. Do not use in areas where food is sold. Do not use in areas where food is distributed. Do not use in areas where food is transported.

any



ORTHO

DIAZINON Soil & Foliage Dust

Insecticide for
VEGETABLES
FRUIT
FLOWERS



CAUTION Keep out of reach of children.
Do not use in areas where children or pets play.

Do not use in areas where food is stored.