

WEED-B-GON® M

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Corrosive to eyes Causes eye damage Do not get in eyes. Wear goggles or face shield when handling concentrate. Harmful if swallowed. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist. In case of eye contact, immediately flush eyes with fresh water for 15 minutes and get medical at tention. If swallowed, promptly drink a large quantity of water and induce voriting. Get medical attention immediately. In case of skin contact, washiskin with planty of soap and water. Get medical attention il irritation persists

Note to Physicians: Emergency Information call (415) 233-3737

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

WEED B GON M is an amme formulation containing 2.4 D and MCPP It is for effective control of lawn weeds and will not harm lawn grasses when used according to directions.

DIRECTIONS FOR USE ON LAWNS: For control of Dandelions, Chickweed Plantains. Claver and the other listed weeds apply WEED B GON M any time weeds are actively growing. Weeds such as wild garlic and wild onions should be sprayed when they appear in late fall and again in early spring.

HOW TO USE: For best results use an ORTHO garden hose sprayer Refer to table for recommended disu tion If lawn needs watering water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn wetting weeds and lawn grasses, do not overspray Spray when air is calin to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85. F within 24 hours following application. Make new dilution for each use.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPETGRASSES: Use one-half recommended rate (2 teaspoonfuls per gal water) Temporary injury may occur Make 2 applications 10 days apart. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns

HARDY WEEDS: For hardy weeds such as sheep sorrel, dock, thistle and morningglory in lawns and other areas, repeat application in 2 to 3 weeks if necessary

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable bads or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use

DILUTION TABLE

AREA TO TREAT	WATER TO USE	AMQUNT OF WEED-B-GON M TO USE
200 sq ft	1 gallon	4 teaspoonfuls
1200 sq ft	6 gatlons	8 Tablespoonfuls (4 oz)
""Use one half of this ra	ate for Bent, Bermuda, Red Fescue	, Centipede and Carpetgrasses

Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When ORTHO Sprayer is used and rinsed thoroughly as directed on sprayer jar immediately after applying WEED-8-GON M it can be used to apply insecticides, fungicides and liquid tertilizers to ornamental plants

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Do not store diluted spray. Do not reuse empty container. Wrap container and put in trash collection

NOTICE Buyer assumes all responsibility for safety and use not in accordance with directions

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94119 Richmond CA 94804 Product 5088 Made in U.S.A. R Form 8689-G EPA Rec. No 239-2342-AA

CONTROLS **ANNUALS**

Black Medic Carpetweed Common Chickweed Clover Creeping Beggar Wee Fennel Fleabane Florida Pustev Wild Geranium Hawkweed Knotweed Lambsquarters Mallow Mouseear Chickwee

Oxalis Pigweed Purslane Ragweed Shepherdspurse Sow Thistle Smartweed Speedwell Spurge



CONTROLS

BIENNIALS & PERENNIALS

Buckhorn Plantain Canada Thistle Common Burdack Common Plantain Dandenon Dichondra Ground by Laun Pennywort Lippia Mainingfory Bealis Steep Sorrel Thistles Wild Garbe

Wild Onion NorteN

CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, CHICKWEEDS AND MANY OTHER LISTED WEEDS.



8. 🐃 Across to greater to a possible control programmer or across of 24.0 cm or on the control programmer or control programmer across open control programmer or control programmer 10 3 A consequent of the second of ٦

٦

Keep out of reach of children

DANGER

See back panel for additional precautionary statements.

NET CONTENTS 1 GAL.

WEED-B-GON® M

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS & DOMESTIC ANIMALS** DANGER

Corrosive to eyes. Causes eye damage. Do not get in eyes. Wear goggles or face shield when handling concentrate. Harmful if swallowed. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist. In case of eye contact, immediately flush eyes with fresh water for 15 minutes and get medical attention. If swallowed, promptly drink a large quantity of water and induce vomiting. Get medical attention immediately. In case of skin contact, wash skin with plenty of soap and water. Get medical attention if irritation persists.

Note to Physicians: Emergency Information — cali (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning

of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS

AND DIRECTIONS. WEED-B-GON M is an amine formulation containing 2.4-D and MCPP. It is for effective control of lawn weeds and will not harm lawn grasses when used according to directions.

DIRECTIONS FOR USE ON LAWNS: For control of Dandelions, Chickweed, Plantains, Clover and the other listed weeds, apply WEED-B-GON M any time weeds are actively growing. Weeds such as will garks and wild onions should be sprayed when they appear in late fall and again in early spring.

HOW TO USE: For best results, use an ORTHO garden hose sprayer. Refer to table for recommended dilution. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85° F within 24 hours following application. Make new dilution for each use. NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times. BENT, BI RED FESCUE, CENTIPEDE AND CARPETGRASSES: Use one-half recommended rate (2 teaspoonfu water). Temporary injury may occur. Make 2 applications 10 days apart. Do not apply to Dichond St. Augustine and Clover lawns

HARDY WEEDS: For hardy weeds such as sheep sorrel, dock, thistle and morningglory in lawns a areas, repeat application in 2 to 3 weeks if necessary

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

DILUTION TABLE

AREA TO TREAT	WATER TO USE	AMOUNT OF WEED-B-GON TO USE***
200 sq ft.	1 gallon	4 teaspoonfuls
1200 sq. ft.	6 gallons	8 Tablespoonfuls (4 oz.)
		·

***Use one-half of this rate for Bent, Bermuda, Red Fescue, Centipede and Carpetgrasses.

Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, gard tables, fruit trees and other creps. Coarse sprays are less likely to drift. When ORTHO Sprayer is rinsed thoroughly as directed on sprayer jar immediately after applying WEED-B-GON M it can be apply insecticides, fungicides and liquid fertilizers to ornamental plants

STORAGE AND DISPOSAL

Keep pesticide in original container. Bo not put concentrate or dilute into food or drink container store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Do not store diluted sprareuse empty container. Wrap container and put in trash collection

NOTICE Buyer assumes all responsibility for safety and use not in accordance with directions

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94119 Richmond CA 94804
Product 5088 Made in U.S.A.
R Form \$689-G EPA Reg. No. 239-2342-AA

en mowed at least 3 times. BENT, BERMUDA, half recommended rate (2 teaspoonfuls per gal. days apart. Do not apply to Dichondra, Lyppia,

, A Charles

k, thistle and morningglory in lawns and other

in flower or vegetable beds or around shrubs r use.

AMOUNT OF WEED-B-GON M TO USE •••

4 teaspoonfuls

8 Tablespoonfuls (4 oz.)

Centipede and Carpetgrasses.

duct may injure flowers, skrubs, garden vege-kely to drift. When ORTHO Sprayer is used and ter applying WEED-B-GON M it can be used to ental plants.

e or dilute into food or drink containers. Do not r tungicides. Do not store diluted spray. Do not

e not in accordance with directions.

WEED-B-GON®

Itaata 38,400 Sq. Ft.

CONTROLS

ANNUALS

Black Medic Carpetweed Common Chickweed Clover Creeping Beggar Weed Fennel Fleabane Florida Pusley

Wild Geranium Hawkweed Knotweed Lambsquarters Mailow Mouseear Chickweed Oxalis

Pigweed Purslane Ragweed Shepherdspurse Sow Thistle Smartweed

Speedwell

Spurge

CONTROLS BIENNIALS & PERENNIALS

Buckhorn Plantain Canada Thistle Common Burdock Common Plantain Curly Dock Dandelion Dichondra Ground Ivy Lawn Pennywort Lippia Marningglory Oxalis

Sheep Sorrel Thistles Wild Carrot Wild Garlic Wild Onion

CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, CHICKWEEDS AND MANY OTHER LISTED WEEDS.



Active Ingredients By Wt

*Dimethylamine sait of 2.4 Dichtoro
phenoxyacetic acid 10.8 .

*Dimethylanine sait of 2.12 methyl
4 chlorophenoxyl propioric acid 11.6

Iriert Ingredients 77.6

*Equivalent to 9.0—2.4 Dichlorophenoxyacetic acid Isomer specific by AOAC Method 6.001.5

*Equivalent to 9.6 MCPP 2.42 methyl 1 chlorolophenoxyl propionic acid phenoxy) propionic acid

Keep out of reach of children See back panel for additional precautionary statements. **NET CONTENTS 1 GAL.**