

239-2342

PM 23

1057

WEED-B-GON M
EPA Reg. No. 239-2342
Submitted: June 12, 1986

COPY A

BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPET GRASSES:

GROWING SEASON - Use one-half recommended rate (2 tsp.) per gal. of water. Make 2 applications 10 days apart. Temporary injury may occur. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns.

DORMANT SEASON (WINTER): BERMUDA CENTIPEDE, CARPET GRASSES: Use at regular rate (see Dilution Table) and apply when turf is dormant (brown). Reduce rate by one-half (2 tsp.) per gal. water when turf has greened up and is actually growing (see Growing Season above).

ACCEPTED
JUN 17 1986
239 2342

CONFIDENTIAL

PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

CONFIDENTIAL



ORTHO

WEED-B-GON™ M

Treats 38,400 Sq Ft

CONTROLS ANNUALS

- Buckwheat
- Cantaberry
- Common Blackweed
- Field Bindweed
- Flax
- Flourish
- Florida Poinsettia
- Goldfinger
- Green Amaranth
- Hemp
- Marigold
- Portulaca
- Red Top
- Shasta Daisy
- Sonch
- Soybean
- Sweet Potato
- Yellow Pimpernel

CONTROLS BIENNIALS & PERENNIALS

- Broomrape
- Catclaw
- Common Stinkweed
- Cow Parsnip
- Crabgrass
- Cracked Foxglove
- Crabapple
- Crabwort
- Dayflower
- Field Horsetail
- Hairy Wood
- Henbit
- Yellow Plantain
- Wild Onion

CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, HENBIT, CHICKWEEDS AND MANY OTHER LISTED WEEDS.

Contains Wetting Agent for Added Value



Apply to weeds in lawn, garden, driveway, sidewalk, parking area, etc. Mix with water and spray. Do not apply to concrete or masonry. Do not apply to painted surfaces. Do not apply to plants in flower. Do not apply to plants in fruit. Do not apply to plants in seed. Do not apply to plants in leaf. Do not apply to plants in stem. Do not apply to plants in root. Do not apply to plants in flower. Do not apply to plants in fruit. Do not apply to plants in seed. Do not apply to plants in leaf. Do not apply to plants in stem. Do not apply to plants in root.

CONCENTRATE
Mix with water
and spray

Keep out of reach of children

DANGER

See back panel for additional precautionary statements.

NET CONTENTS 1 GAL.



WEED-B-GON™ M

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER:

...to the eyes. Wear goggles or face shield with...
...to the skin. Wash with soap and water. In case of eye contact, immerse...
...to the skin. Wash with soap and water. In case of eye contact, immerse...
...to the skin. Wash with soap and water. In case of eye contact, immerse...

Note to Physicians

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

DIRECTIONS FOR USE ON LAWNS

HOW TO USE

NEWLY SEEDDED LAWNS

BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPETGRASSES. Use one-half recommended rate (2 teaspoonfuls per gallon of water). Temporary injury may occur. Make 2 applications, 14 days apart. Do not apply to Bermuda, Cynodon, St. Augustine and coast bermuda.

HARDY WEEDS

IMPORTANT. Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

DILUTION TABLE

AREA TO TREAT

200 sq. ft.
1200 sq. ft.

WATER TO USE

1 gallon
6 gallons

AMOUNT OF WEED-B-GON M TO USE***

4 teaspoonfuls
8 Tablespoonfuls (4 oz.)

***Use one-half of this rate for Bent, Bermuda, Red Fescue, Centipede and Carpetgrasses.

Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When ORTHO Sprayer is used and rinsed thoroughly as directed on sprayer jar, immediately after applying WEED-B-GON M it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

TO PREPARE REFILL FOR WEED-B-GON WEED KILLER, EPA REG. NO. 239-2499. Measure 1 Tablespoonful of WEED-B-GON M into the empty container of WEED-B-GON Weed Killer (24 oz. size) and then fill with tap water according to the directions and precautions on the applicator bottle.

STORAGE AND DISPOSAL

STORAGE. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL - PRODUCT - Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** - Do not reuse empty can. Rinse thoroughly before discarding in trash.

Chevron Chemical Company

© 1983
Ortho Consumer Products Division
San Francisco, CA 94120 7144
Product 5088 - Made in U.S.A.
REG. REF. G.
EPA Reg. No. 231 2342 AA