







# ORTHO

# WEED-B-GON™ M

ACCEPTED

MAR 7 1988

U.S. Dept. of Agriculture  
Forest Service  
Forest Pest Management  
Order 239-2342  
Forest No. 239-2342  
Forest 239-2342

### ANNUALS

- Annual Blue Stem
- Blackberry
- Black-eyed Susan
- Bluebonnet
- Blueweed
- Buttercup
- Chickweed
- Clover
- Cowpea
- Dandelion
- Dogwood
- Field Pea
- Golden Plover
- Groundsage
- Hairy Wood
- Horseweed
- Milkweed
- Mustard
- Nutsedge
- Pigweed
- Red Top
- Shepherd's Purse
- Smartweed
- Spotted Deadnettle
- Sunflower
- Tansy
- Thistle
- Yellow Top

### BIENNIALS & PERENNIALS

- Barnyard Grass
- Canada Thistle
- Clover
- Cowpea
- Dogwood
- Field Pea
- Golden Plover
- Groundsage
- Hairy Wood
- Horseweed
- Milkweed
- Mustard
- Nutsedge
- Pigweed
- Red Top
- Shepherd's Purse
- Smartweed
- Spotted Deadnettle
- Sunflower
- Tansy
- Thistle
- Yellow Top

**CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, HENBIT, CHICKWEEDS AND MANY OTHER LISTED WEEDS.**

**Contains Wetting Agent for Added Value**



- Annual Blue Stem
- Blackberry
- Black-eyed Susan
- Bluebonnet
- Blueweed
- Buttercup
- Chickweed
- Clover
- Cowpea
- Dogwood
- Field Pea
- Golden Plover
- Groundsage
- Hairy Wood
- Horseweed
- Milkweed
- Mustard
- Nutsedge
- Pigweed
- Red Top
- Shepherd's Purse
- Smartweed
- Spotted Deadnettle
- Sunflower
- Tansy
- Thistle
- Yellow Top

**CONCENTRATE**  
Mix with water  
and spray

Keep out of reach of children

**DANGER**

See back panel for additional precautionary statements.

**NET CONTENTS 1 GAL.**

# WEED-B-GON™ M

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**DANGER:** Irritant to eyes. Causes eye damage. Do not get in eyes. Wear goggles or face shield when using. Wash thoroughly with water. Avoid contact with skin or clothing. In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, give plenty of water. Do not induce vomiting. If you feel unwell, call a doctor. If you are pregnant, consult your doctor. If you are using this product, do not eat, drink or smoke. Wash hands with soap and water after use. Do not use in areas where children or animals are likely to be present. Do not use in areas where food is stored or prepared. Do not use in areas where food is eaten. Do not use in areas where food is stored or prepared. Do not use in areas where food is eaten.

### Note to Physicians

### ENVIRONMENTAL HAZARDS

### DIRECTIONS FOR USE

**READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS**

### DIRECTIONS FOR USE ON LAWNS

Apply to the growing or dormant plants. Do not apply to the other plants. Apply to the growing or dormant plants. Do not apply to the other plants. Apply to the growing or dormant plants. Do not apply to the other plants.

### HOW TO USE

Apply to the growing or dormant plants. Do not apply to the other plants. Apply to the growing or dormant plants. Do not apply to the other plants. Apply to the growing or dormant plants. Do not apply to the other plants.

**NEWLY SEEDD LAWNS BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPET GRASSES GROWING SEASON** Use one-half (2 tsp) per gal water when turf has greened up and is actually growing (see Growing Season).

**DORMANT SEASON WINTER BERMUDA CENTIPEDE CARPET GRASSES** Use one-half (2 tsp) per gal water when turf has greened up and is actually growing (see Growing Season).

Tablet and apply when turf is dormant (brown). Reduce rate by one-half (2 tsp) per gal water when turf has greened up and is actually growing (see Growing Season).

**HARDY WEEDS:** For hardy weeds such as sheep sorrel, dock, thistle and morningglory in lawns and other areas, repeat application in 2 to 3 weeks if necessary.

**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

### DILUTION TABLE

AREA TO TREAT	WATER TO USE	AMOUNT OF WEED-B-GON M TO USE***
200 sq ft	1 gallon	4 teaspoonfuls
1200 sq ft	6 gallons	8 Tablespoonfuls (4 oz.)

\*\*\*Use one-half of this rate for Bent, Bermuda, Red Fescue, Centipede and Carpetgrasses

**Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops.** Coarse sprays are less likely to drift. When ORTHO Sprayer is used and rinsed thoroughly as directed on sprayer jar immediately after applying WEED-B-GON M it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

**TO PREPARE REFILL FOR WEED-B-GON WEED KILLER, EPA REG. NO. 239-2499.** Measure 1 Tablespoonful of WEED-B-GON M into the empty container of WEED-B-GON Weed killer (24 oz. size) and then fill with tap water. Use according to the directions and precautions on the applicator bottle.

### STORAGE AND DISPOSAL

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**DISPOSAL: PRODUCT** -- Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** -- Do not reuse empty can. Rinse thoroughly before discarding in trash.

**Chevron Chemical Company** © 1983

Ortho Consumer Products Division

San Francisco, CA 94120 7144

Product 5088 - Made in U.S.A.

R Form 5483 Q

EPA Reg. No. 239-2342 AA

