



WEED-B-GON M  
EPA Reg. No. 239-2342

**COPY A**

Corrosive to eyes. Causes eye damage. Do not get into eyes. Harmful if swallowed. Avoid contact with skin or clothing. **MIXING/APPLYING:** When mixing or applying this product, wear goggles or face shield, long pants, long sleeved shirt, shoes, and chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. Remove contaminated clothing and launder separately before reuse. Thoroughly wash hands and exposed skin with soap and water after handling. Do not reenter or permit others such as children and pets to reenter treated areas until spray has dried.

**COPY B**

**Note to Physicians:** Emergency Information - call 1-800-457-2022.

**COPY C**

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing and disposal sites. Exercise caution when handling pesticides to prevent contamination of groundwater supplies. Mixing and cleaning of equipment on an impervious pad such as concrete will help contain spills and prevent groundwater contamination. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground. Spray or drain over a large area away from wells and other water sources.

**CONFIDENTIAL**

PROPERTY OF  
CHEVRON CHEMICAL COMPANY  
UNTIL ACCEPTED BY EPA

297

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

A

**DANGER:** Corrosive to eyes. Causes eye damage. Do not get in eyes. Wear goggles or face shield when mixing and applying. Avoid contact with skin or clothing. Wear long pants, long sleeved shirt and chemical resistant gloves when applying product. **Mixing:** When mixing or applying this product, wear chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. Remove contaminated clothing and launder separately before reuse. Thoroughly wash hands and exposed skin with soap and water after handling. Keep children and animals off treated areas until spray is dry.

**STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, immediately flush eyes with fresh water for 15 minutes and get medical attention. If swallowed, give plenty of water or milk to drink and telephone for medical advice. DO NOT make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. In case of skin contact, wash skin with plenty of soap and water. Get medical attention if irritation persists. **Note to Physicians:** Emergency Information call (415) 233-3737.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Exercise caution when mixing and disposing of waste as groundwater contamination may result from careless handling or spills. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

WEED-B-GON M is for effective control of lawn weeds and will not harm lawn grasses when used according to directions.

**DIRECTIONS FOR USE ON LAWNS:** For control of Dandelions, Chickweed, Plantains, Clover and the other listed weeds, apply WEED-B-GON M any time weeds are actively growing. Weeds such as wild garlic and wild onions should be sprayed when they appear in late fall and again in early spring.

**HOW TO USE:** May be applied with an ORTHO Weed Killer Sprayer, ORTHO SPRAY-ETTE™, ORTHO DIAL 'n SPRAY™ Hose-End Sprayer or tank-type sprayer. Refer to table for recommended dilution. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application. Make new dilution for each use.

**NEWLY SEEDED LAWNS** may be treated after they have been mowed at least 3 times. **BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPET GRASSES: GROWING SEASON** — Use one-half recommended rate (2 tsp.) per gal. of water. Make 2 applications 10 days apart. Temporary injury may occur. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns.

**DORMANT SEASON (WINTER): BERMUDA, CENTIPEDE, CARPET GRASSES:** Use at regular rate (see Dilution

Table) and apply when turf is dormant (brown and greened up and is actually growing (see GRASS). **HARDY WEEDS:** For hardy weeds such as crabgrass, repeat application in 2 to 3 weeks if necessary. **IMPORTANT:** Do not use this product for lawns or ornamental plantings. Do not reseed for 4 weeks after application. **DILUTION TABLE**

AREA TO TREAT	WATER
200 sq. ft.	1 gallon
1200 sq. ft.	6 gallons

\*\*\*Use one-half of this rate for Bent, Bermuda, and Red Fescue. Avoid spray contact or drift to susceptible trees, fruit trees and other crops. Coarse spray should be rinsed thoroughly as directed on sprayer. Do not mix with insecticides, fungicides and liquid fertilizers. **TO PREPARE REFILL FOR WEED-B-GON M:** Add 2 tsp. of WEED-B-GON M into the empty container of your sprayer. Use according to the directions and precautions on the label.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep pesticide in original containers. Avoid contamination of feed and food. Store in a cool, dry place. Do not store with insecticides or fungicides. Store in a cool, dry place.

**DISPOSAL: PRODUCT** — Partially filled containers should be disposed of in several layers of newspaper and discard in trash before discarding in trash.

**Chevron Chemical Company**  
Ortho Consumer Products Division  
P.O. Box 5047 San Ramon CA 94583-0947  
R Form 8689-T Product 5088 Made in U.S.A.  
EPA Reg. No. 239-2342-AA





# ORTHO

## WEED-B-GON® M

Treats 38,400 Sq. Ft.

one-half (2 tsp.) per gal. water when turf has  
thistle and morningglory in lawns and other  
in flower or vegetable beds or around shrubs  
use.

### AMOUNT OF WEED-B-GON M TO USE\*\*\*

4 teaspoonfuls

8 Tablespoonfuls (4 oz.)

Centipede and Carpetgrasses.

Product may injure flowers, shrubs, garden vegeta-  
bly to drift. When ORTHO Sprayer is used and  
after applying WEED-B-GON M it can be used to  
control plants.

REG. NO. 238-2488: Measure 1 Tablespoonful of  
Weed Killer (24 oz. size) and then fill with tap water.  
indicator bottle.

Do not concentrate or dilute into food or drink con-  
tact store near feed, foodstuffs, fertilizers, seeds,  
especially in a locked storage area. Do not store di-

posed of by securely wrapping original container in  
plastic—Do not reuse empty can. Rinse thoroughly

### CONTROLS ANNUALS

Black Medic  
Carpoweed  
Common Chickweed  
Clover  
Creeping Beggar Weed  
Fennel  
Fleabane  
Florida Pusley  
Wild Geranium  
Hawkweed  
Henbit  
Knotweed  
Lambsquarters  
Mallow  
Oxalis  
Pigweed  
Purslane  
Ragweed  
Shepherdspurse  
Sow Thistle  
Smartweed  
Speedwell  
Spurge

### CONTROLS BIENNIALS & PERENNIALS

Buckhorn Plantain  
Canada Thistle  
Clover  
Common Burdock  
Common Plantain  
Curly Dock  
Dandelion  
Dichondra  
Ground Ivy  
Lawn Pennywort  
Lippia  
Morning Glory  
Mouseear Chickweed  
Oxalis  
Sheep Sorrel  
Thistles  
Wild Carrot  
Wild Garlic  
Wild Onion  
Yarrow

### CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, HENBIT, CHICKWEEDS AND MANY OTHER LISTED WEEDS.

#### Contains Wetting Agent for Added Value



Active Ingredients By Wt.  
2,4-Dichlorophenoxyacetic acid, dimethylamine salt\* . . . 10.8%  
2-(2-Methyl-4-chlorophenoxy) propionic acid,  
dimethylamine salt\*\* . . . 11.8%  
Inert Ingredients . . . 77.6%  
\*2,4-Dichlorophenoxyacetic acid equivalent, isomer specific  
by AOAC Method 8.001-5: 9.0%  
\*\*2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent: 9.6%

**CONCENTRATE**  
Mix with water  
and spray

Keep out of reach of children

### DANGER

See back panel for additional precautionary statements.

### NET CONTENTS 1 GAL.

Reg # 239-2342

PM-23

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** Corrosive to eyes. Causes eye damage. Do not get into eyes. Harmful if swallowed. Avoid contact with skin or clothing. **MIXING/APPLYING:** When mixing or applying this product, wear goggles or face shield, long pants, long sleeved shirt, shoes, and chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. Remove contaminated clothing and launder separately before reuse. Thoroughly wash hands and exposed skin with soap and water after handling. Do not reenter or permit others such as children and pets to reenter treated areas until spray has dried. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, immediately flush eyes with fresh water for 15 minutes and get medical attention. If swallowed, give plenty of water or milk to drink and telephone for medical advice. **DO NOT** make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. In case of skin contact, wash skin with plenty of soap and water. Get medical attention if irritation persists. **Note to Physicians:** Emergency Information—call 1-800-457-2022.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing and disposal sites. Exercise caution when handling pesticides to prevent contamination of groundwater supplies. Mixing and cleaning of equipment on an impervious pad such as concrete will help contain spills and prevent groundwater contamination. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground. Spray or drain over a large area away from wells and other water sources.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

WEED-B-GON M is for effective control of lawn weeds and will not harm lawn grasses when used according to directions.

**DIRECTIONS FOR USE ON LAWNS:** For control of Dandelions, Chickweed, Plantains, Clover and the other listed weeds, apply WEED-B-GON M any time weeds are actively growing. Weeds such as wild garlic and wild onions should be sprayed when they appear in late fall and again in early spring.

**HOW TO USE:** May be applied with an ORTHO Weed Killer Sprayer, ORTHO SPRAY-ETTE™, ORTHO DIAL 'n SPRAY® Hose-End Sprayer or tank-type sprayer. Refer to table for recommended dilution. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application. Make new dilution for each use.

**NEWLY SEEDED LAWNS** may be treated after they have been mowed at least 3 times. **BENT, BERMUDA, FESCUE, CENTIPEDE AND CARPET GRASSES: GROWING SEASON**—Use one-half recommended rate (1/2 per gal. of water. Make 2 applications 10 days apart. Temporary injury may occur. Do not apply to Dichro Lippia, St. Augustine and Clover lawns.

**DORMANT SEASON (WINTER): BERMUDA, CENTIPEDE, CARPET GRASSES:** Use at regular rate (see Dilution Table) and apply when turf is dormant (brown). Reduce rate by one-half (2 tsp.) per gal. water when turf is greened up and is actually growing (see Growing Season).

**HARDY WEEDS:** For hardy weeds such as sheep sorrel, dock, thistle and morning glory in lawns and other areas, repeat application in 2 to 3 weeks if necessary.

**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

**DILUTION TABLE**

AREA TO TREAT	WATER TO USE	AMOUNT OF WEED-B-GON M TO USE***
200 sq. ft.	1 gallon	4 teaspoonfuls
1200 sq. ft.	6 gallons	8 Tablespoonfuls (4 oz.)

\*\*\*Use one-half of this rate for Bent, Bermuda, Red Fescue, Centipede and Carpetgrasses.

Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When ORTHO Sprayer is used, rinse thoroughly as directed on sprayer jar immediately after applying WEED-B-GON M it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

**TO PREPARE REFILL FOR WEED-B-GON WEED KILLER, EPA REG. NO. 239-2499:** Measure 1 Tablespoonful WEED-B-GON M into the empty container of WEED-B-GON Weed Killer (24 oz. size) and then fill with tap water. Use according to the directions and precautions on the applicator bottle.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seed, insecticides or fungicides. Store in a cool, dry place, preferably in a locked storage area. Do not store in unsealed spray.

**DISPOSAL: PRODUCT**—Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER**—Do not reuse empty can. Rinse thoroughly before discarding in trash.

**Chevron Chemical Company © 1983**

Ortho Consumer Products Division  
P.O. Box 5047 San Ramon CA 94583-0947  
Form R8689-U Product 5088  
EPA Reg. No. 239-2342-AA



687

NOT REVIEWED  
 In Accordance with PR Notice 82-2.  
 Based on Draft Labeling Dated 8/27/90

**PRECAUTIONARY STATEMENTS**

**HUMANS & DOMESTIC ANIMALS**

Corrosive to eyes. Causes eye damage. Do not get into eyes. Harmful if swallowed. Avoid skin or clothing. **MIXING/APPLYING:** When mixing or applying this product, wear goggles or long pants, long sleeved shirt, shoes, and chemical resistant gloves. Wash nondisposable clothing with soap and water before removing. Remove contaminated clothing and launder separately. Thoroughly wash hands and exposed skin with soap and water after handling. Do not permit others such as children and pets to reenter treated areas until spray has dried. **STATEMENT OF TREATMENT:** In case of eye contact, immediately flush eyes with fresh water for 15 minutes and seek medical attention. If swallowed, give plenty of water or milk to drink and telephone for medical attention. Do not make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center. In case of skin contact, wash skin with plenty of soap and water. Get medical attention if available. **Note to Physicians:** Emergency Information—call 1-800-457-2022.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, marshes, and potholes). Most cases of groundwater contamination involving phenoxy herbicides and MCPP have been associated with mixing and disposal sites. Exercise caution when cleaning equipment to prevent contamination of groundwater supplies. Mixing and cleaning of equipment on a nonporous pad such as concrete will help contain spills and prevent groundwater contamination. Rinse equipment with clean water when disposing of equipment washwaters. When cleaning equipment, do not discharge washwater on the ground. Spray or drain over a large area away from wells and other water sources.

**USE**

Do not use in violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

WEED-B-GON M is for effective control of lawn weeds and will not harm lawn grasses when used according to directions.

**FOR USE ON LAWNS:** For control of Dandelions, Chickweed, Plantains, Clover and the other weeds, apply WEED-B-GON M any time weeds are actively growing. Weeds such as wild garlic and nutsedge should be sprayed when they appear in late fall and again in early spring.

**FOR USE ON OTHER AREAS:** May be applied with an ORTHO Weed Killer Sprayer, ORTHO SPRAY-ETTE™, ORTHO DIAL™ or ORTHO Base-End Sprayer or tank-type sprayer. Refer to table for recommended dilution. If lawn needs to be treated, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn thoroughly and evenly; do not overspray. Spray when air is calm to avoid spray drift that could damage desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F during or following application. Make new dilution for each use.

**NEWLY SEEDED LAWNS** may be treated after they have been mowed at least 3 times. **BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPET GRASSES: GROWING SEASON—** Use one-half recommended rate (2 tsp.) per gal. of water. Make 2 applications 10 days apart. Temporary injury may occur. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns.

**DORMANT SEASON (WINTER): BERMUDA, CENTIPEDE, CARPET GRASSES:** Use at regular rate (see Dilution Table) and apply when turf is dormant (brown). Reduce rate by one-half (2 tsp.) per gal. water when turf has greened up and is actually growing (see Growing Season).

**HARDY WEEDS:** For hardy weeds such as sheep sorrel, dock, thistle and morning glory in lawns and other areas, repeat application in 2 to 3 weeks if necessary.

**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

**DILUTION TABLE**

AREA TO TREAT	WATER TO USE	AMOUNT OF WEED-B-GON M TO USE***
200 sq. ft.	1 gallon	4 teaspoonfuls
1200 sq. ft.	6 gallons	8 Tablespoonfuls (4 oz.)

\*\*\*Use one-half of this rate for Bent, Bermuda, Red Fescue, Centipede and Carpetgrasses.

**Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops.** Coarse sprays are less likely to drift. When ORTHO Sprayer is used and rinsed thoroughly as directed on sprayer jar immediately after applying WEED-B-GON M it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

**TO PREPARE REFILL FOR WEED-B-GON WEED KILLER, EPA REG. NO. 239-2499:** Measure 1 Tablespoonful of WEED-B-GON M into the empty container of WEED-B-GON Weed Killer (24 oz. size) and then fill with tap water. Use according to the directions and precautions on the applicator bottle.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**DISPOSAL: PRODUCT—**Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER—** Do not reuse empty can. Rinse thoroughly before discarding in trash.

**Chevron Chemical Company © 1983**

Ortho Consumer Products Division  
 P.O. Box 5047 San Ramon CA 94503-0947  
 Form R8689-U Product 5088  
 EPA Reg. No. 239-2342-AA



**CONTROLS ANNUALS**

- Black Medic
- Carpetweed
- Common Chickweed
- Clover
- Creeping Beggar Weed
- Fennel
- Fleabane
- Florida Pusley
- Wild Geranium
- Hawkweed
- Henbit
- Knotweed
- Lambsquarters
- Mallow
- Oxalis
- Pigweed
- Purslane
- Ragweed
- Shepherdspurse
- Sow Thistle
- Smartweed
- Speedwell
- Spurge

797

be mowed at least 3 times. BENT, BERMUDA, RED  
ING SEASON — Use one-half recommended rate (2 tsp.)  
Temporary injury may occur. Do not apply to Dichondra,

E. CARPET GRASSES: Use at regular rate (see Dilution  
rate by one-half (2 tsp.) per gal. water when turf has  
on).

l, dock, thistle and morning glory in lawns and other

weeds in flower or vegetable beds or around shrubs  
ks after use.



# ORTHO

# WEED-B-GON<sup>®</sup> M

Treats 38,400 Sq. Ft.

AMOUNT OF WEED-B-GON M  
TO USE\*\*\*

4 teaspoonfuls

8 Tablespoonfuls (4 oz.)

Rescue, Centipede and Carpetgrasses.

No product may injure flowers, shrubs, garden vege-  
less likely to drift. When ORTHO Sprayer is used and  
ly after applying WEED-B-GON M it can be used to  
namental plants.

EPA REG. NO. 239-2499: Measure 1 Tablespoonful of  
N Weed Killer (24 oz. size) and then fill with tap water.  
applicator bottle.

It put concentrate or dilute into food or drink con-  
b not store near feed, foodstuffs, fertilizers, seeds,  
preferably in a locked storage area. Do not store di-

posed of by securely wrapping original container in  
LINER — Do not reuse empty can. Rinse thoroughly

### CONTROLS ANNUALS

- Black Medic
- Carpetweed
- Common Chickweed
- Clover
- Creeping Beggar Weed
- Fennel
- Fleabane
- Florida Pusley
- Wild Geranium
- Hawkweed
- Henbit
- Knotweed
- Lambsquarters
- Mallow
- Oxals
- Pigweed
- Purslane
- Ragweed
- Shepherdspurse
- Sow Thistle
- Smartweed
- Speedwell
- Spurge

### CONTROLS BIENNIALS & PERENNIALS

- Buckhorn Plantain
- Canada Thistle
- Clover
- Common Burdock
- Common Plantain
- Curly Dock
- Dandelion
- Dichondra
- Ground Ivy
- Lawn Pennywort
- Lippia
- Morning Glory
- Mouseear Chickweed
- Oxalis
- Sheep Sorrel
- Thistles
- Wild Carrot
- Wild Garlic
- Wild Onion
- Yarrow

## CONTROLS DANDELIONS, WILD ONIONS, PLANTAINS, HENBIT, CHICKWEEDS AND MANY OTHER LISTED WEEDS.

### Contains Wetting Agent for Added Value



Active Ingredients	By Wt.
2,4-Dichlorophenoxyacetic acid, dimethylamine salt*	70.8%
2-(2-Methyl-4-chlorophenoxy) propionic acid, dimethylamine salt**	11.6%
Inert Ingredients	17.6%
*2,4-Dichlorophenoxyacetic acid equivalent, isomer specific by AOAC Method 6.001-5: 9.9%	
**2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent: 9.6%	

### CONCENTRATE Mix with water and spray

Keep out of reach of children

## DANGER

See back panel for additional precautionary statements.

## NET CONTENTS 1 GAL.