




ORTHO

Chickweed & Clover Control

CONTROLS:
 COMMON
 CHICKWEED
 MOUSEEAR
 CHICKWEED
 CLOVER
 KNOTWEED
 GROUND IVY
 Dandelion
 PLANTAIN
 SHEPHERDSPURSE
 MUSTARD
 DICHONDRA
 PIGWEED
 RAGWEED
 LAMBSQUARTERS



ORTHO

Covers
 up to
 9,600
 Sq Ft


Chickweed & Clover Control

KILLS CHICKWEED AND
 CLOVER IN GRASS LAWNS

ACCEPTED

MAR 22 1982

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended for the post-sale
 regulation under
 EPA Reg. No. 239-2343



Keep out of reach of children

WARNING

See back panel for additional precautionary statements

NET CONTENTS 1 QT.



ORTHO

Chickweed & Clover Control

CONTROLS:
COMMON
CHICKWEED
MOUSEEAR
CHICKWEED
CLOVER
KNOTWEED
GROUND IVY
DANDELION
PLANTAIN
SHEPHERDSPURSE
MUSTARD
DICHONDRA
PIGWEEED
RAGWEED
LAMBSQUARTERS

Chevron Chemical Company
P.O. Box 1000, Richmond, CA 94804
P.O. Box 1000, Richmond, CA 94804
P.O. Box 1000, Richmond, CA 94804
P.O. Box 1000, Richmond, CA 94804
P.O. Box 1000, Richmond, CA 94804



ORTHO Chickweed & Clover Control

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be harmful if swallowed. Harmful if swallowed. Do not get in eyes. Wear goggles when handling. Avoid contact with skin and clothing. Wash thoroughly after use. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, immediately flush eyes with fresh water for 15 minutes and seek a doctor. If swallowed, give a large amount of water to drink, make person vomit and seek a doctor. For skin contact, wash with plenty of soap and water. **Note to Physicians:** Emergency information call 1-800-233-3737. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Keep out of any body of water. Fish, ornamental ponds may be killed by direct application, leaching of equipment or disposal of waste and containers. Do not contaminate water by leaking of equipment or disposal of waste.

DIRECTIONS FOR USE

This is a violation of Federal Law to use this product in a manner not intended with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

ORTHO Chickweed & Clover Control is for the control of Common Chickweed, Mouseear, Chickweed, Knotweed, Ground Ivy, Dandelion, Plantain, Shepherdspurse, Mustard, Dichondra, Pigweed, Ragweed and Lambsquarters. It will not harm lawn grasses. Use according to directions.

DIRECTIONS

For control of chickweed, mouseear, knotweed, ground ivy, dandelion, plantain, shepherdspurse, mustard, dichondra, pigweed, ragweed and lambsquarters, apply ORTHO Chickweed & Clover Control when weeds are actively growing. Applications made in the spring and fall when the weeds are in the early stages of growth will be most effective.

HOW TO USE

For best results, use ORTHO Chickweed & Clover Control as directed on the label. Do not water for 48 hours after application. Do not spray when wind is blowing. Avoid spray drift that may injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F. Do not apply to newly seeded lawns. May be reapplied after they have been mowed at least 3 times. Do not apply to Dichondra, Lippia, Clover and St. Augustine grass lawns. May injure Seaside, Arlington and Congressional beets.

DILUTION TABLE

Area to Treat	Water to Mix	Amount of ORTHO Chickweed & Clover Control to Use
100 sq. ft.	1 gal.	4 teaspoons
200 sq. ft.	2 gals.	8 teaspoons
300 sq. ft.	3 gals.	12 teaspoons
400 sq. ft.	4 gals.	16 teaspoons

IMPORTANT: DO NOT USE THIS PRODUCT ON INTERIOR LAWNS OR IN AREAS WHERE THERE ARE DESIRABLE PLANTS OR ORNAMENTAL PLANTINGS.

Do not use for 30 days after use.

When ORTHO Sprayer is used and mixed thoroughly as directed on sprayer, immediately after applying ORTHO Chickweed & Clover Control, it may be used to apply insecticides, fungicides and fertilizers to ornamental plants.


Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. These sprays are less likely to drift.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not store dilute spray. Do not store near food, feed, foodstuffs, fertilizers, seeds, insecticides, fungicides. Do not reuse empty container. Wrap container and put in trash or recycle.

NOTICE: It is the user's responsibility to satisfy all use restrictions on the label.


BEST AVAILABLE COPY



ORTHO

Chickweed & Clover Control

CONTROLS
COMMON
CHICKWEED
MOUSEEAR
CHICKWEED
CLOVER
KNOTWEED
GROUND IVY
DANDELION
PLANTAIN
SHEPHERDSPURSE
MUSTARD
DICHONDRA
PIGWEEED
RAGWEED
LAMBSQUARTERS



ORTHO

Covers
up to
9,600
Sq. Ft.

Chickweed & Clover Control

KILLS CHICKWEED AND
CLOVER IN GRASS LAWNS



For use on lawns, golf courses, and other areas where a lush green lawn is desired. Kills chickweed, clover, and other weeds. Apply to moist soil. Do not mow or cut lawn for 2 weeks after application.

Keep out of reach of children

WARNING

See back panel for additional precautions and directions

NET CONTENTS 1 QT.

