

to 5 weeks to completely die.
2. To prevent the growth of Sedge, Crabgrass, Spotted Spurge and Paspalum and forbids grass, apply in January, February or March before these weeds germinate. This product will not control these weeds if they are present in the lawn at time of application.
In newly sprigged lawns, apply soon after planting to reduce competition from weeds. To avoid drift apply when air is calm.

HOW TO APPLY

The contents of this bag will cover an area of 4,000 sq. ft. (100'x40') when applied according to directions. If soil is dry, water thoroughly the day before treatment. Treat entire lawn evenly. Do not exceed recommended rate. Immediately after application water to wash pellets off the grass blades.

IMPORTANT NOTICE

ORTHO St. Augustine Weed & Feed is for use on St. Augustine and Centipede lawns only. Do not use on Bluegrass, Fescue, Bent, Bahia, Ryegrass, Bermuda or Dichondra lawns. On newly seeded Centipede wait until the new grass has been mowed at least once before applying ORTHO St. Augustine Weed & Feed. Delay spring planting one month and seeding 8 months after application.

Avoid application to the root zone area of trees and shrubs. This extends from the trunk out to a point under the branch tips. Avoid application on garden plants, flowers and shrubs. Read and follow directions carefully.

FAST, EASY APPLICATION



ORTHO Lawn Spreader

Use setting No. 5. Apply 2 1/2 lbs. to cover 4,000 sq. ft. (100' x 40'). Cover lawn in one direction. Do not use criss-cross pattern.

ORTHO WHIRLYBIRD Spreader

Use setting No. 4. Apply 2 WHIRLYBIRDS full (5 1/2 lbs.) to 750 sq. ft. (50' x 15'). Start cranking the WHIRLYBIRD handle before depressing thumb lever. To insure complete coverage, spread in criss-cross pattern by applying the second WHIRLYBIRD full at right angles to the first. For application in confined areas and along border plantings, control of swath width can be obtained by holding the WHIRLYBIRD closer to the ground.

2-Wheel Spreader Settings

Spreader settings below are for covering lawns in one direction. Do not use criss-cross pattern. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader and ORTHO Lawn Spreader. When making turns, shut off spreader to avoid over-application. Variables inherent in equipment, as well as accuracy of machine adjustment, may cause actual application rates to deviate. Therefore, Deaton makes no warranty as to uniformity of coverage obtained from the settings listed below.

Spreader	Cyclone 2-Wheel Spreader	Scotts	Sears 24"	Jackson 20"	Central Imperial 20"	Wards 24"	Greenfield No. 105
Setting	5	5 1/2	6 1/4	6 1/4	8	8	6 1/2

*Due to the wide swath, use ORTHO Lawn Spreader and Cyclone 2-Wheel Spreader in open areas only; avoid trees, shrubs and flowers.

CAUTION: Harmful if swallowed. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands after use. Avoid contamination of foodstuffs, fish ponds, irrigation ditches or water used for irrigation. Wash thoroughly after using. Keep out of reach of children. Do not store near food, foodstuffs, seeds, fertilizer, insecticides or fungicides. Dispose of container promptly when empty.

NOTICE: Bayer assumes all responsibility for safety and use not in accordance with directions.

Form 8004 USDA Reg. No. 239-2348

Product 5084 Made in U.S.A.

AMMONIUM NITRATE-PHOSPHATE

FREIGHT SHIPPING BAG
Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by ST. REGIS PAPER CO.

BAG SPEC. 1279

Feed
Covers
4,000 Sq. Ft.

SHIPPERS NOTICE

