

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Wear goggles or safety glasses. Harmful if swallowed, or absorbed through skin. Avoid breathing spray mist. Wear a long sleeved shirt and long legged pants when spraying. Spray with the wind to your back. Do not spray on windy days. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again. May cause contact sensitization following repeated contact with skin of susceptible individuals. If sensitization reactions result, contact a physician. Do not use on household pets or humans. Do not allow children or pets onto a treated area until the treated area such as grass or soil has dried. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, wash eyes immediately with fresh water for 15 minutes and see a doctor. For skin contact, wash thoroughly with soap and water. Remove and launder contaminated clothing. If swallowed, DO NOT make person vomit. Call a doctor immediately. If inhaled, remove victim to fresh air. Apply artificial respiration if indicated. **Notes to Physicians:** Emergency Information—call 1-800-457-2822. This product contains a light petroleum solvent and may present an aspiration problem. This is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. **ENVIRONMENTAL INFORMATION:** This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area, or when trees or weeds are in bloom. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO USE: Mixes readily with water and may be used in all types of sprayers. Use 2 teaspoons (1/4 fl. oz.) per gal. of water. Spray plants thoroughly, especially upper and lower leaf surfaces. Spray when pests first appear. Applications should be repeated only as directed to maintain control. For the fruits and nuts listed on this label, do not apply more than 3 gallons of spray per 500 sq. ft. of grape vineyard or strawberry patch, 5 gallons of spray per 500 sq. ft. of caneberry patch, or 6 gallons of spray

per 500 sq. ft. of home orchard. For the vegetables listed on this label, do not apply more than 3 gallons of spray per 1000 sq. ft. of home vegetable garden. Repeat at 14 day intervals for Almonds, Apricots, Caneberries, Nectarines, Peaches, and Walnuts. Repeat at 7 to 10 day intervals as necessary for all other crops. Do not apply more than 3 times per season for Almonds, Beans, Onions, Peas, Strawberries and Walnuts. Do not apply more than 5 times per season for all other crops. Numbers in () indicate days required between last application and harvest. Do not apply to Almonds or Walnuts after husks crack or open. Do not feed treated vines to livestock. Do not treat food crops grown in the greenhouse.

FRUIT & NUTS: Almonds CA only (45), Apricots (10), Caneberries (includes Blackberries, Boysenberries, Dewberries, Loganberries, and Raspberries) CA, OR, WA only (7), Cherries (10), Grapes (18), Nectarines (10), Peaches (20), Plums (10), Prunes (10), Strawberries (5), Walnuts CA only (45).

To Control: Aphids, Cherry Fruit Flies, Dried Fruit Beetles, Fruitworms (Mag-gots), Fruit Tree Leafrollers, Grape Berry Moth, Grape Leafhoppers, Leafhoppers, Mealybugs, Mites, Raspberry Sawflies, Scale Crawlers, Strawberry Leafroller, Tomato Leafminers, Thrips, Walnut Caterpillars.

VEGETABLES: Beans, fresh only (7), Broccoli (5), Cabbage (7), Cantaloupes (3), Carrots (10), Cauliflower (5), Celery (10), Cucumber (7), Lettuce (10), Melons (3), Onions (10), Peas, fresh only (1), Peppers (5), Potatoes (35), Radishes (10), Spinach (7), Summer Squash (7), Sweet Corn (1), Tomatoes (1), Turnips (10), Watermelons (3), Winter Squash (3). **NOTE:** Do not use on dried bean or pea varieties. To protect bees, do not apply to bean or pea foliage if the crop or weeds in the treatment area are in bloom. Do not apply to corn during the pollen shed period.

To Control: Aphids, Armyworms, Colorado Potato Beetle, Cucumber Beetles, Diamond Back Moth (larvae), Deterous Leafminers, Flea Beetles, Grasshoppers, Imported Cabbage Worms, Leafhoppers, Mexican Bean Beetles, Mites, Onion Thrips, Thrips, Vinegar Flies, Whiteflies.

For Disease Control: On Fruits—Apply ORTHOCIDE® (Captan) Garden Fungicide. On Vegetables—Apply ORTHO Vegetable Disease Control. Follow label directions.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. Keep tightly capped. **DISPOSAL:** PRODUCT—Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER—Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1985
Ortho Consumer Products Division
P.O. Box 5047
San Ramon CA 94583-0947
Product 1000-59
Form 1035-C
EPA Reg. No. 239-2350-AA
EPA Est. 239-MO-1



ORTHO

Makes 48
Gallons
Diluted Spray

**Fruit & Vegetable
Insect Control**

**Controls Most Fruit Tree and Vegetable Insects
For Use in the Home Garden**



Contains
25% Diazinon

Active Ingredient
Diazinon (O,O-dimethyl-O-
[2-isopropyl-6-methyl-4-pyri-
midinyl]phosphorothioate) 25%
Inert Ingredients 75%
*Contains Aromatic Petroleum
Derivative Solvent
DO NOT USE IN THE HOME

Keep out of reach of children

WARNING

See side panel for additional
precautionary statements.

NET CONTENTS 1 PT.

BEST AVAILABLE COPY

ACCEPTED
FEB - 3 1992
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 239-2350