

CAUTIONARY STATEMENTS

absorbed through the skin. Do not get in eyes. Wear goggles or face shield on household pets or humans. Keep children and pets away from treated areas. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, flush thoroughly with soap and water. Remove and launder contaminated clothing for medical advice. **DO NOT** make person vomit unless directed to do so. Do not take person and product container to the nearest medical emergency information — call (415) 233-3737. This product contains a light petroleum solvent which is an organophosphorus cholinesterase inhibitor. If signs and symptoms of poisoning may also be given in conjunction with atropine but should never be used

on wildlife. Birds feeding on treated areas may be killed. Do not apply directly to surface water when disposing of equipment washwaters. This pesticide is not to be applied to remaining on treated areas. Do not apply when bees are actively visiting. Observe a possible interval between treatment and the next period of bee activity. Do not use near heat or open flame.

Do not use in a manner inconsistent with its labeling.

ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHEX™ makes your spray spread more evenly and stick better to cover

on plants, Chinch Bugs, Clover Mites, Crickets, Cutworms, Dichondra Flea Beetle, Flea Beetles, Moths, Leafhoppers, Sod Webworm, Brown Dog Ticks — Apply 4 fl. oz.

For Lawn Billbugs, water lawn thoroughly immediately after treatment. For Grubs, Mole Crickets — Apply 5 fl. oz. (10 Tbs.) in 15 gals. water to cover

if European Crane Fly (larvae) are found in the soil or consult your local extension agent. For Mole Crickets, apply in May or June when pests are small.

For Fire Ants — Apply 1 fl. oz. (2 Tbs.) in a minimum of 1 gal. of water as a mound. Apply gently to avoid disturbing ants. Reapply as necessary. For termite mounds or late evening hours. Treat new mounds as they appear.

FOR HOUSEHOLD USES: For Cabbage Moth, Cucumber Beetles, Cutworms, Flea Beetles, Holly Bud Moth, Scale Crawlers, Thrips, Whiteflies — Apply 2 tsp. (1/8 fl. oz.) per gal. of water. Spray leaves and penetrate dense foliage to wet leaves and branches to dripping

Grapes (10), Nectarines (10), Oranges (21), Peaches (20), Pears (14), Plums (14), Repeat at 10-14 day intervals.

(3), Carrots (10), Cauliflower (5), Cucumbers (7), Lettuce (10), Onions (10), Summer Squash (7), Tomatoes (1). Note: Apply at 7-10 day intervals as

needed for application and harvest.

on plants, Gladioli, Pyracantha, Rhododendrons.

on plants, Locust, Maple, Pine, Spruce, Sycamore, Willow.

on plants, Hibiscus, gardenia, and orchids since injury may occur.

Apply 15 fl. oz. in 15 gals. water to cover 500 sq. ft. of soil beneath host plants listed above at 8 day intervals as needed.

X Rose Disease Control may be mixed with this product when listed on both labels.

on plants, Earwigs, Fleas, Flies, Millipedes, Scorpions, Sowbugs (Pillbugs), Flea Beetles, apply 8 fl. oz. in 3 gals. water. Spray a 5 ft. band of soil around the house, windows and door screens, sills, foundations, porch and patio walls and under porches, and into cracks and other places where insects can hide. **DO NOT** spray once pest rate. Do not burn sprayed firewood within 2 weeks following

Do not mix concentrate or dilute into food or drink containers. Avoid contamination of feed storage areas. Do not store diluted spray. Keep tightly capped.

Store by securely wrapping original container in several layers of newspaper. Dispose of concentrate thoroughly before discarding in trash.

Use in accordance with directions.



ORTHO

Diazinon Insect Spray


Makes up to 96 Gallons Diluted Spray

This product must not be used on golf courses and sod farms.

CONTROLS LAWN INSECTS
Ants, Fleas, Sod Webworms, Brown Dog Ticks, White Grubs

CONTROLS GARDEN INSECTS
Aphids, Cucumber Beetles, Cabbageworms, Codling Moth, Whiteflies

Kills Black Widow Spiders



Contains ORTHEX™ Wetting Agent for More Effective Coverage.

Active Ingredient
Diazinon (0,0-diethyl-0-[2-isopropyl-6-methyl-4-pyrimidinyl] phosphorothioate) 25%
*Inert Ingredients 75%
*Contains petroleum distillates

By Wt.

Keep out of reach of children
WARNING
See back panel for additional precautionary statements.

ACCEPTED
FEB - 3 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2364

NET CONTENTS 1 QT.

20/2-