PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

DANGER

STATEMENT OF PRACTICAL TREATMENT

Note to Physicians

ENVIRONMENTAL HAZARD

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO Diazinon Insect Spray kills the many listed outdoor insects that can destroy lawns, roses, flowers, trees, and the plants you love, pets and people. ORTHO Diazinon Insect Spray works fast, also remains effective for an extended period of time. **DO NOT USE IN HOME.**

HOW TO MIX AND APPLY. For lawns, measure the area to be sprayed. For [illegible] Then apply on a thorough cover spray. Make applications when insects first appear. Repeat application as needed or as noted in Rate Chart. Use coarse or fine spray for lawns, soil and surface applications. Thorough coverage is important. Keep tight lid applied. See Rate Chart below. For Complete Insect List, Use dosage shown unless otherwise indicated. Note: Do not use on certain ferns, poinsettia, hibiscus, or the plant jasmines and orchids since injury may occur. **Numbers in ( ) indicate days required between last application and harvest.**

Problem Area	Pests	Rate and Area Covered	Notes
Lawns Bent, Bermuda, Bluegrass, Dichondra, Fescue, St. Augustine	Ants, Armyworms, Bermuda Mites, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Dichondra Flea Beetle, Earwigs, Fleas, Lawn Bullbugs, Lawn Moths, Leafhoppers, Sod Webworms, Ticks	[illegible] oz. in [illegible] gals. water covers 500 sq. ft.	Thoroughly wet dry grass a few hours before applying. For Lawn Bullbugs, water lawn thoroughly immediately after treatment. In the North, Chinch Bugs are the only lawn insect pest. A lower rate of application can be used: 4 Tbsp. (2 fl. oz.) in 15 gals. water covers 500 sq. ft.
	Japanese Beetle Grubs, May Beetle (Lawn Weevil), White Grubs	[illegible] oz. in [illegible] gals. water covers 500 sq. ft.	For Grubs: Treat when damage to lawn is first noticed and grubs are found in the soil or consult your local Agricultural Extension Service Specialist for proper time to treat in your area. **Water lawn thoroughly immediately after treatment.**
Roses and Flowers Azaleas, Camellias, Chrysanthemums, Carnations, Gladiolus, Rhododendrons	Aphids, Bagworms, Cutworms, Flea Beetles, Leaf Miners, Dipterous Leafhoppers, Mealybugs, Mites, Thrips, Whiteflies	[illegible] Tbsp. [illegible] per gal. water. Apply as a thorough foliar spray.	Wet the plants to the dripping point. Try to hit undersides of leaves and penetrate dense foliage. **Combination Spray with Fungicide on Roses.** ORTHO FUNGINEX Rose Disease Control may be mixed with this product when listed insect(s) and disease(s) are found on roses. Follow directions and precautions on both labels.
Trees and Shrubs Azaleas, Box, Boxwood, Camellias, Hawthorn, Holly, Locust, Maple, Pine, Spruce, Willow	Aphids, Bagworms, Holly Bud Moths, Leaf Miners, Leafhoppers, Mealybugs, Mites, Scale, Tent Caterpillars, Whiteflies	[illegible] Tbsp. [illegible] per gal. water. Apply as a thorough foliar spray.	Wet leaves and bark to the dripping point. Try to hit undersides of leaves and penetrate dense foliage.
Nuisance Pests [illegible]	Ants, Bora de Bugs, Chiggers, Clover Mites, Cockroaches, Earwigs, Fleas, Flies, Mites, Silverfish, Spiders, Sowbugs, Spiders, Ticks	[illegible] gal. water. Spray a 3 ft. band of soil around the house next to the foundation and the foundation to a height of 2-3 ft.	Thoroughly spray windows and door screens, sills, foundations, porch and patio walls and railings, entranceways, walks, garbage cans, trash receptacles and into cracks and other places where pests hide. **Do not treat plants or animals.**
Fruits Apples (34), Peaches (20), Oranges (21), Plums (10), Grapes, Cherries (10), Strawberries (5)	Codling Moths, Mites, Aphids, [illegible]	[illegible] Tbsp. per gal. water. Apply as a thorough cover spray.	Start spraying after blossoming and repeat at 10 to 14 day intervals if needed.
Vegetables Tomatoes (1), Carrots, Potatoes (35), Beans (7), Onions (10), Cucumbers (7), Cantaloupes, Peppers (5), Cabbage (7)	Bean Beetles, Aphids, Leaf Miners, Cutworms, Cucumber Beetle	[illegible] Tbsp. per gal. Spray as a thorough cover spray.	[illegible] applications at 7-10 day intervals may be required.
Lawns and Other Recreational Areas	[illegible]	[illegible]	[illegible] Fire Ants, lawns, [illegible] recreational areas, apply [illegible] oz. (2 Tbsp.) in a minimum of 1 gal. of water in a trench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply as necessary. Larger quantities of solution can be prepared for multiple mound treatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of [illegible] per mound. High pressure sprays may disturb the ants causing migration, reducing product effectiveness. NOTE: For best results, apply in cool weather 65-80 F in the evening hours. Treat new mounds [illegible]

STORAGE AND DISPOSAL

NOTICE:

Chevron Chemical Company

Chevron

ORTHO

Diazinon Insect Spray

Lawn and Garden Insect Control
Covers up to 4000 Sq. Ft.



Active Ingredients
*10 diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate [illegible]
Aromatic Petroleum Derivative Solvent [illegible]
Inert Ingredients [illegible]
*Diazinon

ACCEPTED

Keep out of reach of children

DANGER

See back panel for additional precautionary statements.

107

NET CONTENTS 1 QT.