ORTHOCIDE Methoxychlor 65-10 Seed Protectant

ORTHO

(INSECTICIDE-FUNGICIDE)

Active Ingredients	By Wt.
*Captan	65%
Methoxychlor, Technical**	10%
Inert Ingredients	25%

*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide
*Equivalent to 8.8% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 1.2% of other isomers and related compounds

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE.
PROTECT FROM EXCESSIVE HEAT.

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

ORTHOCIDE Methoxychlor 65-10 Seed Protectant is a special formulation for the control of seed rot and damping-off diseases on germinating seeds and seedlings and for control of kernel smut of sorghum, as well as for reduction in losses from Cadelle, Rice Weevil, Confused Flour Beetle, Angoumois Grain Moth and Indian Meal Moth during pre-planting storage of clean seed.

DIRECTIONS

Slurry Treatment: [illegible] in slurry tank and apply with [illegible] appropriate settings to apply [illegible]

NET WEIGHT

Chevron Chemical Company
Ortho Division/San Francisco, Calif. 94119
Richmond, California — Fresno, California
Des Moines, Iowa — Perth Amboy, New Jersey — Orlando, Florida

THE FOLLOWING TABLE gives amounts of ORTHOCIDE Methoxychlor 65-10 Seed Protectant to use on various seeds.

SEED		Dosage Rate	Lbs. Seed Treated/Lb. of Product
CORN—Field		1½ oz./100 lbs. ¾ oz./bu.	1070
CORN—Sweet		3 oz./100 lbs. 1¼ oz./bu.	530
WHEAT	For Seed and Seedling Rots. Not for Smut	1½ oz./100 lbs. ¾ oz./bu.	1070
RYE		[illegible] oz./100 lbs.	800
OATS		2¼ oz./100 lbs. ¾ oz./bu.	710
BARLEY		1¾ oz./100 lbs. ¾ oz./bu.	915
FLAX		3 oz./100 lbs. 1½ oz./bu.	530
BEANS (Except Baby Limas), PEAS		2 oz./100 lbs. 1¼ oz./bu.	800
CUCUMBERS CANTALOUPE		2¼ oz./100 lbs.	710
SQUASH PUMPKIN WATERMELON		1½ oz./100 lbs.	1070
BEETS SWISS CHARD		9¼ oz./100 lbs.	175

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product
SUGAR BEETS	9¼ oz./100 lbs.	175
CLOVER ALFALFA	6¼ oz./100 lbs. 3¼ oz./bu.	255
SOYBEANS	1¼ oz./100 lbs. 1¼ oz./bu.	915
COTTON—Acid Delinted	2¼ oz./100 lbs.	710
COTTON—Machine Delinted Fuzzy (not delinted)	[illegible] oz./100 lbs.	460
BLUE GRASS	6¼ oz./100 lbs.	255
CABBAGE CAULIFLOWER BROCCOLI BRUSSELS SPROUTS	[illegible] oz./100 lbs.	1280
SPINACH	4½ oz./100 lbs.	375
SORGHUM Shulled (Kernel Smut)	3½ oz./100 lbs.	490
PEPPERS	[illegible] oz./100 lbs.	710
COWPEAS	2¼ oz./100 lbs. 1½ oz./bu.	710
RICE	2½ oz./100 lbs.	640

CAUTION

READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: [illegible] Treated seed should be labeled as follows: "TREATED SEED, DO NOT USE FOR FOOD, FEED OR OIL." [illegible]

TYPE

CONDITIONS OF SALE: 1. Chevron Chemical Company [illegible] [illegible] and unforeseeable factors beyond Chevron's control [illegible] from eliminating all risks in connection with the use of [illegible] include, but are not limited to, damage to [illegible] crops to which the material is applied, [illegible] and damage caused by drift to other plants or [illegible] occur even though the product is reasonably fit for the [illegible] stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability except those assumed by Chevron under 1 (above) re[illegible]