### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### DANGER

Causes irreversible eye damage. Harmful if swallowed or inhated. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contuct with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse

### STATEMENT OF PRACTICAL TREATMENT

If swallowed contact physician, poison control center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and a copy of the label or technical bulletin to the nearest emergency treatment facility. In case of eye contact, immediately flush ryes with plenty of clear water and get medical attention. For skin contact, wash skin with plenty of soap and water. If inhaled, remove person from exposure area.

Note to Physicians:  ${\sf Emergency}$  . Information - call (415) 233-3737.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

### ENDANGERED SPECIES RESTRICTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Slockwater Darter	Alabama (Lauderdale, Limestone and Madison)
	Tennessee (Lawrence and Wayne)
Pecos gambusia	New Mexico (Chaves and Eddy) Texas (Reeves, Jeff Davis and Pecos)
Freshwater Mussels	Tennessee (Hancock, Claiborne, Hawkins and Sullivan) Virginia (Smyth, Scott, Lee, Wash- ington and Grayson)
Commanche Springs Pupfish	Texas (Peeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) c State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.



## ORTHOCIDE® Methoxychlor 65-10 Seed Protectant

### (INSECTICIDE - FUNGICIDE)

Active Ingredients	By Wt.
*Copton	
Related Derivatives	
**Methoxychlor, Technical	
Inert Ingredients	25.0%
*N-1 (trichloromethyl)thio]-4-cyclo	hexene-1,2-dicc rboximide
**Equivalent to 8.8% 2,2-bis/p-	methoxyphenyl) 1-1,1-trich.pro-
ethane and 1.2% of other isome	ers and related compounds

KEEP OUT OF REACH OF (	CHILDREN
------------------------	----------

### DANGER

SEE SIDE PANEL FOR ADDITICNAL PRECAUTIONARY STATEMEN''S.

### Chevron Chemical Company 7 1984

Ortho Agriculti ral Chemicals Division San Francisco CA 94120 /144 Product 5094 : Aade in U S A Form 8192 J EPA Est 239 MO 1 EPA Reg No 239-2372

NET WEIGHT\_



ACCEPTED SEP 1 2 1986 Under my ederal insecticide, Fungiciste, and Redonucide Act. as aruended, for the perficide registered under EPA Reg. No.

BEST AVAILABLE COPY

ixers, loaders and applicators, when mixing, loading and apying must wear mid-forearm to elbow length natural or synetic rubber, vinyl or plastic gloves impormeable to captan. sots or overshoes, one piece overalls which has long sleeves id long pants, face shield or gaggles, and a hat or-other opopriote head covering.

eldworkers and harvesters must wear natural or synthetic rubir, vinyl, or plastic gloves impermeable to capton residues if itering treated areas within 4 d vs following application, Leathor fabric gloves are not acceptable.

dust mask must be worn when mixing and loading this product. othing worn while louding, mixing and applying this product ust be loundered separately from other clothing before reuse. why y that may have been drenched or heavily contaminated ust be disposed of in accordance with state and local regulaune.

RTHOCIDE Methoxychlor 65-10 Seed Protectant is a special rmulation for the control of seed rot and domaina-off diseases ) germinating seeds and seedlings and for control of kernel iut of sorghum, as well as for reduction in lasses from Cadelle, ce Weavil, Confused Flour Beetle, Angoumois Grain Moth and dian Meal Moth during preplanting storage of clean seed.

urry Treatment: Mix with water in slurry tank and apply with irry of mist-type treater, using appropriate settings to apply commencied rotes.

SEED		Dosage Rate	Lbs. Seed ".vated/Lb of Product
CORN-Field		11/2 oz/100 lbs. % oz/bu.	1070
CORN-Sweet		3 oz/100 lbs 1% oz/bu.	530
WHEAT	for Seed	1½ oz/100 lbs. ¼ oz/bu.	1070
RYE	and _	2 az/100 lbs.	800
	Seedling Rots Mol	2¼ oz/100 H1. ¾ oz/bu.	710
BARLEY	for I nut	124 oz/100 (51. 34 oz/bu.	915
FIAX		3 oz/100 lbs. 11/2 oz/bu.	530
BEANS (Except Lii PEAS	nas),	2 oz/100 lbs. 1% oz/bu.	800
CUCUMBERS CANTALOUPE		2¼ oz/100 lbs.	710
SQUASH PUMPKIN WATERMELON		11/3 oz/100 lbs.	1070
BEETS SWISS CHARD	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	9% oz/100 lbs.	175
SUGAR BEETS		9% oz/100 lbs.	175
CLOVER ALFALFA		6¼ ez/100 lbs. 34 ez/bu.	255
SOYBEANS	·····	1% oz/100 lbs. 1% oz/bu,	9,
COTTON-Acid D	elinted	2% 02/100 lbs.	710
COTTON-Machin Fuzzy (not delir		31/2 02/100 lbs.	460
BLUE GRASS		6¼ oz/100 lbs.	255
CABBAGE CAULIFLOWER BROCCOLI BRUSSELS SPROL	ITS	1¼ oz/100 lbs.	1280
SPINACH		41/2 oz/100 lbs.	375
SORGHUM hulled (Kernel 1	fmut)	31/2 oz/100 lbs.	490
PEPPERS		21/2 oz/100 lbs.	710
COWPEAS		2¼ oz/100 lbs.	710

Do not feed treated seed to animals. Do not use treated seed for human consumption. Seeds treated with ORTHOCIDE Methaxychlor 65-10 Seed Protectant, sold or shipped as feed or foodstuffs may be considered adulterated under state and federal laws. Treated seed must be labeled as follows:"TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL."

1/2 oz/bu.

ers.

Store in cool, dry place Protect from excessive he For help with any spill, leak, fire or exposure inve terial, call day or night (415) 233-3737.

### PESTICIDE DISPOSAL

This pesticide is acutely hazardous, improper d cess pesticide or rinsate is a violation of Federa wastes cannot be disposed of by use according structions, coutact your State Pesticide or Environment Agency, or the Hazardous Waste representative EPA Regional Office for guidance.

### CONTAINER DISPOSAL

Completely empty liner by shoking and toppi bottom to loosen clinging particles. Empty residu tion equipment. Do not reuse container, Dispose sonitory landfill or by incineration if allowed local authorities. If drum is contaminated and used, discose of in the same manner.

CONDITIONS OF SALE: 1. Chevron Chemical ( ron) warrants that this material conforms to the c tion on the label and is reasonably fit for use as a Chevron neither makes, nor authorizes any open tive to make, any other warranty of FITNESS or ABILITY, guarantee or representation, express a cerning this material.

2. Critical and unforeseeable factors beyond C prevent it from eliminating all risks in connection chemicals. Such risks include, but are not limited plants and crops to which the material is applied plete control, and damage caused by drift to crops. Such risks occur even though the product for the uses stated hereon and even though lab followed. Buyer and user acknowledge and assu liability (except those assumed by Chevron und sulting from handling, storage, and use of this m

# TYPE

RQ HAZARDOUS SUBSTANCE, SC. NA 9188 (CAPTAN: METHOXYCHL

ORM-E