

3131 BOCH

ORTHO ISOTOX Seed Treater (D)

237-2374

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.
DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.
CONTAINS 25% GRAPHITE

ISOTOX Seed Treater (D) is a formulation containing Captan and Diazinon insecticide for use in the treatment of seeds to protect germinating seeds and seedlings against Seed Corn Beetles and Seed Corn Maggots; also provides added fungicidal protection at planting time. ISOTOX Seed Treater (D) may be used on seed previously treated with a full dosage of protective fungicide, to give added protection against Seedling Blight. Damp-off or Seed Decay.

DIRECTIONS:

Apply in the planter box, using designated amounts per bushel of seed.

For improved mixing of product with seed, the following procedure is suggested: Fill planter box only half full of seed, add half the required amount of ISOTOX Seed Treater (D) and mix thoroughly with a stick. Then put remainder of seed in planter box and add the rest of the required ISOTOX Seed Treater (D), mixing thoroughly again. Good results are also obtained by pre-mixing seed with ISOTOX Seed Treater (D) in a suitable container, then pouring treated seed into planter box.

00 NOT MIX WITH BARE HANDS.

Measuring cup enclosed—One level cup holds approximately 0.6 oz. of product. Four level cups will treat approximately ½ bushel of seed, at the 5 oz. per bushel rate.

FIELD CORN, SWEET CORN: Seed Corn Beetles — Mix 5 oz. per bushel of seed (4½ oz. per 50 lbs. of seed) as a dry mixture in the planter box as a seed treatment prior to planting.

FIELD CORN, SWEET CORN, PEAS, SOYBEANS, BEANS (Lima, Snap, White, Kidney): Seed Corn Maggots—Mix 1% oz. per bushel of seed as a dry mixture in the planter box as a seed treatment prior to planting

WARNING: May be fatal if swallowed. Bo not breathe dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

Note to Physicians: Emergency Information—call (415) 233-3737. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not feed treated seed to animals. Treated seed should be labeled as follows: "TREATED SEED, DO NOT USE FOR FOOD, FEED OR OIL."

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of excess treated seeds by burial.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

Chevron Chemical Company
Ortho Agricultural Chemicals Division
San Francisco CA 94119 Richmond CA 94804
Product 5141 Made in U.S.A.
Form 8167-H EPA Est, 239-M0-1
EPA Reg. No. 239-2374



BEST DOCUMENT AVAILABLE

Es_{TO}

FEB 7 1980

(° Seed Treater (D)

939-2379

TLY IN ACCORDANCE WITH APPLICABLE ONS.

NTAINER. PTY. NEVER REUSE.

nulation containing Captan and atment of seeds to protect germieed Corn Beetles and Seed Corn cidal protection at planting time, on seed previously treated with a to give added protection against toay.

signated amounts per bushel of

In seed, the following procedure half full of seed, add half the Treater (D) and mix thoroughly of seed in planter box and add Seed Treater (D), mixing thorso obtained by pre-mixing seed suitable container, then pouring

e! cup holds approximately 0.6 ill treat approximately ½ bushel

ed Corn Beetles — Mix 5 oz. per of seed) as a dry mixture in the or to planting.

AS, SOYBEANS, BEANS (Lima, orn Magyots — Mix 1½ oz. per the planter box as a seed treat**VARNING:** May be fatal if swallowed. Do not breathe dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

Note to Physicians: Emergency Information—call (415) 233-3737. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not feed treated seed to animals, Treated seed should be labeled as follows: "TREATED SEED, DO NOT USE FOR FOOD, FEED OR OIL"

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of excess treated seeds by burial.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevion's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

Chevron Chemical Company

Ortho Agricultural Chemicals Division San Francisco CA 94119 Richmond CA 94804 Product 5141 Made in U.S.A. Form 8167-H EPA Est. 239-MO-1 EPA Reg. No. 239-2374



BEST DOCUMENT AVAILATI

ner Broadleaved **VI**

Economical quare Feet

CEPTED

d Onions and other Broadleaved eeds, Roots & All st, Efficient and Economical pout 20,000 Square Feet

Fi, ... inf 2.4 De hlerophenox, a let lacid 82.90 /3% of the 2.4 conier of z/4/5 . . AUAL Method Iva 6 Diri 6 Dub

a of children and pets

i additional precautionary statements

3 LBS.

er Broadleaved

:conomical uare Feet

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

ENVIRONMENTAL HAZARDS

FEE STATES OF

HIRE THOSE

STORAGE AND DISPOSA