



Lawn Insect Granules

TREATS UP TO 2500 SQUARE FEET

CONTROLS:

Sod Webworms, Chinch Bugs, Cutworms, Ants, Earwigs, Sowbugs, Clover Mites, Fleas, Crickets and Certain Other Lawn and Nuisance Pests

NET WEIGHT 12½ POUNDS

Active Ingredients	By Wt.
O,O-diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl)phosphorothioate*	2%
Inert Ingredients	98%
*DIAZINON, a registered trademark of CIBA-GEIGY Corporation	

U.S. Patent No. 2,754,243

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS

OVERALL LAWN PROTECTION

ORTHO Lawn Insect Granules control the following lawn insects on both grass and dichondra lawns: Chinch Bugs, Ticks, Ants, Lawn Moths (Sod Webworms), Bermuda Mites, Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Millipedes, Springtails.

WHEN TO APPLY

ORTHO Lawn Insect Granules should be applied when insects are present for control of the listed insects. For the control of ants, Chinch Bugs, Lawn Moths (Sod Webworms), Armyworms, Leafhoppers, Cutworms and Bermuda Mites which have several generations per season, repeat application at 4-6 week intervals if insects are present.

HOW TO APPLY

On most grass and dichondra lawns the contents of this bag should be spread evenly over an area of 2500 square feet (50' x 50'). For heavy lawns such as St. Augustine-grass, spread contents over 1600 square feet (40' X 40'). Use appropriate spreader settings listed in Table below.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid breathing of dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated areas until the following afternoon. Treat lawns in late afternoon. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

For best results the lawn should be dry and mowed before application. To control Chinch Bugs, Cutworms and Ants, water the lawn thoroughly after application. For control of surface feeding insects, Armyworms and Lawn Moths (Sod Webworms), apply late in the evening and do not water lawn for 24 hours after application.

SPREADER SETTINGS

Spreader	Grass &	
	Dichondra Lawns 5 lbs/1000 sq. ft.	St. Augustine 7½ lbs/1000 sq. ft.
ORTHO Lawn Spreader	4¾	5¾
Cyclone Lawn Spreader	4¾	5¾
Jackson	6	6¾
Sears	5¾	6¾
Wards	7¾	8½
Lawn Beauty	6	6¾
Central Imperial	7½	8

NOTE: Spreader settings are for covering lawns in one direction. Do not use criss-cross pattern. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader and ORTHO Lawn Spreader. Variables inherent in equipment, as well as accuracy of machine adjustment, may cause actual application rates to deviate slightly. Therefore, Chevron makes no warranty as to the uniformity of coverage obtained from the settings listed above.

SPOT TREATMENT

Ants: Apply one tablespoon of ORTHO Lawn Insect Granules over and around each individual ant hill.

Digger Wasps: Apply one tablespoon of ORTHO Lawn Insect Granules in and around each individual ground nest opening. Make the application about dusk when the wasps are not active.

BAND TREATMENT AROUND FOUNDATION

The following insects are commonly found around or near the foundation of houses as well as in the lawn. Certain of these insects may even enter the house.

Ants	Crickets	Millipedes
Brown Dog Ticks	Earwigs	Sowbugs
Clover Mites	Fleas	Springtails (Collembola)

For control of the above insects, apply a five-foot band of ORTHO Lawn Insect Granules next to the foundation of the house. Distribute the granules uniformly using a rate of 8 ozs. for each 5' by 20' area to be treated.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured for

CHEVRON CHEMICAL COMPANY

FORM 8175

EPA Reg. No. 239-2375

ORTHO DIVISION — San Francisco, California 94119

Product 1000

Made in U. S. A.

RICHMOND, CALIF.

LAFAYETTE, CALIF.



DES PLAINES, ILL.

ATLANTA, GA.

PERTH AMBOY, N.J.

239-2375

8-10-71

1042

RECEIVED
AUG 10 1971

ACCEPTED
AUG 10 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
NO. 239-2375