


Home & Garden Spray



ORTHO

Multi-purpose Insect Spray

Active Ingredients	By Wt.
*Resmethrin (5-phenylmethyl-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate†	0.250%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	6.500%
Inert Ingredients	92.885%
*Cis/trans isomers ratio max. 30% (±) cis and min. 70% (±) trans.	
†SBP-1382* of Penick Corporation. U.S. Patent Nos. 3,456,007 and 3,683,078	

CAUTION: KEEP OUT OF REACH OF CHILDREN.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

DIRECTIONS:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Aim spray opening away from people. Push button to spray.

INDOORS—FOR HOUSE FLIES, MOSQUITOES, AND GNATS

—Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

NET WT. 1 LB.

Manufactured for

Chevron Chemical Company

Ortho Consumer Products Division

San Francisco CA 94119 Richmond CA 94804

Product 1000-57 Made in U.S.A.

R Form 9339-F EPA Reg. No. 237-2378-AA

EPA Est. 11525 CA 1, 11525 TX, 9688 MO, 11715 TN, 23764 CA 1

Superscript corresponds to first letter of lot number on bottom of can

INDOORS—FOR CRAWLING INSECTS—Roaches, fleas, earwigs, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS—TO KILL FLYING INSECTS—Spray areas infested with mosquitoes, gnats, midges, house flies, biting flies and pyralid and noctuid flying moths. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS—TO PROTECT ORNAMENTAL PLANTS—To control aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on: ageratum, chrysanthemums, daisy, daphne, dogwood, euonymus, fatshedera, forsythia, geraniums, iris, ivy, marigolds, nasturtiums, peonies, rhododendrons, snapdragons, spirea, viburnum and zinnia, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

CAUTION: Keep out of reach of children.
Note to Physicians: Emergency Information - call (415) 233-3737.
 Avoid contamination of feed and foodstuffs. Do not contaminate food, utensils, dishes or drinking water. Remove pets, birds and cover fish aquariums before spraying. Do not spray on furniture.

Ornamental Quince, Juniper, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Ceanothus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

INDOORS—TO PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Place plants to be sprayed on newspaper away from walls, furniture and fabric. Repeat application as necessary.

OUTDOORS—TO CONTROL NUISANCE PESTS—ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for animal pests.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

ANIMAL PESTS—DOGS, CATS: Fleas—Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears or mouth of animal. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.