

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contamination of feed and foodstuffs. **Note to Physicians:** Emergency Information - call (415) 233-3737.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS

SHAKE BEFORE USING. Point valve opening away from face and push button, holding container as upright as possible. Do not remain in treated areas and ventilate the area after treatment is completed. **NOTE:** Do not contaminate food, utensils, dishes or drinking water. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not spray on furniture.

INDOORS—FOR HOUSE FLIES, MOSQUITOES, AND GNATS

—Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS—FOR CRAWLING INSECTS—Roaches, fleas, earwigs, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, firewood piles, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS—TO KILL FLYING INSECTS—Spray areas infested with mosquitoes, gnats (midges), house flies, biting flies and pyralid and noctuid flying moths. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

BEST DOCUMENT AVAILABLE



ORTHO

Home & Garden Spray

Multi-Purpose Insect Spray
CONTAINS PLEASANT AROMA

INDOORS

Fleas
Roaches *Copy*
Sawbugs
Mosquitoes
Fly

OUTDOORS

Aphids
Whiteflies
Leafhoppers
Ants

Active Ingredients

*Resmethrin [5-(phenylmethyl)-3-furanyl]methyl	By Wt.
2,2-dimethyl-3-(2-methyl-1-propenyl)	
cyclopropanecarboxylate	0.250%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	6.500%
Inert Ingredients	92.885%
*Cis/trans isomers ratio max. 30% (±) cis and min. 70% (±) trans.	
U.S. Pat. Nos. 3,456,007 and 3,683,078	

Keep out of reach of children

CAUTION

See side panel for additional precautionary statements.

Manufactured for

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94120 7144 Richmond CA 94804 0036

Product 1000 57 Made in U.S.A.

R Form 9339 J EPA Reg. No. 239 2378 AA

EPA Est. 11525 CA 1 11525 IL 1, 9688 MO 1, 11715 TN 1, 33764 CA 1
S. J. S. Corp. responds to first letter of lot number on bottom of can.

Net WT. 1 LB.

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

OUTDOORS—TO PROTECT ORNAMENTAL PLANTS—To control aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on: ageratum, chrysanthemums, daisy, daphne, dogwood, euonymus, fatshedera, forsythia, geraniums, iris, ivy, marigolds, nasturtiums pennies, rhododendrons, rose, dragons, spirea, viburnum and zinnia spray directly or insects. Hold container 13 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Ornamental Quince, Juniper, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Ceanothus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

INDOORS—TO PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Place plants to be sprayed on newspaper away from walls, furniture and fabric. Repeat application as necessary.

OUTDOORS—TO CONTROL NUISANCE PESTS—ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for animal pests.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

ANIMAL PESTS—DOGS, CATS: Fleas—Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears or mouth of animal. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame.

DISPOSAL: PRODUCT—Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER—**Replace cap and discard container in trash. Do not incinerate or puncture.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

ORTHO Home & Garden Spray
EPA Reg. No. 239-2378
November 7, 1983

COPY A
Black Widow Spider

COPY B
(including Black Widow Spider)

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

BEST DOCUMENT AVAILABLE


 306 | 127215

 17 | 9

JUL 20 1984

Chevron Chemical Co.
 Ortho Division
 940 Hensley Street
 Richmond, CA 94804-0036

Attention: Jackie DiMaggio

Gentlemen:

Subject: Ortho Home & Garden Spray
 EPA Registration No. 239-2378
 Your Applications of November 7, 1983, and April 6, 1984

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

The data you have submitted have been assigned accession numbers as follows:

Product Chemistry, vol. 1 of 2, 251821 and 253093
 Product Chemistry, vol. 2 of 2, 251822 and 253094
 Human Safety Data, vol. 1 of 2, 251823 and 253095
 Human Safety Data, vol. 2 of 2, 251824 and 253096

Sincerely yours,

THS
6

BEST DOCUMENT AVAILABLE

Timothy A. Gardner
 Product Manager (17)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767)

SYMBOL	EPA:T.Gardner/Schroeder:DCR-40989;WANG-0241K;NEC;Raven:479-2013:7/16/84						
SURNAME							
DATE							