

VOLCK® Supreme-DIAZINON® Combination



ORTHO

ACCEPTED

(INSECTICIDE-MITICIDE)

FOR CONTROL OF CERTAIN INSECTS ON CERTAIN FRUIT CROPS

Active Ingredients	By Wt.
Petroleum Oil	92.5%
O,O diethyl O'-2-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate	4.5%
Inert Ingredients	3.0%

VOLCK Supreme-DIAZINON Combination contains 0.33 pound of DIAZINON Insecticide per gallon.
Petroleum Oil Min. Unsulfonated Residue—92%
Petroleum Oil Classification—Unclassified.

DIRECTIONS

Directions text is very faint and largely illegible due to the quality of the scan. It appears to contain detailed application instructions for various crops and pests, including information on dilution rates and application methods.

Ortho Division
P.O. Box 115
Durham, N.C. 27702
EPA Reg. No. 1413

ALMONDS: Parlatoria Scale, San Jose Scale—Use 1½ to 2¼ gals. per 100 gals. water and apply as a dormant spray.

APRICOTS: San Jose Scale, Brown Apricot Scale, Walnut Scale, Apricot Mealybug—Use 1½ gals. per 100 gals. water and apply as a dormant spray.

APPLES: San Jose Scale, Mealybug, Apple Aphid Eggs, European Red Mite Eggs, Brown Mite Eggs—Use 1½ gals. per 100 gals. water and apply as a dormant or a delayed dormant spray.

CHERRIES: Brown Apricot Scale, San Jose Scale, Black Scale, Black Cherry Aphid Eggs, Brown Mite Eggs—Use 2¼ gals. per 100 gals. water and apply as a dormant spray.

PEACHES, NECTARINES: San Jose Scale, Brown Apricot Scale, Walnut Scale, Apricot Mealybug—Use 1½ gals. per 100 gals. water and apply as a dormant spray.

PEARS: Pear Leaf Blister Mite, Mealybug, San Jose Scale, Brown Apricot Scale—Use 1½ gals. per 100 gals. water and apply as a dormant spray.

PLUMS, PRUNES: Peach Twig Borer, Mealy Plum Aphid Eggs, San Jose Scale, Parlatoria Scale, Brown Almond Mite—Use 1½ gals. per 100 gals. water and apply as a dormant spray.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

DIAZINON® trademark of CIBA-GEIGY Corporation


READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

WHEN EMPTY REPLACE BUNGS SECURELY AND RETURN TO MANUFACTURER.

NET CONTENTS 28 GALS. LIQUID

Chevron Chemical Company
Ortho Division/San Francisco CA 94119 Richmond CA 94804
Product 5223 Made in U.S.A.
Form 8485-D
EPA Reg. No. 239 2413 EPA Est. 239 CA 1

 **READ THE LABEL**

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on face, or on clothing. Wash thoroughly after handling.

Note to Physicians: For more information call 415-233-3737. This product may contain 5224 mg of atropine per gallon and may be used in conjunction with atropine. Avoid contamination of foodstuffs. Keep out of reach of children and livestock.

This product is toxic to fish and wildlife. Birds feeding on treated worms can be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment on residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.