



ORTHO

SLUG-GETA[®]
Snail & Slug
Bait

BEST AVAILABLE COPY

Apply evenly to lawn and lawn to control snails and slugs — water area to be treated before application. Apply 1 pound uniformly to 1000 square feet by scattering directly from the container or by using an ORTHO WHIRLYBIRD Spreader at setting No. 4. Do not put granules in piles. Withhold heavy watering for at least 2 days after treatment.

After application, sprinkle dichondra and grass lightly to wash granules from foliage to soil. Keep children and pets off the treated area until it has dried.

IMPORTANT: Do not use on or around plants grown for food. Do not put granules in piles. Scatter so that granules are hardly visible on the treated area.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT — Partially filled canister may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** — Do not reuse empty canister. Discard canister in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1977

Ortho Consumer Products Division

San Francisco CA 94120-7144

Product 5239 Made in U.S.A.

Form 8715-J

EPA Reg. No. 239-2416-AA

EPA Est. 239-CA-1, 239-MO-1

Superscript used is first letter of lot number

BEST AVAILABLE COPY



COPY A

← This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bog marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

COPY B

*methiocarb (4-methylthio-3,5-dimethyl-xylylmethylcarbamate).....

2 3

COPY C

(FOR HOME LAWN USE ONLY)

BEST AVAILABLE COPY

CONFIDENTIAL

PROPERTY OF

CHEVLON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA