711. 23 -- 416

Slug-Geta Snail & Slug Bait EPA Reg. No. 239-2416

COPY A

Not for use around vegetables or edible plants



# ORTHO

ACCEPTED

Language To topol Incomers, Language idea and Redenil is a reconstruction on had, for the perfect registered under EPA Reg. No. 239-2011.

## SLUG-GETA® Snail & Slug Bait

### Contains \* MESUROL® Molluscicide

- Kills Snails and Slugs in Ornamental Gardens and Dichondra and Grass Lawns
- Also Aids in Control of Crickets and Millipedes



Active Ingredient

\*methiocarb (4-methylthio-3,5xylylmethylcarbamate)

Inert Ingredients

\*MESUROL\* is a Reg. TM of Bayer AG, Leverkusen

By Wt.
2%
98%

Keep out of reach of children CAUTION
See back panel for additional precautionary statements.
NET WT. 2 LBS.



### **IHO** SLUG-GETA® Snail & Slug Bait

#### **PRECAUTIONARY STATEMENTS**

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and v. ater after handling. **STATEMENT OF PRACTICAL TREATMENT:** If swallowed, give water or milk to drink and induce vomiting by touching back of throat with finger or by administering syrup of ipecac. If possible, contact a physician, Poison Control Center or emergency clinic before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. **Note to Physicians**: Emergency Information — call (415) 233-3737. MESUROL is a reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO SLUG-GETA Snail & Slug Bait is an easy to use granular formulation that effectively controls slugs and snails in ornamental gardens, dichondra, grass lawns and turf. Simply scatter the granules directly from the container or apply with an ORTHO WHIRLYBIRD Spreader.

#### Do not use around food crops.

FOR BEST RESULTS WATER AREA TO BE TREATED PRIOR TO APPLICATION. This product can be applied anytime during the day but late afternoon or evening is preferred.

FOR ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS: To control Snails, Slugs and Sowbugs, and to aid in control of crickets and millipedes — Water area to be treated before application. Apply 1 pound to 1000 square feet. Scatter granules uniformly over the infested area and around the edges of border or ground cover plants. Apply also to the bases of fences and walls and in shady protected areas. Repeat as necessary to keep areas free of listed pests. As an aid in controlling crickets and millipedes, repeat as necessary. Do not put granules in piles. Withhold heavy watering for at least 2 days after treatment. However, if foliage and soil surface becomes dry after application, a light sprinkling applied at dusk will encourage movement and increase feeding on the bait.

FOR DICHONDRA, GRASS LAWNS AND TURF (FOR HOME LAWN USE ONLY): To Control Snails and Slugs — Water area to be treated before application. Apply 1 pound uniformly to 1000 square feet by scattering directly from the container or by using an ORTHO WHIRLY BIRD Spreader at setting No. 4. Do not put granules in piles. Withhold heavy watering for at least 2 days after treatment.

After application, sprinkle dichondra and grass lightly to wash granules from foliage to soil. Keep children and pets off the treated area until it has dried.

IMPORTANT: L'o not ute on or around plants grown for food. Do not put granules in piles. Scatter so that granules are hardly visible no the treated area.

#### STORAGE AND DISPOSAL

STORAGE: Keep particide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Story in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PROCUCT - Partially filled canister may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER — Do not reuse empty canister. Discard canister in trash.

KCTCE: Buyer assumes all responsibility for safety and use not in accordance with directions.

#### Chevron Chemical Company © 1984

Ortho Consumer Products Division

PO. Box 5047 San Ramon CA 94583-0947

Product 5239 Made in U.S.A.

EPA Reg. No. 239-2416-AA

EPA Est. 239-CA-1, 239-MO-1

Superscript used is first letter of lot number.

