

COPY ADIRECTIONSTRANSPLANT WATER APPLICATION

CROP	PEST	LBS. ORTHENE TOBACCO INSECT SPRAY PER ACRE
Tobacco	Flea Beetles	1


Provides control of early season flea beetles for approximately 3 to 4 weeks after transplanting. For later season control of flea beetles, apply a foliar spray of ORTHENE Tobacco Insect Spray.

Apply in a minimum of 100 gallons of transplant water per acre.

DO NOT APPLY MORE THAN 1 LB. ORTHENE TOBACCO INSECT SPRAY PER ACRE PER SEASON AS A TRANSPLANT WATER APPLICATION AS SOME PHYTOTOXICITY MAY OCCUR.

FOLIAR APPLICATION

CROP	PEST	LBS. ORTHENE TOBACCO INSECT SPRAY PER ACRE
Tobacco (Flue-Cured, Air-Cured)	Grasshoppers	1/3 to 2/3
	Green Peach Aphid, Flea Beetle, Hornworm	2/3
	Budworm, Cabbage Looper, Cutworm	1



ORTHENE[®] Tobacco Insect Spray

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid contact with eyes, skin and clothing. Avoid breathing dust or spray mist. If swallowed, give a large amount of water to drink, make person vomit and call a doctor. In case of eye contact, wash eyes with fresh water for 15 minutes. If irritation continues, see a doctor. Wash hands thoroughly after handling.

Note to Physicians: Emergency Information—call (415) 233-3737. ORTHENE is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.

ENVIRONMENTAL HAZARDS

Avoid direct application to lakes, ponds and streams.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Open dumping is prohibited.

Do not reuse empty container.

STORAGE

Keep pesticide in original container.

Do not put concentrate or dilute into food or drink containers.

Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinseate that cannot be used, or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

DIRECTIONS

CROP	PEST	LBS. ORTHENE TOBACCO INSECT SPRAY PER ACRE
Tobacco (Flue-Cured Air-Cured)	Grasshoppers	1/2 to 2/3
	Green Peach Aphid, Flea Beetle, Hornworm	2
	Budworm, Cabbage Looper	1

Apply in 10 to 50 gals. water per acre with ground equipment or a minimum of 3 gals. per acre by air. Apply on a 7 day schedule or as needed. Do not apply within 3 days of harvest. Do not re-enter sprayed areas until the spray deposit has dried.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

NOTE: This product is sold by weight and package is full when packed, but due to fluffy nature this material is inclined to settle.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

BEST AVAILABLE COPY

Chevron Chemical Company

Ortho Agricultural Chemicals Division
San Francisco CA 94120-7144 Richmond CA 94804-0036
Product 5248 Made in U.S.A.
Form 8730 K EPA Reg No. 239-2419
EPA Est. 239-CA 1