

Ready-To-Use
Granular Bait



ORTHO

Mole Cricket Bait

Treats 6,000 Sq. Ft. of Lawn
Contains BAYGON[®] Insecticide
Also controls Roaches and Field Crickets
For Indoor and Outdoor Use




ACCEPTED
AUG 31 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
this product has been registered
EPA Reg. No. 234-2420

Comment

Active Ingredient

By Wt.

Contains BAYGON Insecticide
Also controls Roaches and Field Crickets
For Indoor and Outdoor Use



Active Ingredient	By Wt.
*2-(1-Methylethoxy)phenyl methylcarbamate	2%
Inert Ingredients	98%

*U.S. Patent No. 3,111,539
BAYGON is a registered trademark of Chemagro Corporation.

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

NET WT. 3 LBS.

ACCEPTED WITH COMMENTS



ORTHO Mole Cricket Bait

ACCEPTED
AUG 31 1975
Fungicide, etc. as amended, for the pesticide
registered under
EPA Reg. No. 239-2420

Comments

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

ORTHO Mole Cricket Bait is a ready-to-use product that controls Mole Crickets, Field Crickets and Roaches. It gives rapid kill of these insects including Roaches resistant to certain chlorinated hydrocarbon and phosphate insecticides.

DIRECTIONS

Mole Cricket Control (Florida Only): Mole Crickets are soil inhabiting insects that damage lawns by feeding on grass roots and by forming mole like tunnels that loosen the soil causing the grass to dry out. The adults grow to 1½ inches long, are brownish and have flattened front legs well adapted for tunneling. Feeding and tunneling occurs primarily at night. The meandering tunnels are easily seen in short or newly planted lawns. Heavily infested lawns gradually turn brown and die.

How To Apply: For best results the lawn should be mowed and watered thoroughly before application. Apply ORTHO Mole Cricket Bait at the rate of ½ lb. to cover 1,000 sq. ft. For fast easy application use an ORTHO WHIRLY-BIRD Spreader. Using setting No. 1, apply one WHIRLYBIRD full (1½ lbs.) to 3,000 sq. ft. Apply at dusk when overnight rains are not expected. **If rain should occur within 36 hours after treatment, the lawn should be retreated.**

Roach and Field Cricket Control: For use in and around homes, apartment buildings, stores and restaurants — Apply bait lightly to floors under sinks and refrigerators and in other areas such as cracks and crevices where pests may hide but which are inaccessible to children. Use approximately 4 oz. of bait per 1,000 sq. ft. of treated area. Scatter lightly so that bait is barely visible. Repeat as necessary. **Keep out of reach of children.**

Important: Do not apply to animals. Do not treat portions of buildings where pets can feed on bait. Do not put bait in piles. Do not broadcast on floors inside that are likely to be contacted by children or pets.

CAUTION: May be harmful if swallowed or absorbed through the skin. Do not breathe dust or vapors. Avoid contact with skin. Wash thoroughly after using. If poisoning occurs, get prompt medical aid.

Note to Physicians: Emergency Information — call (415) 233-3737. Atropine sulfate is antidotal.

Do not use on food crops. Do not contaminate feed or foodstuffs. Dispose of container promptly when empty. Do not reuse. Destroy it by burying with waste or

resistant to certain chlorinated hydrocarbon and phosphate insecticides.

DIRECTIONS

Mole Cricket Control (Florida Only): Mole Crickets are soil inhabiting insects that damage lawns by feeding on grass roots and by forming mole like tunnels that loosen the soil causing the grass to dry out. The adults grow to 1½ inches long, are brownish and have flattened front legs well adapted for tunneling. Feeding and tunneling occurs primarily at night. The meandering tunnels are easily seen in short or newly planted lawns. Heavily infested lawns gradually turn brown and die.

How To Apply: For best results the lawn should be mowed and watered thoroughly before application. Apply ORTHO Mole Cricket Bait at the rate of ½ lb. to cover 1,000 sq. ft. For fast easy application use an ORTHO WHIRLY-BIRD Spreader. Using setting No. 1, apply one WHIRLYBIRD full (1½ lbs.) to 3,000 sq. ft. Apply at dusk when overnight rains are not expected. **If rain should occur within 36 hours after treatment, the lawn should be retreated.**

Reach and Field Cricket Control: For use in and around homes, apartment buildings, stores and restaurants — Apply bait lightly to floors under sinks and refrigerators and in other areas such as cracks and crevices where pests may hide but which are inaccessible to children. Use approximately 4 oz. of bait per 1,000 sq. ft. of treated area. Scatter lightly so that bait is barely visible. Repeat as necessary. **Keep out of reach of children.**

Important: Do not apply to animals. Do not treat portions of buildings where pets can feed on bait. Do not put bait in piles. Do not broadcast on floors inside that are likely to be contacted by children or pets.

CAUTION: May be harmful if swallowed or absorbed through the skin. Do not breathe dust or vapors. Avoid contact with skin. Wash thoroughly after using. If poisoning occurs, get prompt medical aid.

Note to Physicians: Emergency Information — call (415) 233-3737. Atropine sulfate is antidotal.

Do not use on food crops. Do not contaminate feed or foodstuffs. Dispose of container promptly when empty. Do not reuse. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to wildlife. Birds feeding on treated areas may be killed. This product is toxic to fish. Keep out of any body of water.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company

Ortho Division/San Francisco CA 94119 Richmond CA 94804

Product 5240 Made in U.S.A.

Form 8793-A EPA Est. 239-FL-1

EPA Reg. No. 239-2420



ORTHO PEST-B-GON[®] Insect Bait



ORTHO

Ready-To-Use
Granular Bait

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS

PEST-B-GON Insect Bait is a ready-to-use product that controls the listed pests that feed upon it or come in contact with it. It gives rapid kill of both resistant and nonresistant roaches.

WHEN TO USE

PEST-B-GON Insect Bait should be used anytime insect activity is noticed. Apply as directed below and repeat as necessary. Since most of the listed outdoor pests are night feeders, distribute bait in late afternoon or early morning.

HOW TO APPLY

FOR USE OUTSIDE TO CONTROL: Earwigs, Sowbugs, Roaches, Crickets, Millipedes, Pillbugs, Centipedes—Scatter bait lightly in a 2-4' band around house and porch foundations, under and around old boards, around plants, along edges of flower beds, walks, fences and other areas where pests congregate. Use approximately 4 ounces of bait per 1000 sq. ft. Repeat as necessary to control pests. Do not apply directly to the foliage of ornamentals—apply bait to the soil around plants. Do not water treated areas for at least 24 hours after application.

FOR USE IN HOMES, APARTMENT BUILDINGS, STORES, RESTAURANTS TO CONTROL: Earwigs, Roaches, Field Crickets—Apply bait lightly to floors under sinks and refrigerators and in other areas such as cracks and crevices where pests may hide but which are inaccessible to children. Use approximately 4 ounces of bait per 1000 sq. ft. of treated area. Scatter lightly so that bait is barely visible. Repeat as necessary.

IMPORTANT: Do not apply to animals. Do not treat portions of buildings where pets can feed on bait. Do not put bait in piles. Do not broadcast on floors inside or in areas outside that are likely to be contacted by children or pets.

KEEP OUT OF REACH OF CHILDREN

CAUTION: May be harmful if swallowed or absorbed through the skin. Do not breathe dust or vapors. Avoid contact with skin. Wash thoroughly after using. If poisoning occurs, get prompt medical aid.

Note to Physicians: Emergency Information—call (415) 233-3737. Atropine sulfate is antidotal.

Do not use on food crops. Do not contaminate feed or foodstuffs. Dispose of container promptly when empty. Do not reuse. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company

Ortho Division/San Francisco CA 94119 Richmond CA 94804


Product 5289 Made in U.S.A.

Form 8908-C EPA Est. 239-MO-1

EPA Reg. No. 239-2426

PEST-B-GON[®] Insect Bait

Contains BAYGON[®] Insecticide
FOR INDOOR AND OUTDOOR USE
CONTROLS ROACHES, EARWIGS, CRICKETS,
SOWBUGS, PILLBUGS, CENTIPEDES,
MILLIPEDES



Active Ingredient	By Wt.
*2-(1-Methylethoxy)phenyl methylcarbamate	2%
Inert Ingredients	98%
*U.S. Patent No. 3,111,539.	
BAYGON is a registered trademark of Chemagro Corporation	

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

NET WT. 1 LB.