



DANGER
CAN KILL IF SWALLOWED
HARMFUL TO THE EYES AND SKIN



ORTHO Paraquat CL Concentrate

USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

FIRST AID TREATMENT

IF SWALLOWED

Immediately induce vomiting by inserting finger in throat. Administer fluids and induce further vomiting. Get to a hospital or physician fast.

PROMPT TREATMENT IS ESSENTIAL.

Symptoms of injury may be delayed.

SKIN CONTAMINATION

In case of contact, wash immediately with water. Remove clothing and wash skin where necessary. Prolonged contact will cause severe irritation. Repeated contact may increase danger of absorption.

EYE CONTAMINATION

In case of contact, wash thoroughly with water and get medical attention.

INHALATION

Do not inhale mist. Exposure to airborne droplets may cause irritation and nose bleeds. Stop and check procedure. Ensure spillages are washed down immediately to avoid drying and dust hazard.

Note to Physicians: Emergency Information -- call (415) 233-3737.

SPILLAGE DURING TRANSPORT

Emergency action: Notify police and fire departments immediately. For any spill, leak, fire or exposure, call day or night (415) 233-3737.


KEEP PUBLIC AND ANIMALS away from area. MARK ROADS AND WARN OTHER ROAD USERS. WEAR full face shield, rubber gloves, rubber boots and waterproof overalls during decontamination operations.

Clean up spills as soon as possible. Cover spill with generous amount of clay or loam soil to absorb liquid, using a stiff broom to insure intimate contact. Sweep onto shovel and transfer to plastic bag or other disposable container. Repeat operations until contaminated surfaces are dry. Finally, hose spill site with water if feasible.

FOR FORMULATION OF PARAQUAT HERBICIDE PRODUCTS ONLY

Refer to ORTHO manufacturing formulas for formulating directions, chemical and physical properties.

NEVER PUT INTO FOOD OR DRINK CONTAINERS



DANGER CAN KILL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN

Active Ingredient	By Wt.
Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium dichloride)	29.1%
Inert Ingredients	70.9%
Contains 2 lbs. Paraquat cation per gallon. U.S. Pat. No. 2,972,528.	

STORE AT TEMPERATURES ABOVE 32-F

DO NOT STORE NEXT TO FEED OR FOOD OR TRANSPORT IN OR ON VEHICLES CONTAINING FOODSTUFFS AND FEED

READ FIRST AID AND SAFETY RULES ON SIDE PANELS

NET CONTENTS 54 GALLONS LIQUID

WORKER SAFETY RULES

Avoid accidents. Follow these pesticide Safety Rules when handling this product.

WEAR FULL FACE SHIELD, RUBBER GLOVES AND APRON WHEN HANDLING.

WASH SPLASHES from skin and eyes immediately.

REMOVE and wash contaminated clothing.

WASH before eating, drinking and smoking.

EQUIPMENT/CONTAINERS

Flush all equipment with water after use each day.

Paraquat is corrosive to aluminum.

Aluminum equipment and structures that are exposed to solution or spillage should be flushed thoroughly with water immediately after use.

CONTAINERS: Wash thoroughly and offer for recycling, reconditioning or disposal in approved landfill.

DO NOT contaminate water when cleaning equipment or disposing of wastes.

Do not contaminate feed, foodstuffs or drinking water.

WILDLIFE

This product is toxic to wildlife. Birds and other wildlife in contaminated areas may be killed. Keep out of lakes, streams and ponds.

CONDITIONS OF SALE: Chevron Chemical Company warrants that this material conforms to the chemical description on the label. Chevron Chemical Company neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

Manufactured for

Chevron Chemical Company
Ortho Division/San Francisco CA 94119

Richmond CA 94804

Product 1000-22
Form Import 7605-1
EPA Reg. No. 239-2422
EPA Est. No. 33909-EN-1