

239-2423

11/07/1977

11

Ortho

ORTHOLawn Insect Spray

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

DIRECTIONS

Place required amount of ORTHO Lawn Insect Spray in ORTHO Lawn Sprayer (see chart). Fill jar with water, mix, attach to sprayer and spray as recommended. Use at dusk. For best results the lawn should be moist at time of application and should be kept moist to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear. Re-spray when needed.

NOTE: Mosquitoes coming to rest on areas treated for the control of lawn and home invading pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

NOTE: Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

CANTHUS: May be harmful if swallowed or absorbed through the skin. Do not breathe vapors or spray mist. Avoid eye and skin contact. Wash thoroughly after handling. Keep children and pets off treated areas until spray has dried.

Keep to Physicians: Emergency information—call (415) 233-3737. Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

Do not use on vegetables or food crops. Keep away from food, feedstuffs, and domestic water supplies. DO NOT USE. POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Handle concentrates in a ventilated area. When container is empty, immediately wash thoroughly and destroy. Never reuse.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.



Chewron Chemical Company
Ortho Division, San Francisco CA 94119 Richmond CA 94804
Product 5284 Made in U.S.A.
R Form 8389-A
EPA Reg. No. 239-2423-AA

Ortho

ORTHOLawn Insect Spray

Treats up to 9,600 sq. ft.

PAID
NOV 11 1977
U.S. MAIL PERMIT NO. 239
NEW YORK, N.Y. 10001

Contains DURSBA®

For Grass and Dichondra Lawns

Controls: Armyworms, Sod Webworms (Lawn Moth Larvae), Chinchbugs, Dichondra Flea Beetle, Flea Skipper Larvae, Cutworms, Crickets, Earwigs, Grasshoppers, Brown Dog Ticks and Certain Other Insects

Active Ingredients: DURSBA® (Chlorpyrifos) 0.13% (1.3% Chlorpyrifos)

By Wt.: DURSBA® 5.3% Inert Ingredients 94.7%



CAUTION: Keep out of reach of children. See back panel for additional cautions.

NET CONTENTS 1/2 GALLON LIQUID

Pests: Amount Lawn Insect Spray to Use: Columns

LAWN PESTS
Armyworm*
Lawn Moth Larvae (Sod Webworms)
Dichondra Flea Beetle
Chinchbugs
Cutworms*
Flea Skipper Larvae (California and Hawaii only)
Tropical Grass Webworms (Hawaii only)
Grasshoppers
Crickets
*including Dichondra Lawns

1/2 cup (4 fl. oz.) in 15 gal. water to treat 500 sq. ft. of lawn. One Tablespoonful in 1 gal. covers 62 sq. ft. 1/2 pt. in 30 gal. covers 1,000 sq. ft.

WHITE GRUBS IN LAWN
Certain White Grubs (Larvae of European Choker and Japanese Beetle)
2 cups (16 fl. oz.) in 15 gal. water to treat 500 sq. ft. Four Tablespoonfuls in 1 gal. covers 62 sq. ft. One qt. in 30 gal. covers 1,000 sq. ft. Treat entire lawn. Do not attempt to control lawn pests by spot spraying. Water lawn thoroughly following application to wash the insecticide into the soil. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialists for proper time to treat in your area.

HOME INVADING PESTS (OUTSIDE DWELLINGS)
Ants
Brown Dog Ticks
Earwigs
Crickets
Sowbugs (Pillbugs)
1/2 cup (4 fl. oz.) in 15 gal. water to treat 500 sq. ft. One Tablespoonful in 1 gal. covers 62 sq. ft. 1/2 pt. in 30 gal. covers 1,000 sq. ft. To help prevent infestation of buildings, treat a band of soil 6-10 feet wide around and adjacent to the building, also the building foundation to a height of 2-3 feet when pests are active and may find entrance. Do not treat pets with this product.