

Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 186269
	Application for Pesticide:		

Section I

1. Company/Product Number 239-2423	2. EPA Product Manager Dennis Edwards	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ORTHO Lawn Insect Spray	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006, San Ramon, CA 94583-0906 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION

Five copies of draft master label adding product coverage statement and deleting selected text. Added text is double underlined and deleted text is stricken through. Also enclosed are five copies of finished label for ABN FLEA-B-GON Outdoor Flea & Tick Killer (Form 0-742-02 reflecting this notification. I certify that this Notification is in compliance with PR Notice 95-2.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted.	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (_____)		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name F. X. Kamienski	Title Registration Specialist	Telephone No. (Include Area Code) (510) 355-3335
2. Signature <i>Francis X. Kamienski</i>		5. Date Application Received (Stamped)
3. Title Registration Specialist		
4. Typed Name FRANCIS X. KAMIENSKI		
5. Date 9/5/96		

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2/11

ORTHO® Lawn Insect Spray

[ICON] OUTDOOR USE ONLY

[ABN: Dursban® Lawn Insect Spray]

[ICON]: Water based

[ABN: FLEA-B-GON® Outdoor Flea & Tick Killer]

[ABN: Dursban® Ready-Spray® Outdoor Flea & Tick Killer]

[6/3/96]: Concentrate

Treats up to 10,666 Sq. Ft. of Lawn for Fleas and Ticks. [1/2 Gal. Size]

Treats up to 8,000 Sq. Ft. of Lawn for Other Lawn Pests. [1/2 Gal. Size]

Treats up to 5,333 Sq. Ft. of Lawn for Fleas and Ticks. [32 Fl. Oz. Size]

Treats up to 4,000 Sq. Ft. of Lawn for Other Lawn Pests. [32 Fl. Oz. Size]

Treats up to 2,666 Sq. Ft. [16 oz. size]

[9/5/96]: Treats over 2,500 sq ft (16 oz size)

[For 40 oz size only] BONUS 25% MORE 40 FL OZ AT REGULAR 32 FL OZ

PRICE Treats up to 1,000 extra sq ft - Treats up to 5,000 sq ft [40 fl oz size]

NEW / NOW Measuring Cap & Pour Spout

Improved Package

New / Now with Measuring Cap

Easy Pour Spout

Fast & Easy Measuring Cap

Controls Home Invading Pests: Ants, Fleas, Crickets, Earwigs, Sowbugs, (Pillbugs), Millipedes.

NOTIFICATION
JUL 4 1996

Kills Fleas and Ticks Outdoors in Lawns and Around Buildings.

FOR GRASS & DICHONDRA LAWNS. Controls: Armyworms, European Crane Fly (Larvae), Sod Webworms (Lawn Moth Larvae), Chinch Bugs, Dichondra Fleas Beetle, Fiery Skipper Larvae, Cutworms, Crickets, Earwigs, Chiggers, Grasshoppers, Fleas, Ticks and Certain Other Insects.

Controls: Imported Fire Ants

[9/5/96]: ~~CONTAINS DURSBAN® Insect Killer~~

[READY-SPRAY™ APPLICATOR ONLY] Ready-to-use concentrate mixes automatically with water through the attached hose-end sprayer.

Ready-To-Use hose-end sprayer

Active Ingredient

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]..... 5.3%

*Inert Ingredients94.7%

*Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements.

NET CONTENTS 1/2 GAL.

NET CONTENTS 32 FL OZ (1 QT) 946mL

3/11

NET CONTENTS 40 FL OZ (1 QT 8 OZ) 1.18L
NET CONTENTS 16 FL OZ (1 PT) 473 mL

CONTROLS LAWN PESTS: Armyworms, Crickets, Cutworms, Fleas, Grasshoppers, Imported Fire Ants, Lawn Moth Larvae, Ticks, and other insects as listed inside.
CONTROLS HOME INVADING PESTS: Ants, Fleas, Ticks, Earwigs, Crickets, Sowbugs (Pillbugs), Millipedes.

Kills Fleas and Ticks Outdoors in Lawns and Around Buildings.

[For formula packed without ready-spray sprayer head]

Improved package with pour spout and measuring cap for fast, easy accurate measuring.

Peel open for use directions and further information

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin and clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS TO RESEAL.

☎ Medical Information Call 1-800-454-2333
Product Information Call 1-800-225-2883

Solaris™

ORTHO®, DIAL 'n SPRAY®, FLEA-B-GON®, Ready-Spray®, Solaris™ Trademarks of Monsanto Company
DURSBAN® Trademark of DowElanco

©Monsanto Company 1994

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form RS819-B Product 5284
EPA Reg. No. 239-2423
EPA Est. 239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

UPC

4/11

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

MEASURING CAP:

To open: squeeze cap sides while unscrewing. Fill cap to appropriate level for fast, easy, accurate measuring. Refer to label below for measuring instructions. Close cap tightly after use - no need to rinse.

- Level 1 = 1 teaspoon (tsp)
- Level 2 = 1 Tablespoon (Tbs) = 3 tsp = 1/2 oz
- Level 3 = 1 fl oz (2 Tbs)
- Level 4 = 2 fl oz (4 Tbs)

For best results the lawn should be moist at time of application and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear. Re-treat when needed. For use in **ORTHO DIAL 'n SPRAY® Hose-End Sprayer**. Pour product (undiluted) into sprayer jar. Do **NOT** add water. Set dial to proper rate per 1 gallon of spray (see chart). Any unused (undiluted) product can be returned to original container for future use. Use at once.

[READY-SPRAY™APPLICATOR ONLY]

For best results, lightly sprinkle the lawn with water before applying product. Be sure to spray infested areas evenly. Incomplete coverage can reduce control. Spray when pests first appear. Re-treat when needed. **NOTE:** Do not use on vegetable or food crops. Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

[READY-SPRAY™APPLICATOR ONLY]

HOW TO USE

Connect spray nozzle to garden hose. Turn water control "ON/OFF" valve on top of spray nozzle to "OFF" . Turn on water at faucet. Extend hose to farthest area to be treated.

Using a coin or key, rotate the small product control valve located near front of nozzle forward to "OPEN" .

To **BEGIN:** point nozzle towards lawn and turn water control valve to "ON". Walk at a steady pace while spraying, using an even sweeping motion, lightly overlapping treated areas. Work back towards faucet so that you do not walk over treated areas. When bottle is half-empty, you should have covered an area of 5,333 sq. ft. (53.3' x 100')[1/2 gal size only.] [For qt. size, coverage is 2,667 sq ft (26.6' x 100')]. To **STOP:** turn water control valve OFF. Rotate product control valve back to "CLOSED" . Turn off water at faucet. To relieve pressure, turn water control valve to "ON" before removing nozzle from hose, being careful to point nozzle away from you.

5/11

	Amount To Use	Comments
LAWN PESTS		
Armyworm** Lawn Moth Larvae (Sod Webworms)	1 1/2 tsp in 1 gal water covers 31 sq ft. Fill cap to level 1 one and	Mow and water 1 to 2 days before treatment. Spray when
Dichondra Flea Beetle**	one-half times (1-1/2 tsp). Add to 1 gal of	pests first appear. Treat <u>entire</u> lawn.
Chinch Bugs	water. Spray evenly	Withhold watering for 2 to 3
Cutworms**	over 31 sq ft.	<u>days following</u> treatment.
European Crane Fly (Larvae)	1 Tbs in 2 gal covers 62 sq ft. Fill cap to	Repeat treatments may be necessary at 4 to 6 week intervals.
Fiery Skipper Larvae (California and Hawaii only)	level 2 (1 Tbs). Add to 1 gal of water. Spray	For European Crane Fly control, consult your Agricultural Extension Service for proper
Tropical Grass Webworms (Hawaii only)	evenly over 62 sq ft.	timing.
Grasshoppers	<u>ORTHO Lawn Sprayer</u>	
Crickets	1/2 cup (4 fl oz) in 15	
Chiggers	gals. water to treat	
Clover Mites	500 sq ft. Fill cap to	
Earwigs	level 4 two times (4	
Fleas	oz). Pour into sprayer	
Ticks	jar. Add water to the	
**Including Dichondra Lawns	15 gal mark. Spray	
	evenly over 500 sq ft.	
	<u>DIAL 'n SPRAY</u>	
	1 cup covers 1,000 sq ft. Pour product into	
	sprayer jar. Do not add water. Set dial to 1 1/2	
	tsp. Fill cap to level 4 for every 250 sq ft of	
	lawn area. (2 fl oz). Pour into sprayer jar.	
	Do not add water. Set dial to 1 1/2 tsp.	

6/11

WHITE GRUBS IN LAWN

Amount To Use

Comments

Certain White
Grubs: (Larvae of
European Chafer and
Japanese Beetle)

Fill cap to level 3 (1 fl oz). Add to 1 gal water. Spray evenly over 31 sq ft. 2 Tbs in 1 gal water covers 31 sq ft.

Ortho Lawn Sprayer

2 cups (16 fl oz) in 15 gal water to treat 500 sq ft.

DIAL 'n SPRAY

Fill cap to level 4 four times for every 250 sq ft of lawn area (8 fl oz).

[2 cups (16 fl oz) covers 500 sq ft.]

Pour product into sprayer jar. Do not add water. Set dial to 2 Tbs.

Treat entire lawn. Do not attempt to control lawn pests by spot spraying. Water lawn thoroughly following application to wash the insecticide into the soil. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialists for proper time to treat in your area.

	Amount to Use	Comments
HOME INVADING PESTS (OUTSIDE DWELLINGS)		
Ants, Ticks Earwigs Crickets Sowbugs (Pillbugs)	1 1/2 tsp in 1 gal water covers 31 sq ft. Fill cap to level 1 one and one half times (1 1/2 tsp). Add to 1 gal water. Spray evenly over 31 sq ft.	Treat a band of soil 6 feet wide around the building, also the foundation to a height of 3 feet when pests are active. Spray directly on ants, ant trails and places where ants enter premises. Thoroughly treat garbage can storage areas, outdoor pet resting areas, around doghouses. Do not treat pets with this product.
Millipedes Fleas	1 Tbs in 2 gal covers 62 sq ft. Fill cap to level 2 (1 Tbs). Add to 2 gal water. Spray evenly over 62 sq ft.	
<p><u>ORTHO Lawn Sprayer</u> 1/2 cup (4 fl oz) in 15 gals. water to treat 500 sq ft.</p> <p><u>DIAL 'n SPRAY</u> 1 cup covers 1,000 sq ft. Pour product into sprayer jar. Do not add water. Set dial to 1 1/2 tsp. Fill cap to level 4 for every 250 sq ft of lawn area (2 fl oz). Pour into sprayer jar. Do not add water. Set dial to 1-1/2 tsp.</p>		
IMPORTED FIRE ANT MOUNDS		
	Amount To Use	Comments
Imported Fire Ant	5 Tbs (2 1/2 fl oz) in 1 gal water. Fill cap to level 4 PLUS one cap to level 2 (2-1/2 fl oz). Add to 1 gallon of water.	Using a sprinkling can, apply 1 gal to each mound and treat a 4 foot diameter circle around the mound. Apply in cool weather or in early morning or late afternoon. Treat new mounds as they appear.

8/11

HOME INVADING PESTS: ANTS, MILLIPEDES, FLEAS, TICKS, EARWIGS, CRICKETS, SOWBUGS (PILLBUGS)

Building Perimeter Treatment(Outdoors): To help prevent infestations of buildings, mix 1/2 cup (4 fl. oz.) concentrate per 15 gals. water using a hose-end sprayer such as an ORTHO Lawn Sprayer to treat 500 sq ft. Apply as a band treatment 6 to 10 ft. wide around and adjacent to the building (see chart below). Also treat the building foundation to a height of 2 to 3 ft. when pests are active and may find entrance. Spray directly on ants, ant trails and places where ants enter premises. Thoroughly treat garbage can storage areas, outdoor pet resting areas, around doghouses and pet "bathroom" areas.

[READY- SPRAY™ APPLICATOR ONLY]

HOME INVADING PESTS (BUILDING PERIMETER TREATMENT-OUTDOORS): ANTS, MILLIPEDES, FLEAS, TICKS, EARWIGS, CRICKETS, SOWBUGS (PILLBUGS)

To help prevent infestation of buildings treat a band of soil 6 to 10 feet wide around the building. Also spray the foundation to a height of 2 to 3 ft when pests are active. Apply 4 fl oz to 500 sq ft.

If used in tank-type sprayer, mix 1 Tbs (1/2 fl oz) in 2 gal water to treat a 60 sq ft area or a band 6 ft wide and 10 ft long. To use in a tank sprayer, fill cap to level 2 (1 Tbs). Add to two gallon of water. [Or: fill cap to level 1 one and one half times (1-1/2 tsp). Add to one gal of water.] One gallon makes enough spray to treat a band 3 ft wide and 10 ft long.

NOTE: DO NOT USE INDOORS

FLEA AND TICK CONTROL- (OUTDOORS)

Fleas and ticks frequently become established in lawns and pet resting areas surrounding the home. To control these pests, follow a regular spray program. Spray once a month beginning when pests appear in late spring and continuing until late summer. Spray lawn and shady spots under ornamentals, shrubs, and trees where pets frequent or rest but avoid soaking flowering plants. Temperatures below 50° F reduce the severity of these pests. Eliminating weeds around the home and mowing lawns reduces hiding places.

LAWN TREATMENT -To kill fleas and ticks in lawns, use this product in a hose-end sprayer such as an ORTHO Lawn Sprayer. Divide the lawn into 500 sq ft areas (20' x 25'). Place 3 fl oz of the concentrate in the sprayer jar and fill with water to the 15 gal mark. To use the measuring cap, fill cap to level 3 three times (or fill cap to level 4 PLUS one cap to level 3). Mix well. Attach the sprayer to the jar and use all the spray to evenly cover a 500 sq ft area. For best results, mow and water lawn a day or two before spraying, and then withhold watering lawn for 2 days after treatment. Spray lawn, using a slow, even sweeping motion - be sure to cover entire lawn surface. Do not attempt to control these pests in lawns by spot treating. Also spray shady spots under ornamentals, shrubs and trees where pets "frequent" or rest, but avoid soaking young or flowering plants.

9/11

[READY- SPRAY™ APPLICATOR ONLY]

TO KILL FLEAS AND TICKS IN LAWNS: Apply 3 fl oz of READY-SPRAY concentrate for each 500 sq ft area. For best results, mow and water a day or two before spraying. Spray using a slow, even sweeping motion; be sure to cover entire lawn surface. Do not attempt to control these pests in lawns by spot treating. Immediately after treatment, sprinkle lawn lightly for a few minutes to move insecticide down into grass. Do not water again for 2 days. Also spray spots under ornamentals, shrubs and trees where pets rest, but do not soak young or flowering plants. Wash off plant foliage with water after treatment.

NOTE: Do not spray animals with this product. Dogs, cats, their kennel or bedding area should be treated with a registered product such as ORTHO Pet, Flea & Tick Spray. If fleas or ticks are indoors, use a product such as FLEA-B-GON® Flea & Tick Killer or ORTHO Home Pest Insect Control. It is very important that all three sites - outdoors, indoors and also the pet be treated with appropriate labeled products to achieve control. If any one of these areas is missed, it can serve as a source of reinfestation to the entire premises.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: PRODUCT- Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER- Do not reuse empty bottle. Rinse thoroughly before discarding in trash. *[For Ready-Spray configuration which has sprayer head attached, and thus cannot be rinsed]* - Wrap bottle and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. **[CHILD / PET ICON]** Keep children and pets off treated areas until spray has dried.

FIRST AID: IF SWALLOWED give a large amount of water to drink and make person vomit. Call a doctor immediately. **IF ON SKIN** wash skin with soap and water. **IF IN EYES** wash eyes with plenty of water. If irritation continues, see a doctor. **Note to Physicians:** Emergency Information-call 1-800-454-2333. Chlorpyrifos is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine but should not be used alone.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Handle concentrate in a ventilated area.

