16 Mg.

239-2435 6126198 Page 187

Please read instructions of	n reverse before completin	ng form.	···	Form Appr	royed, OMB No. 2	070-0060	Approval expires 2-28-95
<b>\$EPA</b>	United States		on Agency		Registration Amendment Other		OPP Identifier Number 265253
	Α	pplication	for Pestici	de - Secti	ion I		
1. Company/Product Number 239- 2435			2. EPA Product Manager Mary L Waller			3. Proposed Classification  None Restricted	
4. Company/Product (Nam ORTHO) Rose Meesse C			PM#	PM# 21			
5. Name and Address of A The SOLARIS C P. O. Box 5006 San Ramso, CA	Group of Monsanto	•	(b)(i), n to:	ny product is		cal in co	FIFRA Section 3(c)(3) mposition and labeling
Creck if to	his is a new address		Product Name				
			Section -	ll .			
Amtendment - Explain below.  Resubmission in response to Agency letter dated		dated		Final printed labels in repsonse of Agency letter dated "Me Too" Application.			FICATION 2 6 1998
Notiffication - Expla	ain below.			Other - Expl	ain below.		
revise mixing direct	me of triforine as per 9	7-5; add add tions to mak	ditional front p te text easier for te with 95-2.	r consumer (			le; delete redundant text; ew emergency telephone
			Section - I	111			
1. Material: This Product \	Will Be Packaged In:						
Child-Resistant Packaging Yes No No No			Water Soluble Packaging Yes No		2. Type of	Container  Metal Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container		Paper	Specify)
3. Location of Net Comter	nts Information	4. Size(s) Reta	ail Container		5. Location of Lab	el Direction	ons
6. Manner im Which Labe	Dentainer is Affixed to Product	Lithogr Paper of Stencil	plued	Other	·		
<del></del>		3 relich	Section - I	V	<u> </u>		<del> </del>
1. Contact Point /Comp/	ete itame directly helow fo	or identification			if necessary to be	ncase this	a application 1
Name	uneray below it		Title				e Np. (Indigde Area Code)
Frank Kamicaski		Registration Specialist			, otopiloti	, , , ,	
l certify that the st	ataments I have made on t any knowlingly false or i		tion all attachments th	nereto are true	, accurate and co	•	6. Date Application Received (\$tamped)
2. Signatures	Januarol		3. Title R	egistration S	Specialist		100 100 100 100 100 100 100 100 100 100
4. Typed Name	rank Kamienski	 	June 19, 1998				****

The second secon

ORTHO® Rose Disease Control, EPA Reg. No. 239-2435

ABN: ORTHO® RosePride® FUNGINEX® Rose Disease Control
ABN: ORTHO RosePride® FUNGINEX Rose & Shrub Disease Control

(ICON)OUTDOOR USE ONLY

Makes up to 96 64 Gallons Spray [Quart size] Makes up to 48 32 Gallons Spray [Pint size] Endorsed by the American Rose Society [Logo]

Controls/Stops and Prevents: Three Major Diseases of Roses and Certain other Diseases on Ornamentals as listed.

Stops & Prevents Major Rose Diseases

Stops & Prevents - Black Spot, Powdery Mildew & Rust on Roses Plus Other Diseases on Flowers, Shrubs & Trees

Treats over 200 rose bushes

# [12/16/96]: Concentrate

Active Ingredient Triforine(N,N'-[1,4-piperazinediylbis(2,2,2-trichloroethylidene)]bis	
—{formamide}}	6.5%
Other Ingredients	
KEEP OUT OF REACH OF CHILDREN DANGER	

See back panel booklet for additional precautionary statements.

| NET CONTENTS 1 PT / 473 ml

NOTIFICATION JUN 26 1998

375 -

ORTHO® RosePride® FUNGINEX® Rose & Shrub Disease Control stops/controls and prevents: Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, RosePride FUNGINEX will not harm rose flowers or foliage.

Peel open for use directions and further information.

DANGER: Causes irreversible eye damage. Do not get in eyes. Harmful if swallowed or inhaled. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND USE DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL.

OPEN

Resealable Label for Directions & Precautions.

PRESS TO RESEAL.

Promotes beautiful, healthy and vigorous roses by controlling the major rose diseases.

[Dial 'n Spray® icon] Easy to apply with an Ortho Dial 'n Spray®, hose-end or tank sprayer.

Product Facts	
Makes up to 48	gallons spray.
STOPS	Black Spot, Powdery Mildew, Rust & Other Plant Diseases
& PREVENTS	
WHERE	Roses, Flowers, Shrubs & Trees
TO USE	Do not apply to plants to be used for food or
	feed.
AMOUNT	1 Tbs (3 tsp) / gal water
TO USE	
[phone icon]	Questions, Comments or Medical Information
	call 1-800-225-2883 www.ortho.com

## Text Below Deleted since Redundant and Repeated at end of Label Text

★ Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

Manufactured for:

The SOLARIS Group of Monsanto Company P.O. Box 5008 San Ramon, CA 94583-0808 Form RS800-A Product 5314 EPA Reg. No. 239-2435 EPA Est.239-IA-3', 58996-MO-1<sup>A</sup> Superscript is first letter of lot number MADE-IN-USA

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its liabeling. READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH

LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

[7/9/96]: This product is a concentrate and must be mixed with water. See pamphlet for mixing directions.

Amount to Use: 1 Tbs (3 tap) per gal of water

[Dial'n Spray® illustration When using Ortho Dial 'n Spray®: Set

iial to 1 Tbs. Pour product into sprayer to fill jar one-quarter

to one-half full. DO NOT add water. After spraying, unused

product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

For Aster and Carnation Rusts, use 2 tsp per gal of water.

# **DISEASES STOPPED & PREVENTED**

Black Spot, Powdery Milder & Rust on Roses

Powdery Mildew on Azalea, Begoria,
Delphinium, Kalanchoe, Planetree
Calendula, Crapemyrtle, Dahlia,
Euonymus, Jerusalem Thorn, Lilar Phlox,
Photinia, Snapdragons & Zinnias

Entomosphorium Leaf Spot on
Photinia
Azalea Petal Blight on Azaleas
& Rhododendrons
Rust on Oxalis, Poplars &
Planetrees
Aster Rust on Asters
Carnation Rust on Carnations

tsp = teaspoon

Tbs = Tablespoon

For Aster and Carnation Rusts, use 2 top per gal of water.

ORTHO® RosePride® FUNGINEX® will control and prevent Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, RosePride FUNGINEX will not ham rose flowers or foliage. This product also controls Powdery Mildew on Azaea, Begonia, Calendula, Crapemyrtle, Dahlia, Delphinium, Euonymus, Jerusalem Thom, Kalanchoe, Lilac, Phlox, Photinia, Planetree, Snapdragons and Zinnas. Controls Rust on Asters, Carnations, Oxalis, Poplars, and Planetrees. Controls Entomosphorium Leaf Spot on Photinia

#### HOW TO APPLY.

Spray thoroughly to cover all plant surfaces (both upper and lower leaf surfaces, flowers, stems and branches) incuding new growth. For best results apply with an ORTHO Hose-End Sprayer or cump-up sprayer. Use mixture at once.

WHEN TO APPLY USE: Spray when first sign of diseases appears. Apply every 7 to 10 days if weather conditions encourage the spread of disease conditions persist.

NOTE: Leaves on which sports have already developed will not clear up, but the

unaffected leaves will be protected if a regular spray program is followed. For timing of applications in your area, contact your local County Extension Agent.

## ADDITIONAL TIPS

For Azalea Blight: Spray flowers when disease is first noticed, or to prevent petal blight, spray when the color of the unopened flowers first begins to show. Repeat every 3 to 4 days until flowering ends.

#### 8/7/96

Roses	Black-Spot Powdery-Mildew Rust	1 Tbs (1/2 fl-oz) per gal of water
Azalea, Begonia, Delphinium, Kalanchoe, Planetree, Calendula, Grapemyrtle, Danlia, Euonymus, Jerusalem Thorn, Lilae, Phlax, Photinia, Snapdragons, Zinnias	Powdery Mildew	1 Tbs (1/2 fl-oz) per gal of water
Asters	Aster Rust	2-tsp-per-gal-of-water
<del>Carnation</del>	Carnation Rust	2 tsp per gal of water
Photinia	Entomosphorium Leaf Spot	1 Tbs (1/2 fl oz) per gal of water
Oxalis, Poplars, Planetrees	Rust	1 Tbs (1/2 fl oz) per gal of water

Azaleas-and Rhododendrons	Azalea-Fetal-Blight	1 Tbs (1/2 fl-oz) per gal of water. Spray in early spring as first color begins or when disease is first noticed on flowers. Repeat every 3 to 4 days until flowering ends:
------------------------------	---------------------	---

Combination Spray with Insecticides on Roses --

ORTHO RosePride® FUNGINEX ® Rose & Shrub Disease Control may be mixed together with the following insecticides on roses (at the label rates for both products): ISOTOX® Insect Killer Formula IV, or MALATHION 50 PLUS® Insect Spray, or DIAZINON PLUS® Insect Spray, DIAZINON Ultra Insect Spray, ORTHO Liquid SEVIN® brand carbaryl insecticide [7/11/95]: or ORTHENE® Systemic Insect Control. Apply fungicide on a regular schedule to control disease and add insecticide only when insect control is desired. Follow directions on label for insect

control.—Apply-these-mixtures-only-when-both-an-insect(s)-and-a-disease(s)-claimed-on-the-labels-are-present.

Azaleas & Rhododendrons-(Azalea Petal-Blight)-Mix-17bs per gal-of-water.—Spray in early spring, as first color begins or when disease is first noticed on flowers.

Repeat every 3 to 4 days until flowering ends.

# **HOW IT WORKS**

RosePride® Funginex® is absorbed by leaves and stems for internal protection that won't wash off with rain or watering. No fungicide can clear up diseased areas already on plants, but unaffected areas and new growth will be protected if a regular spray program is followed.

#### STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. DISPOSAL: PRODUCT-Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER-Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Do not get in eyes. Wear goggles or face shield when handling concentrate. Harmful if swallowed or inhaled. Avoid contact with skin or clothing. Avoid breathing spray mist. Wash thoroughly after handling. Do not graze animals around treated trees or feed foliage or fruit to animals. [Reentry icon]: People and pets may enter treated area after spray has dried.

FIRST AID: In case of eye contact: flush eyes immediately with fresh water for at least 15 minutes and see a doctor. If on skin wash: with plenty of soap and water. If swallowed: give water or milk to drink and telephone for medical advice. DO NOT make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. Note to Physicians: Emergency Information call 1-800-225-2883 454-2333. ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333 Product Information call 1-800-225-2883

[or]

# Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

ORTHO Dial 'n Spray®, Diazinon Ultra®, ORTHO®, ORTHENE®, RosePride® MALATHION 50 PLUS®, ISOTOX®, DIAZINON PLUS®, SOLARIS® Trademarks of Monsanto Company.
FUNGINEX® Trademark of American Cyanamid Company
SEVIN® is the registered trademark of Rhone-Poulenc for carbaryl insecticide

<sup>©</sup>Monsanto Company 19984

Manufactured for:

The SOLARIS Group of

Monsanto Company
P.O. Box 5008
San Ramon, CA 94583-0808
Form 0-264-01RS800-A

Product5314
EPA Reg. No. 239-2435 EPA Est.239-IA-3<sup>1</sup>, 58996-MO-1<sup>A</sup>
Superscript is first letter of lot number
MADE IN USA

and the second

2392435.N5

The state of

and the form of a second second to be to