

239-2435

09/19/2005

booklet

1/4

{/CON}OUTDOOR USE ONLY

ORTHO® Rose Disease Control, EPA Reg. No. 239-2435

Makes 64 Gallons Spray [Quart size]
Makes 32 Gallons Spray [Pint size]
Endorsed by the American Rose Society
Endorsed American Rose Society [Logo]

Controls and/ & Prevents: Three Major Diseases of Roses and Certain other Diseases on Ornamentals as listed.

Active Ingredient

Triforine.....6.5%
Other Ingredients.....93.5%


KEEP OUT OF REACH OF CHILDREN
DANGER

See back panel booklet for additional precautionary statements.

For Home Use Only

NET CONTENTS 1 PT / 473 ml

ORTHO® Rose Disease Control controls and prevents: Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, ORTHO® Rose Disease Control will not harm rose flowers or foliage.



2/4

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a concentrate and must be mixed with water. .

tsp = teaspoon

Tbs = Tablespoon

ORTHO® Rose Disease Control will control and prevent Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, ORTHO® Rose Disease Control will not harm rose flowers or foliage. This product also controls Powdery Mildew on Azalea, Begonia, Calendula, Crapemyrtle, Dahlia, Delphinium, Euonymus, Jerusalem Thorn, Kalanchoe, Lilac, Phlox, Photinia, Planetree, Snapdragons and Zinnias. Controls Rust on Asters, Carnations, Oxalis, Poplars, and Planetrees. Controls Entomosporium Leaf Spot on Photinia.

Spray thoroughly to cover all plant surfaces (both upper and lower leaf surfaces) including new growth. For best results apply with an ORTHO Hose-End Sprayer or pump-up sprayer. Use mixture at once.

WHEN TO USE: Spray when first sign of diseases appear. Apply every 7 to 10 days if weather conditions encourage the spread of disease. **NOTE:** Leaves on which spots have already developed will not clear up, but the unaffected leaves will be protected if a regular spray program is followed. For timing of applications in your area, contact your County Cooperative Agent.

PLANTS	DISEASES CONTROLLED	AMOUNT TO USE
Roses	Black Spot Powdery Mildew Rust	1 Tbs (1/2 fl oz) per gal of water
Azalea, Begonia, Delphinium, Kalanchoe, Planetree, Calendula, Crapemyrtle, Dahlia, Euonymus, Jerusalem Thorn, Lilac, Phlox, Photinia, Snapdragons, Zinnias	Powdery Mildew	1 Tbs (1/2 fl oz) per gal of water
Asters	Aster Rust	2 tsp per gal of water
Carnation	Carnation Rust	2 tsp per gal of water
Photinia	Entomosporium Leaf	1 Tbs (1/2 fl oz) per gal of

3/4

	Spot	water
Oxalis, Poplars, Planetrees	Rust	1 Tbs (1/2 fl oz) per gal of water

Azaleas and Rhododendrons	Azalea Petal Blight	1 Tbs (1/2 fl oz) per gal of water. Spray in early spring as first color begins or when disease is first noticed on flowers. Repeat every 3 to 4 days until flowering ends.
------------------------------	---------------------	---

Combination Spray with Insecticides on Roses—ORTHO Rose Disease Control may be mixed with ISOTOX® Insect Killer, or MALATHION 50 PLUS® Insect Spray, or ORTHENE® Systemic Insect Control. Follow directions on label for insect control. Apply these mixtures only when both an insect(s) and a disease(s) claimed on the labels are present.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles or face shield. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID: [First Aid Symbol +]

If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor immediately for treatment

4/4

	<p>advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.</p>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	

Note to Physicians: Probable mucosal damage may contradict the use of gastric lavage. Emergency Information call 1-800-225-2883 .

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

☛ **Questions, Comments or Medical Information**
 Call 1-800-225-2883 <http://www.ortho.com>

Manufactured for:
The ORTHO Group
 P.O. Box 190
 Marysville, OH 43040
 EPA Reg. No. 239-2435
 EPA Est.239-IA-3¹, 58996-MO-1^A
 Superscript is first letter of lot number
MADE IN USA