

239-2435

9/23/2008

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mrs. Deena Newell
Registration Specialist
The Scotts Company d/b/a The Ortho Group
14111 Scottslawn Road
Marysville, OH 43041

SEP 23 2008

Subject: Notification(s) for Label Revisions under PRN 98-10, PRN 2007-4, PRN 2008-1
and Alternate Brand Names:
Ortho® RosePride® Disease Control Concentrate
Ortho® RosePride® Rose & Shrub Disease Control Concentrate

Dear Mrs. Newell:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10, (PRN) 2008-1 and 2007-4 dated, July 22, 2008 for:

EPA Registration 239-2435

Ortho® Rose Disease Control

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 98-10, PRN 2007-4, and PRN 2008-1 and finds that the label changes requested fall within the scope of PRN-98-10, PRN-2007-4 and PRN 2008-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/10

<h1 style="margin:0;">EPA</h1> <p style="text-align:center; margin:0;">United States Environmental Protection Agency Washington, DC 20460</p>	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 239-2435 4. Company/Product (Name) Ortho Rose Disease Control	2. EPA Product Manager Mary Waller PM# PM-21	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company d/b/a The Ortho Group 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 This notification covers additional brand names and other minor labeling revisions per PR Notices 98-10, 2007-4, and 2008-1.
 Please see attached 7/22/08 cover letter for details and certification statement.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container:	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Package wgt. No. per Container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 14.35 & 43.05 lb		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Deena Newell	Title Registration Specialist	Telephone No. (Include Area Code) (937) 644-7314

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature The Scotts Company BY: <i>Deena Newell</i>	3. Title Registration Specialist	
4. Typed Name: Deena Newell	5. Date: July 22, 2008	

The Scotts Company

and Subsidiaries



July 22, 2008

Mary Waller, PM-21
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Ortho® Rose Disease Control (EPA Reg. No. 239-2435)
Notification of ABN's and General Label Revisions per PR Notices 98-10, 2007-4, and 2008-1

Dear Ms. Waller:

The Scotts Company respectfully requests the approval of the attached Application of Registration for a Notification of general label revisions. Included with this cover letter are the following:

- Completed Application for Registration (EPA form 8570-1)
- Two copies of the updated Master Label with changes highlighted
- Two, "clean" copies of the updated Master Label

Alternate Brand Names (ABN's) are:

- Ortho® RosePride® Disease Control Concentrate
- Ortho® RosePride® Rose & Shrub Disease Control Concentrate

General labeling and company specific additions are as follows. For clarification, previously approved marketing text has been bracketed to note optional label language.

- Page 1: "PRODUCT FACTS" table
- Page 1: Instructions for resealable label
- Pages 3-4: Reformatted "Directions for Use". This section duplicates the original "Directions for Use" but in an easier-to-read format for the consumer. Additional applicator specific instructions are included for the "Ortho Dial'n Spray" hose-end sprayer.
- Page 5: "The ORTHO Guarantee: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price."

Updates to label per PR Notice 2007-4:

- Page 4: Under "Storage and Disposal" section, revised wording for "Container Disposal" to "If empty: Nonrefillable. Do not reuse or refill this container."

Updates to label per PR Notice 2008-1:

- Page 5: Revised "ENVIRONMENTAL HAZARDS" section to the following: "To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems."

14111 Scottslawn Road Marysville, Ohio 43041 937-644-0011

www.scotts.com

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

ORTHO® Rose Disease Control


ABN's: Ortho® RosePride® Disease Control Concentrate
 Ortho® RosePride® Rose & Shrub Disease Control Concentrate

[Tree Icon] OUTDOOR USE ONLY

Makes 64 Gallons Spray [Quart size]
Makes 32 Gallons Spray [Pint size]

[Endorsed by the American Rose Society]
[Endorsed American Rose Society [Logo]]

[Controls and/Prevents: Three Major Diseases of Roses and Certain other Diseases of Ornamentals as listed.]



ACTIVE INGREDIENT:
Triforine6.5%
OTHER INGREDIENTS:93.5%

KEEP OUT OF REACH OF CHILDREN
DANGER
See back panel booklet for additional precautionary statements.

For Home Use Only

NET CONTENTS 1 PT / 473 ml

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

ORTHO® Rose Disease Control controls and prevents: Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, ORTHO® Rose Disease Control will not harm rose flowers or foliage.

PRODUCT FACTS	Makes 32 Gallons.
CONTROLS & PREVENTS	Black Spot, Powdery Mildew, Rust & Other Plant Diseases listed on label
WHERE TO USE	Roses, Flowers, & Ornamental Shrubs & Trees
AMOUNT TO USE	1 Tbs (3 tsp) / gal of water

Instructions for resealable, booklet label

[OPEN]

[Resealable Label for Directions & Precautions]

[PRESS TO RESEAL]

[PEEL HERE]


DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a concentrate and must be mixed with water.

tsp = teaspoon

Tbs = tablespoon



ORTHO® Rose Disease Control will control and prevent Black Spot, Powdery Mildew and Rust-the three most important diseases of Roses. Used as directed, ORTHO® Rose Disease Control will not harm rose flowers or foliage. This product also controls Powdery Mildew on Azalea, Begonia, Calendula, Crapemyrtle, Dahlia, Delphinium, Euonymus, Jerusalem Thyme, Kalanchoe, Lilac, Phlox, Photinia, Planetree, Snapdragons and Zinnias. Controls Rust on Asters, Carnations, Oxalis, Poplars, and Planetrees. Controls Entomosporium Leaf Spot on Photinia.

Spray thoroughly to cover all plant surfaces (both upper and lower leaf surfaces) including new growth. For best results apply with an ORTHO Hose-End Sprayer or pump-up sprayer. Use mixture at once.

WHEN TO USE: Spray when first sign of diseases appear. Apply every 7 to 10 days if weather conditions encourage the spread of disease. **NOTE:** Leaves on which spots have already developed will not clear up, but the unaffected leaves will be protected if a regular spray program is followed. For timing of applications in your area, contact your County Cooperative Agent.

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

PLANTS	DISEASES CONTROLLED	AMOUNT TO USE
Roses	Black Spot Powdery Mildew Rust	1 Tbs (1/2 fl oz) per gal of water
Azalea, Begonia, Delphinium, Kalanchoe, Planetree, Calendula, Crapemyrtle, Dahlia, Euonymus, Jerusalem Thorn, Lilac, Phlox, Photinia, Snapdragons, Zinnias	Powdery Mildew	1 Tbs (1/2 fl oz) per gal of water
Asters	Aster Rust	2 tsp per gal of water
Carnation	Carnation Rust	2 tsp per gal of water
Photinia	Entomosporium Leaf Spot	1 Tbs (1/2 fl oz) per gal of water
Oxalis, Poplars, Planetrees	Rust	1 Tbs (1/2 fl oz) per gal of water
Azaleas and Rhododendrons	Azalea Petal Blight	1 Tbs (1/2 fl oz) per gal of water. Spray in early spring as first color begins or when disease is first noticed on flowers. Repeat every 3 to 4 days until flowering ends.

Combination Spray with Insecticides on Roses—ORTHO Rose Disease Control may be ~~fixed~~ with ISOTOX® Insect Killer, or MALATHION 50 PLUS® Insect Spray, or ORTHENE® Systemic Insect Control. Follow directions on label for insect control. Apply these mixtures only when both an insect(s) and a disease(s) claimed on the labels are present.

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

Alternate reformatted Directions for Use

<u>DIRECTIONS FOR USE</u>	
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is a concentrate and must be mixed with water.	
<u>MIXING INSTRUCTIONS</u>	<p>Amount to Use: 1 Tbs (3 tsp) per gal of water (For Aster and Carnation Rusts, use 2 tsp per gal of water.) 1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs</p> <p>When using Ortho Dial'n Spray:</p> <ol style="list-style-type: none"> 1. Set dial to 1 Tbs.* 2. Pour product into sprayer to fill jar one-quarter to one-half full. DO NOT add water. <ul style="list-style-type: none"> • After spraying, unused product can be poured back into its original container. <p>*Set dial to 2 tsp for aster and carnation rusts.</p>
<u>DISEASES CONTROLLED</u>	<p>Black Spot, Powdery Mildew & Rust on Roses</p> <p>Powdery Mildew on azalea, begonia, delphinium, kalanchoe, planetree, calendula, crapemyrtle, dahlia, euonymus, Jerusalem thorn, lilac, phlox, photinia, snapdragons & zinnias</p> <p>Entomosporium Leaf Spot on photinia</p> <p>Azalea Petal Blight on azaleas & rhododendrons</p> <p>Rust on oxalis, poplars & planetrees</p> <p>Aster Rust on asters</p> <p>Carnation Rust on carnations</p>
<u>HOW TO APPLY</u>	<ul style="list-style-type: none"> • Spray thoroughly to cover all plant surfaces (both upper and lower leaf surfaces) including new growth. Use mixture at once.
<u>WHEN TO APPLY</u>	<ul style="list-style-type: none"> • Spray when first sign of disease appears. • Apply every 7 to 10 days if weather conditions encourage the spread of disease. NOTE: Leaves on which spots have already developed will not clear up, but the unaffected leaves will be protected if a regular spray program is followed. For timing of applications in your area, contact your County Cooperative Agent.
<u>ADDITIONAL TIPS</u>	<p>For Azalea Petal Blight</p> <ul style="list-style-type: none"> • Spray in early spring as first color begins or when disease is first noticed on flowers. • Repeat every 3 to 4 days until flowering ends.
<u>COMBINATION SPRAY WITH INSECTICIDES ON ROSES</u>	<p>Ortho Rose Disease Control may be mixed with Ortho Bug-B-Gon MAX Lawn & Garden Insect Killer or Ortho Malathion Plus Insect Spray. Follow directions on label for insect control. Apply these mixtures only when both an insect(s) and a disease(s) claimed on the labels are present.</p>

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: **If empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles or face shield. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID: [First Aid Symbol +]

If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

Note to Physicians: Probable mucosal damage may contraindicate the use of gastric lavage. Emergency Information call 1-800-225-2883

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame.

NOTE::

EPA Reg. No. 239-2435

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text].
Underline text is new. ~~Strike-through text is being deleted.~~

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

The ORTHO Guarantee: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

 **Questions, Comments or Medical Information**
Call 1-800-225-2883 www.ortho.com

Manufactured for:
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No. 239-2435
EPA Est.239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
MADE IN USA

