



ORTHO

BOLERO[®] 10 G

(HERBICIDE)

Active Ingredient By Wt
 *Thiobencarb 10%
 Inert Ingredients 90%
 *S-(4-chlorophenyl methyl) diethylcarbamothioate
 BOLERO—Reg. TM of Kumrai Chemical Industry Co., Ltd for Thiobencarb Herbicide

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 50 POUNDS

Chevron Chemical Company
 Ortho Agricultural Chemicals Division
 San Francisco CA 94120 7144 Richmond CA 94604 0035
 Product 5278 Made in U.S.A.
 Form 9208 F EPA Est. 239 AL 1
 EPA Reg. No. 239 2449 AA

DIRECTIONS

CROP	WEEDS	APPLY BOLERO 10 G PER ACRE	FURTHER USE
Rice (California Only)	Barnyardgrass (Watergrass) Spangletop Sesuilflower Umbrellaplant	40 Lbs.	Apply after expanded to not stress. T adversely other vari Barnyardgr Smallflowe leaf stage Smallflowe for epism planting s control du termination Do not dra after a 30 the checks inches wit should be ut to four weid contr California management water move your State or County further in Precaution a plication subsequent months of fields wher practiced. ponds. Wat fields must crops.

RECEIVED
 OCT 30 1984
 239-2449

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
 Avoid contact with eyes. In case of eye contact, wash eyes with clean water for 15 minutes. If irritation continues, see a physician. Wash thoroughly after handling.
 Note to Physicians: Emergency Information - call (415) 233-2449.
ENVIRONMENTAL HAZARDS
 This herbicide is toxic to fish and shrimp. Do not apply directly to rivers, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of a mixture.

DIRECTIONS FOR USE
 Read entire label use strictly in accordance with precautionary statements and directions, and with applicable state and federal regulations.

STORAGE AND DISPOSAL
PROHIBITIONS
 Do not store in water, food, or feed containers. Do not use containers for other purposes.
STORAGE
 Store in original container in a cool, dry place. Do not store in areas where children or animals can have access.
PESTICIDE DISPOSAL
 Do not contaminate water, food, or feed. Dispose of contents and container as directed.
CONTAINER DISPOSAL
 Do not reuse containers. Dispose of containers as directed.

CONDITIONS OF SALE - Chevron Chemical Company warrants that this material conforms to the chemical analysis and is fit for use as directed. This warranty does not constitute an offer of insurance or other financial product. The material is sold as is, with no warranty of fitness or of any other quality. No representation, express or implied, is made by Chevron Chemical Company. The user assumes all liability for any damage or loss resulting from the use of this material. The user assumes all liability for any damage or loss resulting from the use of this material.



ORTHO

BOLERO[®] 10 G

(HERBICIDE)

Active Ingredient By Wt.
*Thiobencarb 10%
Inert Ingredients 90%
*S-[4-chlorophenyl methyl] diethylcarbamthioate
BOLERO[®] - Reg. TM of Kumon Chemical Industry Co., Ltd for Thiobencarb Herbicide

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

CROP	WEEDS	APPLICANT	
		BOLERO 10 G	PER ACRE
Rice (California Only)	Barnyardgrass (Watergrass) Spangletop Smallflower Umbrellaplant	40 Lbs.	FURTHER USE INSTRUCTIONS Apply after flooding when rice is in the expanded two-leaf stage (first open leaf). Do not apply if rice exhibit symptoms of stress. The variety 'Jal Pearl' may react adversely to some stress conditions more than other varieties. Barnyardgrass beyond the two-leaf stage and Smallflower Umbrellaplant beyond the three-leaf stage may not be controlled. Smallflower Umbrellaplant must be submerged for optimum control. Cold weather during the planting season may result in decreased weed control due to prolonged period of weed seed germination. Do not drain field for a minimum of four days after a BOLERO application. Water level in the checks should be maintained at 3 to 4 inches with no exposed soil. Water flow should be maintained at a minimum during and up to four days after application for good weed control. California may require special water management practices to minimize off-site water movement of BOLERO residues; consult your State Department of Food and Agriculture or County Agricultural Commissioner for further information. Precautions: Do not make more than one application per year. Do not plant subsequent crops in treated fields within 6 months of last application. Do not use in fields where fall farming or dryfishing will be practiced. Do not use adjacent to habitat ponds. Water drained directly from treated fields must not be used to irrigate other crops.

NET WEIGHT 50 POUNDS

Chevron Chemical Company

Ortho Agricultural Chemicals Division
San Francisco CA 94120 7144 Richmond CA 94804 0035
Product 5298 Made in U.S.A.
Form 9208 I EPA Est. 239 AL 1
EPA Reg. No. 239 2449 AA

CONDITIONS OF SALE 1. Chevron Chemical Company, its agents and representatives warrant that this material conforms to the statements made on the label and is not adulterated, misbranded, or otherwise in violation of the Federal Insecticide, Fungicide and Rodenticide Act. Chevron Chemical Company, its agents and representatives make no warranty, express or implied, concerning the quality of the material or its performance. 2. This material is not a guarantee. It is a pesticide. It does not prevent, it merely controls, pests in connection with the use of the crop. Such use, however, is not limited to damage to plants and crops to which the material is applied. Some of the pests controlled, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated herein and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

CHEVRON CHEMICAL COMPANY
EPA Reg. No. 239 2449 AA

ACCEPTED
007 30 1984
EPA
239-2449