

282

PRECAUTIONARY STATEMENTS

TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if swallowed. Do not get in eyes. Avoid skin or clothing. Avoid breathing vapor or spray mist. When handling this use chemical resistant gloves, long pants, and long sleeved shirt. When using spray with the wind to your back and do not use when wind speeds are 10 mph. Wash the outside of the gloves with soap and water before removing. Do not use or get into contact with treated surfaces until sprays have dried.
HOW TO APPLY: **FOR PRACTICAL TREATMENT:** If swallowed, give water or milk to drink and rub by touching back of throat with finger or by administering syrup of ipecac. Contact a physician, Poison Control Center or emergency clinic before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. If medical attention is required, take person and product container to the nearest emergency facility. In case of eye contact, flush eyes with fresh water for 15 minutes and get person to a physician immediately. Wash skin and hands thoroughly after using. If inhaled, get person from exposure area. **NOTE TO PHYSICIANS:** Emergency information: call (415) 875-6200. This product contains a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM may also be given in conjunction with atropine.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not incorporate spills. Do not apply to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming crops or weeds if many bees visit the treated area. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store in open flame. **USE:** See label for use of this product in a manner inconsistent with its labeling.

READ THE LABEL AND PAMPHLET AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS ON BOTH

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

HOW TO APPLY: **FOR HOMEOWNER USE ONLY:** Attach sprayer to garden hose. Turn water control "ON OFF" valve on top of sprayer to "OFF" position. Turn on water at faucet. In order to rotate the small product control valve located near front of nozzle to the "OPEN" position. Point spraying nozzle toward plants and turn the water control valve on top of sprayer to "ON" position. The sprayer automatically mixes the product into the spray stream. Spray lower leaf surfaces thoroughly. Turn water control "ON OFF" valve to "OFF" position. Rotate small product control valve back to "CLOSED" position. Turn off water at faucet. To relieve pressure, turn the water control valve to "ON" position before removing nozzle being careful to point nozzle away from you.

PLANTS: Ageratum, Alder, Aluminum Plant, Alyssum, Arborvitae, Ardisia, Ash, Aster, Aster, A. J. Bald Cypress, Barberry, Begonia, Birch, Bird of Paradise, Blackberry, Boston Ivy, Boxwood, Calendula, Camellia, Carissa, Carnation, Cherry Laurel, Chinese Elm, Chinese Holly, Chrysanthemum, Cockspur Thorn, Crape Myrtle, Croton, Cuban Laurel (Ficus), Dahlia, Daisy, Dieffenbachia, Euonymus, False Aralia, Fir, Flowering Almond, Flowering Cherry, Fruitless Mulberry, Fuchsia, Gardenia, Geranium, Gladiolus, Gloxinia, Northern Hemlock, Hibiscus, Holly, Honey Locust, Honeysuckle, Ivy, Juniper, Lilac, Linden, Magnolia, Mahonia, Maple, Marigold, Mimosa, Morning Glory, Nandina, Neranthus, Oak, Oleander, Orchid, Ornamental Cabbage, Osmanthus, Parrot Tree, Philodendron, Photinia, Pine, Pittosporum, Podocarpus, Primrose, Purple Passion, Pyracantha, Rhododendron, Rose, Rose of Sharon, Sassafras, Schefflera, Siberian Elm, Silver Maple, Skimmia, Elm, Spruce, Staghorn Sumac, Sweet Gum, Sycamore, Tulip, Viburnum, Wax Myrtle, Cherry Willow, Wisteria, Yaupon, Yew (Taxus), Yucca, Zinnia.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

Poplar Tentmaker, Psyllids, Rose Midge, Sawflies, *Scales (crawlers), Spittlebug, Sunflower Moth, Tent Caterpillars, Willow Leafbeetle, White marked Tussock Moth, *Whiteflies, Yellow-necked Caterpillar.
* For these hard to control insects, spray 2 to 3 times 7 to 10 days apart.
FOR HOMEOWNER USE ONLY: Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR HOMEOWNER USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

FOR HOMEOWNER USE ONLY: Apply 2 Tbs (1 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water. **FOR PROFESSIONAL USE ONLY:** Apply 3 Tbs (1 1/2 fl oz) to 1 gal water. Attached sprayer automatically mixes and applies 3 Tbs (1 1/2 fl oz) to 1 gal water.

Chevron Chemical Company © 1984
Ortho Consumer Products Division
P.O. Box 5047, San Ramon, CA 94583-0947
R Form 10067 P, Product 5446, Made in U.S.A.
EPA Reg. No. 239-746-AA
EPA Est. 239-MO-1



BEST AVAILABLE COPY

NOT REVIEWED
In Accordance with PR Notice 02-2,
Based on Draft Labeling Dated 3/9/89,
5/11/89.



ORTHO ORTHENE® Systemic Insect Control

Makes 21 gallons diluted spray
Treats 3,555 sq. ft. of lawn

READY-SPRAY
3/4
1/2
1/4

CONTROLS: Aphids, Armyworms, Bagworm, Black Vine Weevil, Budworms, Cankerworms, Cuban Laurel Thrips, Flower Thrips, Grasshoppers, Gypsy Moth, Imported Fire Ants, Japanese Beetles, Leafhoppers, Leafminers, Leafrollers, Leaf-tiers, Looper, Mealybugs, Pine Tip Moth, Psyllids, Root Weevil, Rose Midge, Sawflies, Spittlebug, Scale (crawlers), Tent Caterpillar, Webworms, Whiteflies and other listed leaf-eating caterpillars, worms, and lawn pests.

ON: Roses, Flowers, Ornamentals, Shrubs, Shade Trees and Lawns

[READY-SPRAY™ Applicator only] Ready-to-use concentrate mixes automatically with water through the attached hose end sprayer.



Active Ingredient	By Wt
***Acephate (O,S-dimethyl acetylphosphor-amidothioate)	94%
Inert Ingredients	906%
***ORTHENE®, Acephate	
U.S. Pat Nos 3,716,600 & 3,914,417	

Keep out of reach of children
WARNING
See side panel for additional precautionary statements.
NET CONTENTS 1 QT.