PU 17 500 2413 19.192

FEB 2 0 1991

FEB 2 0 1901

Mr. W.L. Chase, Jr. Chevron Chemical Company Ortho Comsumer Products Division 940 Hensley Street Richmond, CA 94804-0036

Dear Mr. Chase:

Subject: Revised Label - Alternate Formula D Ortho House Plant Insect Killer EPA Registration No. 239-2473 Your Submissions Dated June 29 and October 31, 1969 and Hovember 28, 1990

The labeling referred to above, submitted in connection with registration under the Pederal Insecticide, Pungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Although not shown on the label copy steeped accepted with this letter, it is understood that petroleum oil and plant spray oil will be removed from the ingredient statement and their respective percentages by weight included in the total for inert impredients.

Alternate Formula D is acceptable and has been included in the files for this product.

Sincerely yours,

Richard F. Mountfort
Product Manager (10)
Insecticide-Redesticide Branch
Registration Division (H7505C)

P.closure

62466:1:A-4:Johnson:L10-07:KEVRIC:02/13/91:FEM: M: MO: EX: AM



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes with fresh water for 15 minutes; for skin, wash with plenty of soap and water. Avoid spraying near pets, Note to Physicians: Emergency Information - coll (415) 233-3737.

Cofy A

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO House Plant Insect Killer controls Aphids, Twospotted Spider Mites, Fuchsia Mites, Mealybugs, Scale Crawlers and Whiteflies on the plants listed. Kills by contact action.

DIRECTIONS

SHAKE THOROUGHLY BEFORE USE.

When to Apply-Spray at first signs of insects, before infestation is heavy. Repeat as necessary. Do not apply more frequently than every 7 days. Do not apply to wilted or water stressed plants or plants that are in direct sunlight. For harder-to-control pests as noted below, 2 to 3 applications at 7 to 10 day intervals may be RECESSORY.

For 8 Fl. oz. size

How to Apply—Hold container 6" to 8" from the plant and pump with the nazzle directed at the pests on the leaves. Spray to completely cover insects on upper and lower leaf surfaces. Avoid overwetting folloge. Plants may be sprayed indoors. Avoid spraying blossoms as discoloration may occur.

For 24 Fl. oz. size

How to Apply-Fold back protective hinged tab exposing nozzle. Snap in place on sprayer top. Adjust spray nozzle to give a mist spray. Hold container about 12 inches from plant and pump with the nazzle directed—at the pests on both sides of the leaves. Avoid overwetting foliage. Avoid spraying blossoms as discoloration may occur.

ORTHO

House Plant Insect Killer

READY-TO-USE PRODUCT CONTROLS MAJOR HOUSEPLANT PESTS CAN BE USED IN INTERIOR OR EXTERIOR PLANT-**SCAPES**

Active Ingredients	By Wt.
Petroleum Oil	0.180%
Plant Spray Oil *Resmethrin[5-(phenylmethyl)-3-furanyl]methyl]	0.220%
*Resmethrin 5-(phenylmethyl)-3-furonyl]methyl	
J2.2-dimethyl-3-(2-methyl-1-procenyl)	
<u> </u>	0.050%
Related compounds	0.007%
Inert Ingredients	

*Cis/trons isomers ratio max. 30% (±) cis and min. 70% (±) trans.

U.S. Pat. Nos. 3,456,007 and 3,683,078

Keep out of reach of children COMMENTS
WILLIAM Letter Date
WILLIAM Letter Date In EPA Letter Dated FEB 2 0 1991

See back panel for additional precent openic and statements.

Under the and Park periods and Park periods to periods and park periods and park periods and periods are periods and periods are periods and periods and periods and periods and periods are periods and periods and periods and periods are periods are periods and periods are periods rungerated for the pericula TODISIANS AND WOOD, FOR PASS. NO.

BEST AVAILABLE COPY





Kills the following pests on amples listed below.

Pest Aphids, Twospotted : Spider Mite*, Fuchsia Mite. Mealybugs*, Scales (Crawlers) and Whiteflies*

lum, Neont **Parlor** Polka Plant, Rubbe Fern, lvy, S Kathe Spider Plant. Plant.

Alumi

Violet

servie

Fern,

Draco

Fuchsi Båndr

*On these harder-to-kill pest times at 7 to 10 day interva

For 24 Fl. oz. size

STORAGE AND DISP STORAGE: For storage, resea

nozzle. To store, rotate nozz in original container. Do n food or drink containers. foodstuffs. Store in a cool.

storage area.
DISPOSAL: PRODUCT—Partia by securely wrapping origina paper and discard in trash. bottle. Rinse thoroughly befo

For 8 Fl. oz. size

STORAGE AND DISP

STORAGE: Keep pesticide in o trate or dilute into food or d of feed and foodstuffs. Store locked storage area.

DISPOSAL: PRODUCT—Portiol securely wrapping original co and discord in trash. CONTAN thoroughly before discarding i

NOTICE: Buyer assumes all I In accordance with directions

Chevron Chemical Compa Orthe Consumer Products Division P.O. Box 5047 San Ramon CA 94 Product 5445 Made in U.S. R Form 9651-I

EPA Rog. No. 239-2473-AA

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish. not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to . fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

WLC:rm 14/70 5/19/89