

**MANUFACTURING-USE  
PESTICIDE.**

# Phenyl Mercuric Acetate

ACTIVE INGREDIENT  
Phenyl Mercuric Acetate 98.0%

INERT INGREDIENT 2.0%

Net Contents : 55 lbs (25 kg)

KEEP OUT OF REACH OF CHILDREN

**DANGER-POISON**



ACCEPTED

NOV 2 1981

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 43689-1

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatine solution, or if these are not available, drink large quantities of water. Induce vomiting by touching back of throat with finger. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration preferably, mouth to mouth. Get medical attention.

EPA REG. NO. 43689-1

EPA EST NO. 42896-IY-01

Manufactured for

**Patson Trading Corporation**

36 SOUTH WABASH AVENUE/SUITE 1130/CHICAGO, ILLINOIS 60603 U.S.A.

## POISON

### PRECAUTIONARY STATEMENTS— HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER:

Fatal if absorbed through skin. Fatal if inhaled. Causes severe eye and skin damage. May cause delayed chemical burns. Do not get in eyes, skin, or on clothing. Do not breathe dust or spray mist. Wear protective clothing and rubber gloves. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement Safety and Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Not to Physician: In case of poisoning, give raw eggs and milk or water immediately followed by an emetic. If severe poisoning has occurred, Dimercaprol (BAL) should be given by intramuscular injection on the first day at 5.0 mg/kg once, 2.5 mg/kg 8-12 h, on the second day 2.5 mg/kg 12-24 h (1-2 inj.); on the third day 2.5 mg/kg 12-24 h (1-2 inj.) each of the following 10 days or until recovery at 2.5 mg/kg 12-24 h (1-2 inj.)

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

For use in water based paints and coatings as in-can preservative

Dosage: Add 0.1 to 0.15 lb per 100 gallons of water based paints or coatings

For use as a fungicide for protection of films (the dried paint or coating) of exterior water based paints or coatings

Dosage: Add 1.0 to 3.0 lbs per 100 gallons of exterior water based paints or coatings.

#### STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

SPILL PROCEDURE: Evacuate and ventilate area. Wear respirator, goggles, long sleeved rubber gloves and rubber apron. Sweep spill up carefully to prevent dusting and reuse and dispose of according to procedures approved by Federal, State or local authorities.



# ORTHO WEED-B-GON® Intermediate

NOT FOR DISTRIBUTION FOR SALE OR USE IN THIS FORM.  
FOR ORTHO MANUFACTURING USE ONLY

Refer to specific Ortho formulas for detailed information. Products formulated with WEED-B-GON Intermediate may require registration with the Environmental Protection Agency.

## FOR MANUFACTURING USE ONLY

Active Ingredients:	By Wt.
*Dimethylamine salt of 2-(2-Methyl-4-chlorophenoxy)propionic acid	34.0%
**Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	31.8%
Inert Ingredients	34.2%

\*Equivalent to 28.1% 2-(2-methyl-4-chlorophenoxy)propionic acid and 26.4% \*\*2,4-dichlorophenoxyacetic acid or 2.79 lbs./gal. of 2-(2-methyl-4-chlorophenoxy)propionic acid and 2.62 lbs./gal. of \*\*2,4-dichlorophenoxyacetic acid per U.S. gallon at 68°F.  
\*\*Isomer specific by A.O.A.C. Method No. 6.D01-5.

**ACCEPTED**  
NOV 3 1981  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2485

**KEEP OUT OF REACH OF CHILDREN  
DANGER**  
See Side Panels for Additional Precautionary Statements

Manufactured for  
**Chevron Chemical Company**  
Ortho Agricultural Chemicals Division  
San Francisco CA 94119 Richmond CA 94804  
Product 4851 Made in U.S.A.  
Form 9829-A EPA Est. 22135-AL-1  
EPA Reg. No. 239-2485

**NET CONTENTS \_\_\_\_\_**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
**DANGER**  
Corrosive to eyes. Causes eye damage and skin irritation. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapors.  
**STATEMENT OF PRACTICAL TREATMENT**  
If in eyes, wash eyes for at least 15 minutes and see a doctor. If on skin, wash immediately with soap and water. See a doctor if irritation occurs. If swallowed, immediately drink a large quantity of water and induce vomiting. Get medical attention immediately.  
**Note to Physicians:** Emergency Information call (415) 233-3737.  
**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

**STORAGE AND DISPOSAL**  
**PROHIBITION:**  
Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.  
**STORAGE**  
DO NOT use in equipment or store in containers in which other agricultural chemicals will be handled. DO NOT handle or store near plants, seeds, fertilizer, insecticides or fungicides.  
**PESTICIDE DISPOSAL**  
Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resource Conservation and Recovery Act.  
**CONTAINER DISPOSAL**  
Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved state and local procedures.