

MAY 13 1992

Mr. W.L. Chase, Jr.  
Manager, Registration and Regulatory Affairs  
Chevron Chemical Company  
Ortho Consumer Products Division  
Richmond, CA 94804-0036

MAY 13 1992

Subject: Brush-B-Gon Brush Killer  
EPA Reg. No. 239-2491  
RE: Your submission dated February 4, 1992.

Dear Mr. Chase:

The above mentioned amendment submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is accepted. A stamped copy is enclosed for your records.

Sincerely,

Robert J. Taylor  
Product Manager (25)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

CONCURRENCES							
SYMBOL							
SURNAME	W. Allen						
DATE							

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash with plenty of soap and water. Get medical attention if in eyes: Flush with plenty of water. Call a physician if irritation persists. **Note to Physicians:** Emergency Information—call 1-800-457-2022.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

BRUSH-B-GON® Brush Killer is formulated to control unwanted woody vegetation in areas around homes, cabins, buildings, fence lines, trails, rights-of-way and other areas.

**CONTROLS**

Arkansas Rose	Evergreen Blackberry	Narrow Leafed Willow	Tansy Ragwort
Big Leaf Maple	Field Horsetail Rush	Oak	Trailing Blackberry
Black Cottonwood	Giant Ragweed	Persimmon	Trumpet Creeper
Black Willow	Himalayan Blackberry	Poison Ivy	Virginia Creeper
Box Elder	Honeysuckle	Poison Oak	Wild Blackberry
California Rose	Kudzu	Red Alder	Wild Grape
Choke Cherry	Mackenzie Willow	Raspberry	Wild Rose
Common Ragweed	Maple	Sassafras	Willow
Elderberry	Mesquite	Scouler Willow	
Elm	Mimosa	Sweet Gum	

**WHEN TO APPLY:**

Apply as a full coverage foliar spray when vegetation is fully leafed out and actively growing. Apply also to trunks and limbs of trees and stems of vines. Wiltng or other symptoms will occur in 2 to 6 weeks. Application to mature foliage is preferred. Apply only when the air is calm to prevent drift to desirable vegetation. Rainfall within 24 hours may reduce effectiveness of treatment. Do not use on or around edible feed or food crops. Keep pets and grazing animals out of treated area for 24 hours following application.

**HOW TO APPLY FOLIAGE SPRAY:**

To apply with ORTHO hose and sprayers (ORTHO SPRAY-ETTE™ 4, ORTHO Super Six SPRAY-ETTE or ORTHO DIAL N SPRAY™ tank sprayer), flip up spout and gently squeeze product into sprayer jar, mix 4 fl. oz. per gal. water and apply to thoroughly wet all leaves, stems and trunks. Use low pressure and coarse spray pattern to reduce spray drift which may damage desirable vegetation. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries and Honeysuckle may require retreatment the following season for complete control.

**STUMP KILLING:** To kill stumps and prevent regrowth from stumps of trees such as Alder, Box Elder, Black Cherry, Choke Cherry, Elm, Manzanita, Maple, Oak, Persimmon, Peach and Willow, apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and any exposed root surfaces. Do not reuse paint brush. Wrap paint brush in newspaper and put in trash collection.

(or)  
Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished.

**Note:** To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**

**VINE KILLING:** When brushy vines such as Poison Oak, Poison Ivy, etc. grow on or around desirable plants, do not allow product to contact desirable vegetation. Cut the vine first and treat as directed for stump killing.

**LAWN WEED CONTROL:** (Cool Season Grasses—Bluegrass, Fescue, Ryegrass, Bentgrass)—For control of Dandelion, Oxalis, White Clover, Pennywort, Black Medic, Plantains, Wild Geranium, Florida Pusley, Evening Primrose, Red Sorrel and Ironweed, apply four teaspoonfuls per gallon of water to treat 200 sq. ft. (or 4 fl. oz. per six gallons of water to treat 1,200 sq. ft.). May be applied with an ORTHO SPRAY-ETTE hose end sprayer or tank type sprayer anytime weeds are actively growing. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn lightly wetting weeds and lawn grasses; do not over spray. Do not spray lawns when temperatures are expected to exceed 85°F. within 24 hours after application. Make new dilution for each use.

**Hardy Weeds:** For hard to control weeds or to control any missed in first application, make a second application in 2 to 3 weeks if necessary.

**Important:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not use on St. Augustine, Centipede, Zoysia or Bermudagrass lawns.

**IMPORTANT:**

BRUSH-B-GON Brush Killer is non-selective. Do not apply to or clean equipment around desirable vegetation or ornamental plants as injury may result. Do not apply when drift may occur.

**STORAGE AND DISPOSAL**

**STORAGE:** Close spout on cap. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. **DISPOSAL: PRODUCT**—Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER**—Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**Chevron Chemical Company © 1985**  
Ortho Consumer Products Division  
PO Box 5047 San Ramon CA 94583-0947  
Form R10627-C Product 5667 Made in U.S.A.  
EPA Reg. No. 239-2491-AA  
EPA Est. 239 MD-1



COPY B


COPY C

# ≡ ORTHO

## BRUSH-B-GON

### Brush Killer

KILLS WOODY PLANTS, INCLUDING STUMPS AND VINES  
ALSO CONTROLS LAWN WEEDS



Controls brush, vines,  
stumps, and  
blackberry  
etc.

CAUTION

NET CONTENTS 1 GAL

