

4/23/96

PM 25 239-2491

pg 1/4

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
216292

Application for Pesticide - Section I

1. Company/Product Number 239-2491	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BRUSH-B-GON Brush Killer	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006, San Ramon, CA 94583-0906 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION
APR 29 1996

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: 1. Add the word "CONCENTRATE" as per PR-Notice 95-2, #12(b) and 4/9/96 telephone conversation with Steve Morrill. 2. Add "Also Kills blackberries, kudzu & stumps". Submit five copies of final printed labeling for ABN: BRUSH-B-GON Poison Ivy, Poison Oak & Brush Killer, Form O-680-03. This is to certify that this notification meets every requirement of PR Notice 88-6.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name F. X. Kamienski	Title Registration Specialist	Telephone No. (Include Area Code) (510) 555-0000
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Francis X. Kamienski</i>	3. Title Registration Specialist	
4. Typed Name Francis X. Kamienski	5. Date April 15, 1996	

VINE KILLING: When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing. Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

IMPORTANT
BRUSH-B-GON® Poison Ivy, Poison Oak & Brush Killer, is non-selective. Do not apply to or clean equipment around desirable vegetation or ornamental plants, as injury may result. Do not apply when drift may occur.

STORAGE AND DISPOSAL
STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.
DISPOSAL: PRODUCT - Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** - Do not reuse empty bottle. Rinse thoroughly before discarding in trash.



Brush-B-Gon®
Poison Ivy, Poison Oak & Brush Killer

Kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, and trails.
Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.
Do not use around edible feed or food crops.
Peel open for use directions and further information.

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

© Trademark of Monsanto Company
© Monsanto Company 1996 SOLARIS®
Manufactured by
The SOLARIS Group of
Monsanto Company
P.O. Box 5008, San Ramon
CA 94583-0008
Form 0-640-20 / Product 5467
EPA Reg. No. 225-2491
EPA Est. 225-IA-7
52956-340-1*
SuperScript is first letter
of lot number
Made in USA



PRESS TO RESEAL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

CONTROLS

Arkansas Rose	Mackenzie Willow
Big Leaf Maple	Mesquite
Black Cottonwood	Mimosa
Black Willow	Maple
Box Elder	Narrow Leafed Willow
California Rose	Oak
Choke Cherry	Persimmon
Common Ragweed	Poison Ivy
Elderberry	Poison Oak
Elm	Raspberry
Evergreen Blackberry	Red Alder
Field Horsetail Rush	Sassafras
Giant Ragweed	Scouler Willow
Himalayan Blackberry	Sweet Gum
Honeysuckle	Tansy Ragwort
Kudzu	Trailing Blackberry

Trumpet Creeper	Wild Grape
Virginia Creeper	Wild Rose
Wild Blackberry	Willow

WHEN TO APPLY

Apply when vegetation is actively growing. Apply only when the air is calm to prevent drift. Rainfall within 24 hours may reduce effectiveness. Do not use on or around edible feed or food crops. Keep pets and grazing animals out of treated area for 24 hours following application.

HOW TO APPLY FOLIAGE SPRAY: Mix 4 fl oz per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

STUMP & VINE KILLING: To kill stumps of trees such as Alder, Box Elder, Black Cherry, Choke Cherry, Elm, Manzanita, Maple, Oak, Persimmon, Peach, and Willow, apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.

