

<b>United States Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <b>265247</b>
--	--	--

**Application for Pesticide - Section I**

<b>1. Company/Product Number</b> 239-2491	<b>2. EPA Product Manager</b> James Tompkins	<b>3. Proposed Classification</b> <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
<b>4. Company/Product (Name)</b> BRUSH-B-GON Brush Killer	<b>PM#</b> 25	
<b>5. Name and Address of Applicant (Include ZIP Code)</b> The SOLARIS Group of Monsanto P. O. Box 5006 San Ramon, CA 94583-0906  <input type="checkbox"/> Check if this is a new address		<b>6. Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  <b>JUN 26 1998</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

**NOTIFICATION:** (1) Add front panel root claims (2) Change "8 Tbs" to read "1/2 cup" (3) Add systemic action claims (4) Add Product Facts Table (5) Modify text instructions and (6) Add new emergency telephone number and web site. This Notification is in compliance with 95-2.

**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>				<b>2. Type of Container</b>	
<b>Child-Resistant Packaging</b> <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Unit Packaging</b> <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Water Soluble Packaging</b> <input type="checkbox"/> Yes <input type="checkbox"/> No			
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt    No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
<b>3. Location of Net Contents Information</b>		<b>4. Size(s) Retail Container</b>		<b>5. Location of Label Directions</b>	
<input type="checkbox"/> Label <input type="checkbox"/> Container				<input type="checkbox"/> _____	
<b>6. Manner in Which Label is Affixed to Product</b>			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		
			<input type="checkbox"/> Other _____		

**Section - IV**

<b>1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)</b>		
<b>Name</b> Frank Kamienski	<b>Title</b> Registration Specialist	<b>Telephone No. (Include Area Code)</b> 510/355-3335
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		<b>6. Use's Application Received</b> (Stamp/d)  SIE 9/24/98
<b>2. Signature</b> 	<b>3. Title</b> Registration Specialist	
<b>4. Typed Name</b> Frank Kamienski	<b>5. Date</b> June 10, 1998	

204/12

**NOTIFICATION**

**JUN 26 1998**

[ICON] OUTDOOR USE ONLY  
[ICON] Water Based

**ORTHO® BRUSH-B-GON® Brush Killer, EPA Reg. No. 239-2491**

**ABN: ORTHO® Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer,**

**ABN: ORTHO® Weed-B-Gon® Oxalis, Clover & Chickweed Killer**

Makes 16 Gal Spray [ 1/2 GAL size]

Makes 8 Gal Spray[Quart size]

Makes 4 Gal Spray[Pint size]

Great Value – Concentrate makes 4/8 gallons spray

Value Priced – Concentrate makes 4/8 gallons spray

**CONCENTRATE**

**KILLS WOODY PLANTS, INCLUDING STUMPS AND VINES**

**ALSO CONTROLS LAWN WEEDS POISON OAK, POISON IVY, WILLOWS, OAK, KUDZU, BLACKBERRIES, & OTHER LISTED WOODY PLANTS**

Also Kills Blackberries, Kudzu & Stumps

Also kills Blackberries, Kudzu, Stumps & Other Woody Plants - roots and all.

Kills Poison Ivy & Poison Oak; Kills Blackberries; Kills Kudzu; Controls Poison Ivy and Poison Oak; Controls Blackberries; Controls Kudzu; Works hard so you don't have to;

Kills 38 of the toughest weeds; Kills hard-to-control weeds; Tough weeds are no problem with Brush-B-Gon; Your solution to tough weed problems; The solution to tough weed problems; The tough weed solution

**FOR HOME USE ONLY**

**NEW / NOW WITH MEASURING CAP AND POUR SPOUT INCLUDED**

**NOW EASIER TO MEASURE AND POUR**

**CHILD RESISTANT CAP**

**FAST & EASY MEASURING CAP**

**EASY POUR SPOUT**

**IMPROVED PACKAGE**

*Convenient Applicator Top*

**Active Ingredient**

Triclopyr, triethylamine salt ..... 8%

Other Ingredients ..... 92%

**KEEP OUT OF REACH OF CHILDREN**


**CAUTION**

See back panel booklet for additional precautionary statements.

**NET CONTENTS 64 FL OZ (1/2 GAL) 1.89 L**

**NET CONTENTS 32 FL OZ (1 QT) 946 mL**

**NET CONTENTS 16 FL OZ (1 PT) 473 mL**



[THE FOLLOWING COPY IS FOR FIX-A-FORM BOOKLET TYPE LABELS WHICH CONSUMERS CAN OPEN, READ, AND RESEAL EASILY AT RETAIL AS WELL AS AT TIME OF USE]

BRUSH-B-GON® kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, trails, and home rights-of-way. Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.

Kills the toughest brushy weeds. It works systemically killing weeds right down to the roots.

Do not use around edible feed or food crops.

SQUEEZE TURN TURN [illustration]  
To open: squeeze cap while unscrewing

Peel open for use directions and further information.

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS TO RESEAL

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Open Resealable Label  
For Directions & Precautions

Product Facts	
<b>KILLS WEEDS</b>	Including: Blackberries, Black Cottonwood, Box Elder, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Mimosa, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Tansy Ragwort, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows
<b>WHERE TO USE</b>	• Around homes, cabins & other buildings • Along fences & trails
<b>AMOUNT TO USE</b>	4 fl oz (1/2 cup & 8 Tbs) per gal of water

**Product Information** Call 1-800-225-2883 or <http://www.ortho.com>  
**Medical Information** Call 1-800-454-2333  
 (Or Optional Text For One Phone Number) Questions, Comments or Medical Information?  
 Call: 1-800-225-2883 <http://www.ortho.com>

**CONTROLS**

- |                      |                      |                     |
|----------------------|----------------------|---------------------|
| Arkansas Rose        | Himalayan Blackberry | Red Alder           |
| Big Leaf Maple       | Honeysuckle          | Sassafras           |
| Black Cottonwood     | Kudzu                | Scouler Willow      |
| Black Willow         | Mackenzie Willow     | Sweet Gum           |
| Box Elder            | Mesquite             | Tansy Ragwort       |
| Brazilian Pepper     |                      |                     |
| California Rose      | Mimosa               | Trailing Blackberry |
| Choke Cherry         | Maple                | Trumpet Creeper     |
| Common Ragweed       | Narrow Leafed Willow | Virginia Creeper    |
| Elderberry           | Oak                  | Wild Blackberry     |
| Elm                  | Persimmon            | Wild Grape          |
| Evergreen Blackberry | Poison Ivy           | Wild Rose           |
| Field Horsetail Rush | Poison Oak           | Willow              |
| Giant Ragweed        | Raspberry            |                     |

**WHEN TO APPLY:** Apply when vegetation is actively growing. Apply only when the air is calm to prevent drift Rainfall within 24 hours may reduce effectiveness. Do not use on or around edible feed or food crops. [reentry icon] People and pets may enter treated area after spray has dried.

*Alternate reformatted text for increased understanding by consumer*


**WHEN TO APPLY**

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain within 24 hours after application may reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

**Note:** Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & rubber gloves in tightly sealed garbage bags.

**IMPORTANT:** Do not use on or around edible feed or food crops.

**HOW TO APPLY FOLIAGE SPRAY:** Mix 4 fl oz per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment



Alternate reformatted text for increased understanding by consumer

MIXING INSTRUCTIONS
<b>Tank Sprayer</b> Add 4 fl oz (1/2 cup & 8 Tbs) to 1 gal of water.
<b>Ortho® Dial'n Spray® [Illustration]</b> <ul style="list-style-type: none"> <li>• Set dial to 4 oz.</li> <li>• For each gal of spray add 4 fl oz (1/2 cup) to sprayer jar.</li> <li>• <b>DO NOT</b> add water.</li> <li>• After spraying, unused product can be poured back into its original container.</li> </ul>

1 Tablespoon (Tbs) = 3 teaspoons (tsp)    1 fl oz = 2 Tbs    8 fl. oz = 1 cup

**HOW TO APPLY**

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Foliage spray not recommended for weed control in lawns.
- If weeds are -is growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base & treat as directed for stumps.
- If desirable plants are -is accidentally sprayed, rinse off immediately with water.

To Kill Stumps/For Stumps

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper & put in trash.


To Kill Vines/For Vines

- If weeds are -is growing up poles, fences, or mature tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet/ft. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are -is climbing a shrubs or green-barked trees, to avoid damage to shrub, cut weeds at base & treat as directed for stumps.

[Measuring cap packaging]

MEASURING CAP: The cap has 4 measuring lines indicated inside, Fill cap to appropriate line for fast, easy, accurate measuring, Close cap tightly after use - no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz ( 2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)



APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill to Line 4 two times (4 oz/1/2 cup). Add to 1 gal of water.	Spray leaves, stems and trunks until they begin to drip.
ORTHO DIAL 'n SPRAY Hose-End Sprayer	Pour product into sprayer jar. Do not add water. Set dial to 4 oz and spray. Pour leftover concentrate back into package when spraying is complete.	Spray leaves, stems and trunks until they begin to drip.

**THREE DIFFERENT WAYS TO CONTROL BRUSH:**

Foliar Spray: Treats large areas of unwanted brush.

Vine Killing: Spot treats vines growing around desirable trees & shrubs.

Stump Killing: Treats freshly cut stumps to prevent regrowth.

**STUMP & VINE KILLING:** To kill stumps of trees such as Alder, Box Elder, Black Cherry, Choke Cherry, Elm, Manzanita, Maple, Oak, Persimmon, Peach, and Willow, apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots. **VINE KILLING:** When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

(or)

Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished.

**Note:** To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**


**LAWN WEED CONTROL:** (Cool Season Grasses-Bluegrass, Fescue, Ryegrass, Bentgrass)-For control of Dandelion, Oxalis, White Clover, Pennywort, Black Medic, Plantains, Wild Geranium, Florida Pusley, Evening Primrose, Red Sorrel and Ironweed, apply 4 tsp per gal of water to treat 200 sq ft (or 4 fl oz per 6 gal of water to treat 1,200 sq ft). May be applied with an ORTHO SPRAY-ETTE

Hose-End Sprayer or tank-type sprayer anytime weeds are actively growing. If lawn needs watering, water thoroughly before application. Make new dilution for each use.

Hardy Weeds-For hard to control weeds or to control any missed in first application, make a second application in 2 to 3 weeks if necessary.

**Important:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not use on St. Augustine, Centipede, or Bermudagrass lawns.

**IMPORTANT**



70112

BRUSH-B-GON Brush Killer is non-selective. Do not apply to or clean equipment around desirable vegetation or ornamental plant as injury may result. Do not apply when drift may occur.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container in a safe place.

**DISPOSAL:** Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. [reentry icon] People and pets may enter treated area after spray has dried.

**FIRST AID:** If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

**Note to Physicians:** Emergency Information call 1-800-225-2883 454-2333.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not pour product or rinse water down any drain.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

☒ **Medical Information** call 1-800-454-2333

Product Information call 1-800-225-2883 or <http://www.ortho.com>  
(Or Optional Text For One Phone Number) Questions, Comments or Medical Information? Call: 1-800-225-2883 <http://www.ortho.com>

®Trademark of Monsanto Co.

©Monsanto Company 19984

Manufactured for  
**The SOLARIS Group of**  
Monsanto Company  
P.O. Box 5008  
San Ramon, CA 94583-0808  
Product 5467  
Form 0-263-01 RS681-A  
EPA Reg. No. 239-2491  
EPA Est. 239-IA-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript is first letter of lot number  
Made in USA Solaris ®

63

80412

**[Label Subset For Turf]**

Turf Subset For : ABN ORTHO® Weed-B-Gon® Oxalis, Clover & Chickweed Killer  
[ICON] OUTDOOR USE ONLY [optional]

**CONCENTRATE**

Covers / Treats 5000 sq ft (pt), 10,000 sq ft (qt)  
Water Based

**NEW**

- Unique Formula - Kills Tough Weeds
- Helps Ensure a Weed Free Lawn
- Tough Weed Formula
- Kills Tough Weeds in Lawns
- Kills / Controls Ground Ivy (Creeping Charlie) & Wild Violet
- Won't Harm Lawn Grasses
- The easy way to stop/kill weeds - roots & all [illustration]
- Kills to the Root [illustration]
- Kills Weeds Systemically [illustration]
- Systemic [illustration]
- Kills weeds - roots & all [illustration]

*Measuring Cap Package:*

- NEW/NOW WITH MEASURING CAP & POUR SPOUT
- NOW EASIER TO MEASURE & POUR
- CHILD RESISTANT CAP
- FAST & EASY MEASURING CAP
- EASY POUR SPOUT
- IMPROVED PACKAGE

**Active Ingredient**


Tricopyr, triethylamine salt .....	8%
Other Ingredients .....	92%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel booklet for additional precautionary statements.

**NET CONTENTS** 16 FL OZ (1 PT) 473 mL  
32 FL OZ (1 QT) 946 mL



4/12

PEEL  
HERE

Open Resealable Label  
For Directions & Precautions

PRESS TO RESEAL


WON'T HARM COOL SEASON LAWN GRASSES*	KILLS TOUGH WEEDS
Bent, Buffalo, Fescues, Kentucky Blue, Rye or Zoysia	Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet
See inside label for many more weeds	

- Not for use on Bermuda lawns.

**Also combine with Weed-B-Gon® Lawn Weed Killer<sub>2</sub> to quickly kill all major broadleaf weeds in lawns. Specially formulated for added control of tough weeds such as / like clover, oxalis & speedwell!**

Specially formulated for residential use

*Measuring Cap Package:*  
SQUEEZE TURN TURN illustration  
To open, squeeze cap while unscrewing



**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1 Tablespoon (Tbs) = 3 teaspoons (tsp)
- 1 Fluid Ounce (fl oz) = 2 Tablespoons (Tbs)
- 1 Cup = 8 Fluid Ounces (fl oz)

**Weeds Controlled:**

**Chickweed (Common, Mouseear), Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet**  
*plus* Black Medic, Carolina Geranium, Cinquefoil, Dandelion, Evening Primrose, Florida Pusley, Ironweed, Lespedeza, Morning Glory (Bindweed), Pennywort, Plantains, Red Sorrel, Spurge (Garden, Spotted), Thistle, Wild Onion, Yellow Rocket

Mixing Instructions
<p><b>Amount to Use:</b> 1 fl oz per gallon of water for each 200 sq ft</p> <ul style="list-style-type: none"> <li>When using <b>Ortho Dial'n Spray</b>: Set dial to 1 oz. Add 6 fl oz to sprayer jar. <b>DO NOT</b> add water. Spray evenly over 1200 sq ft until jar is empty.</li> </ul>

**How to Apply**


- To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- To spot treat individual weeds in lawn: Use a tank sprayer.
- If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.
- Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers.

**When to Mow & Water**

- For best results avoid mowing 1 to 2 days before or after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering within 24 hours may reduce effectiveness.

**When to Apply**

- Apply any time / when weeds are actively growing.
- Spray when temperature is below 90° F.
- Spray when air is calm to prevent drift to desirable plants.
- Reapplication can be made in 2 to 3 weeks if necessary.
- Newly seeded lawn can be sprayed after second mowing.



Combine with Weed-B-Gon® Lawn Weed Killer<sub>2</sub> to quickly kill all major broadleaf weeds in lawns. See the label of Weed-B-Gon® Lawn Weed Killer<sub>2</sub> for more than 80 broadleaf weeds. Follow all directions and precautions on both product labels.

Mixing Instructions for Combination Spray
<p><b>Amount to Use:</b> 1 fl oz (2 Tbs) of this product + 2 fl oz (4 Tbs) Weed-B-Gon Lawn Weed Killer<sub>2</sub> per gallon of water for each 400 sq ft.</p> <ul style="list-style-type: none"> <li>When using <b>Ortho Dial'n Spray:</b> Set dial to 3 oz. Add 3 fl oz of this product + 6 fl oz of Weed-B-Gon Lawn Weed Killer<sub>2</sub> to sprayer jar. <b>DO NOT</b> add water. Spray evenly over 1200 sq ft until jar is empty.</li> </ul>

OR


Mixing Instructions for Combination Spray
<p><b>Amount to Use:</b> ½ fl oz (1 Tbs) of this product + 1 fl oz (2 Tbs) Weed-B-Gon Lawn Weed Killer<sub>2</sub> per gallon of water for each 200 sq ft.</p> <ul style="list-style-type: none"> <li>When using <b>Ortho Dial'n Spray:</b> Set dial to 1 1/2 oz. Add 3 fl oz of this product + 6 fl oz of Weed-B-Gon Lawn Weed Killer<sub>2</sub> to sprayer jar. <b>DO NOT</b> add water. Spray evenly over 1200 sq ft until jar is empty.</li> </ul>

*Measuring Cap Package:*

**MEASURING CAP:** The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use- no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz (2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	PRODUCT TO USE	AREA TO TREAT SQ FT
Tank Sprayer	Fill to <b>Line 3</b> one times ( 1 fl oz). Add to 1 gal of water.	200 (20 X 10)
Ortho Dial'n Spray Hose-End Sprayer	Fill to <b>Line 4</b> three times ( 6 fl oz). <b>DO NOT</b> add water. Set dial to 1 oz and spray.	1200 (20 X 60)



12/12

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container in a safe place.

**DISPOSAL:** Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

[reentry icon] People and pets may enter treated area after spray has dried.

**FIRST AID: If In Eyes:** Flush with plenty of water. Call a physician if irritation persists.

**Note to Physician:** Emergency Information call 1-800-454-2333

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not pour product or rinse water down any drain.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**☎ Medical Information call:** 1-800-454-2333

**Product Information call:** 1-800-225-2883 or <http://www.ortho.com>

*(Or Optional Text For One Phone Number)* Questions, Comments or Medical Information? Call: 1-800-225-2883 <http://www.ortho.com>

®Trademark of Monsanto Co.

©Monsanto Company 1994

Manufactured for

**The SOLARIS Group of**

Monsanto Company

P.O. Box 5008

San Ramon CA 94583-0808

Form \_\_\_\_\_

EPA Reg. No. 239-2491

EPA Est. 239-IA-3<sup>1</sup>, 58996-MO-1<sup>A</sup>

Superscript is first letter of lot number

Made in USA Solaris ®

