

239-2491

02/08/2007

1116

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p>	EPA Reg. Number: 239-2491	Date of Issuance: FEB 8 2007
	Term of Issuance: Conditional	
Name of Pesticide Product: ORTHO BRUSH-B-GON Brush Killer		
<p>NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>		
Name and Address of Registrant (include ZIP Code): The ORTHO Group P.O. Box 190 Marysville, OH 43041		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally reregistered in accordance with FIFRA Section 4(g)(2)(C). Reregistration under this section of the Act does not eliminate the need for continual assessment of the registration of this product. Reregistration base on your response to the EPA Reregistration Eligibility Decision (RED) is conditional until you:</p> <p>Make the following label changes:</p> <ol style="list-style-type: none"> 1. On page 2 of the labeling, correct the spelling of the word "IMPORTANT". 2. As per the Reregistration Eligibility Document (RED), the "User Safety Recommendations" must be placed in a box. 		
Signature of Approving Official: <i>Joanne J. Miller</i>	FEB 8 2007	

2/16

page 2
EPA Reg. No. 239-2491

As requested in an Agency letter dated October 3, 2006, you are to submit an updated Confidential Statement of Formula (CSF) that supports this product labeling. Ensure the company information (name and address) on both the labeling and CSF is current.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of the condition. A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manger (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

3/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

ABN: ORTHO® Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer₁

[ICON] OUTDOOR USE ONLY

[ICON] Water Based

- Makes 4 / 8 / 16 Gal Spray [pint / quart / ½ gallon]
- Great Value – Concentrate makes 4 / 8 / 16 gallons spray
- Value Priced – Concentrate makes 4 / 8 / 16 gallons spray
- CONCENTRATE
- KILLS WOODY PLANTS, INCLUDING STUMPS AND VINES
- *ALSO CONTROLS LAWN WEEDS POISON OAK, POISON IVY, WILLOWS, OAK, KUDZU, BLACKBERRIES, & OTHER LISTED WOODY PLANTS*
- Also Kills Blackberries, Kudzu & Stumps
- Also kills Blackberries, Kudzu, Stumps & Other Woody Plants - roots and all.
- Kills Poison Ivy & Poison Oak; Kills Blackberries; Kills Kudzu; Controls Poison Ivy and Poison Oak; Controls Blackberries; Controls Kudzu; Works hard so you don't have too; Kills 38 of the toughest weeds; Kills hard-to-control weeds; Tough weeds are no problem with Brush-B-Gon; Your solution to tough weed problems; The solution to tough weed problems; The tough weed solution
- Rainproof in (2) hours for control that won't wash away.
- NOW WITH MEASURING CAP AND POUR SPOUT INCLUDED
- NOW EASIER TO MEASURE AND POUR
- CHILD RESISTANT CAP
- FAST & EASY MEASURING CAP
- EASY POUR SPOUT
- IMPROVED PACKAGE
- Convenient Applicator Top

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

FEB 8 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No

239-2491

Active Ingredient

Triclopyr, triethylamine salt*	8%
Other Ingredients	92%

* 5.74% triclopyr acid equivalent (0.49 lb/gal)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements.

NET CONTENTS 64 FL OZ (1/2 GAL) 1.89 L

NET CONTENTS 32 FL OZ (1 QT) 946 mL

NET CONTENTS 16 FL OZ (1 PT) 473 mL

4/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

BRUSH-B-GON® kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, trails, and home rights-of-way. Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.

Kills the toughest brushy weeds. It works systemically killing weeds right down to the roots.

IMPORTANT: Do not use around edible feed or food crops or areas where grazing is allowed.

SQUEEZE TURN [illustration]

To open: squeeze cap while unscrewing

Peel open for use directions and further information.

☞ PULL HERE TO OPEN LABEL PRESS TO RESEAL

Open Resealable Label For Directions & Precautions

PEEL HERE / PRESS TO RESEAL

Open Resealable Label For Directions & Precautions

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

[Note to PM: Subset 1]

Product Facts
KILLS Including: Blackberries, Black Cottonwood, WEEDS Box Elder, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Mimosa, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Tansy Ragwort, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows
WHERE • Around homes, cabins & other buildings TO USE • Along fences & trails
AMOUNT TO USE 4 fl oz (1/2 cup) per gal of water
Product Information Call 1-800-225-2883 or www.ortho.com Questions, Comments or Medical Information? Call: 1-800-225-2883 .www.ortho.com

CONTROLS

Arkansas Rose	Himalayan Blackberry	Red Alder
Big Leaf Maple	Honeysuckle	Sassafras
Black Cottonwood	Kudzu	Scouler Willow
Black Willow	Mackenzie Willow	Sweet Gum
Box Elder	Mesquite	Tansy Ragwort
Brazilian Pepper		
California Rose	Mimosa	Trailing Blackberry
Choke Cherry	Maple	Trumpet Creeper
Common Ragweed	Narrow Leafed Willow	Virginia Creeper
Elderberry	Oak	Wild Blackberry
Elm	Persimmon	Wild Grape
Evergreen Blackberry	Poison Ivy	Wild Rose
Field Horsetail	RushPoison Oak	Willow
Giant Ragweed	Raspberry	

THREE DIFFERENT WAYS TO CONTROL BRUSH:

- Foliar Spray: Treats large areas of unwanted brush.
- Vine Killing: Spot treats vines growing around desirable trees & shrubs.
- Stump Killing: Treats freshly cut stumps to prevent regrowth.

6/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

MIXING INSTRUCTIONS
<p>Tank Sprayer Add 4 fl oz (1/2 cup) to 1 gal of water.</p>
<p>Ortho® Dial'n Spray® [Illustration]</p> <ul style="list-style-type: none"> • Set dial to 4 oz. <ul style="list-style-type: none"> • For each gal of spray add 4 fl oz (1/2 cup) to sprayer jar. • DO NOT add water. <ul style="list-style-type: none"> • <u>After spraying, unused product can be poured back into its original container.</u>

1 Tablespoon (Tbs) = 3 teaspoons (tsp), 1 fl oz = 2 Tbs, 8 fl. oz = 1 cup

HOW TO APPLY

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Foliage spray not recommended for weed control in lawns.

- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base & treat as directed for stumps.
- If desirable plants are accidentally sprayed, rinse off immediately with water.

Amount of spray needed for brush control will depend on density of brush in area to be treated. Rate of application may range from 4 oz/gal/100 ft² for dense areas to 4 oz/gal/400 ft² for lighter areas of brush.

[OR]

HOW TO APPLY [FOLIAGE SPRAY]: Mix 4 fl oz per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

Amount of spray needed for brush control will depend on density of brush in area to be treated. Rate of application may range from 4 oz/gal/100 ft² for dense areas to 4 oz/gal/400 ft² for lighter areas of brush.

TO KILL STUMPS/FOR STUMPS

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper & put in trash.

TO KILL VINES FOR VINES

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet/ft. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base & treat as directed for stumps.

[OR]

STUMP & VINE KILLING: To kill stumps of trees such as Alder, Box Elder, Black Cherry, Choke Cherry, Elm, Manzanita, Maple, Oak, Persimmon, Peach, and Willow, apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots. **VINE KILLING:** When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

[OR]

Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished.

Note: To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**

WHEN TO APPLY

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

- Wilting or yellowing will occur in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

Note: Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & rubber gloves in tightly sealed garbage bags.

[Note to PM: Optional for Measuring cap packaging]

MEASURING CAP: The cap has 4 measuring lines indicated inside, Fill cap to appropriate line for fast, easy, accurate measuring, Close cap tightly after use - no need to rinse.

Line 1 = 1 teaspoon (tsp)

Line 2 = 1 Tablespoon (Tbs) = 3 tsp

Line 3 = 1 fl oz (2 Tbs)

Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill to Line 4 two times (4 oz/ ½ cup). Add to 1 gal of water.	Spray leaves, stems and trunks until they begin to drip.
ORTHO DIAL 'n SPRAY Hose-End Sprayer	Pour product into sprayer jar. Do not add water. Set dial to 4 oz and spray. Pour leftover concentrate back into package when spraying is complete.	Spray leaves, stems and trunks until they begin to drip.

[Note to PM: End of Optional Measuring cap packaging]**[Note to PM: Optional Lawn Use]**

LAWN WEED CONTROL: (Cool Season Grasses-Bluegrass, Fescue, Ryegrass, Bentgrass)-For control of Dandelion, Oxalis, White Clover, Pennywort, Black Medic, Plantains, Wild Geranium, Florida Pusley, Evening Primrose, Red Sorrel and Ironweed, apply 4 tsp per gal of water to treat 200 sq ft (or 4 fl oz per 6 gal of water to treat 1,200 sq ft). May be applied with an ORTHO SPRAY-ETTE

9/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

Hose-End Sprayer or tank-type sprayer anytime weeds are actively growing. If lawn needs watering, water thoroughly before application. Make new dilution for each use. Hardy Weeds-For hard to control weeds or to control any missed in first application, make a second application in 2 to 3 weeks if necessary.

[Note to PM: End of Optional Lawn Use]

Important: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not use on St. Augustine, Centipede, or Bermudagrass lawns.

IMPORTANT

BRUSH-B-GON Brush Killer is non-selective. Do not apply to or clean equipment around desirable vegetation or ornamental plant as injury may result. Do not apply when drift may occur.

[Note to PM: End of Subset 1]

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

[Note to PM: Subset 2 –Turf]:

ABN: ORTHO® Weed-B-Gon® Oxalis, Clover & Chickweed Killer

ABN: ORTHO® Weed-B-Gon® Chickweed, Clover & Oxalis Killer

Covers / Treats 5000 sq ft (pt), 10,000 sq ft (qt)

- Kills weeds, not lawns.
- Kills dandelion, clover & other broadleaf weeds.
- NOW
- Unique Formula - Kills Tough Weeds
- Helps Ensure a Weed Free Lawn
- Tough Weed Formula
- Kills Tough Weeds in Lawns
- Kills / Controls Ground Ivy (Creeping Charlie) & Wild Violet
- Won't Harm Lawn Grasses
- The easy way to stop/kill weeds - roots & all *[illustration]*
- Kills to the Root *[illustration]*
- Kills Weeds Systemically *[illustration]*
- Systemic *[illustration]*
- Kills weeds - roots & all *[illustration]*
- Also Kills Creeping Charlie (Ground Ivy) & Other Tough Weeds. Won't Harm Lawns. Special formula for control of tough lawn weeds. Weed-B-Gon Chickweed, Clover & Oxalis Killer kills weeds right down to the roots without harming lawns.

WON'T HARM COOL SEASON LAWN GRASSES*	KILLS TOUGH WEEDS
Bent, Buffalo, Fescues, Kentucky Blue, Rye or Zoysia	Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet
	See inside label for many more weeds

- Not for use on Bermuda lawns.

11/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

PRODUCT FACTS	
Treats 3,200 sq ft (approx. size of 1½ tennis courts)	
KILLS	Chickweed, Clover, Ground Ivy (Creeping Charlie), <i>[illustration of clover]</i>
WEEDS	Oxalis, Speedwell (Veronica), Wild Violet & other tough lawn weeds
WHERE TO USE	ON LAWNS <i>[illustration of lawn]</i>
AMOUNT TO USE	1 fl oz (2 Tbs) / gal of water / 200 sq ft
	Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

Also combine with Weed-B-Gon® Lawn Weed Killer₂ to quickly kill all major broadleaf weeds in lawns. Specially formulated for added control of tough weeds such as / like clover, oxalis & speedwell!

Weeds Controlled:

Chickweed (Common, Mouseear), Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet
plus Black Medic, Carolina Geranium, Cinquefoil, Dandelion, Evening Primrose, Florida Pusley, Ironweed, Lespedeza, Morning Glory (Bindweed), Pennywort, Plantains, Red Sorrel, Spurge (Garden, Spotted), Thistle, Wild Onion, Yellow Rocket

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

Mixing Instructions	
Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 200 sq ft	
<ul style="list-style-type: none"> When using Ortho Dial'n Spray: Set dial to 1 oz. Add 6 fl oz (12 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty. 	

Tablespoon (Tbs) = 3 teaspoon (tsp)

1fl oz = 2 Tbs

12/16

How to Apply

- To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- To spot treat individual weeds in lawn: Use a tank sprayer.

When to Mow & Water

- For best results avoid mowing 1 to 2 days before or after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering within 24 hours may reduce effectiveness.

When to Apply

- Apply when weeds are actively growing.
- Spray when temperature is below 90° F.
- Spray when air is calm to prevent drift to desirable plants.
- Reapplication can be made in 2 to 3 weeks if necessary.
- Newly seeded lawn can be sprayed after second mowing.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers.

Bare are spots can be planted with grass seed 1 week after application.

[OR]

13/16

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

FOR BEST RESULTS	
MEASURE <i>[illustration / walking man]</i>	<ul style="list-style-type: none"> • To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area. • To spot treat individual weeds in lawn: Use a tank sprayer.
MOW <i>[illustration/ mower]</i>	<ul style="list-style-type: none"> • Avoid mowing 1 to 2 days after application.
WATER <i>[illustration /hose]</i>	<ul style="list-style-type: none"> • If lawn needs watering, water thoroughly before application. • Rain or watering 24 hours after application will not wash away effectiveness.
WHEN TO APPLY <i>[illustration / weather]</i>	<ul style="list-style-type: none"> • Spray when: <ul style="list-style-type: none"> - weeds are actively growing - temperature is below 90°F - air is calm to prevent drift to desirable plants • Reapplication can be made in 2 to 3 weeks if necessary. • Newly seeded lawn can be sprayed after second mowing.

IMPORTANT

Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

Combine with Weed-B-Gon® Lawn Weed Killer₂ to quickly kill all major broadleaf weeds in lawns. See the label of Weed-B-Gon® Lawn Weed Killer₂ for more than 80 broadleaf weeds. Follow all directions and precautions on both product labels.

Mixing Instructions for Combination Spray
<p>Amount to Use: 1 fl oz (2 Tbs) of this product + 2 fl oz (4 Tbs) Weed-B-Gon Lawn Weed Killer₂ per gallon of water for each 400 sq ft.</p> <ul style="list-style-type: none"> • When using Ortho Dial'n Spray: Set dial to 3 oz. Add 3 fl oz of this product + 6 fl oz of Weed-B-Gon Lawn Weed Killer₂ to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty.

OR

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

Mixing Instructions for Combination Spray
<p>Amount to Use: ½ fl oz (1 Tbs) of this product /Weed-B-Gon Chickweed, Clover & Oxalis Killer + 1 fl oz (2 Tbs) Weed-B-Gon Lawn Weed Killer₂ per gallon of water for each 200 sq ft.</p> <ul style="list-style-type: none"> When using Ortho Dial'n Spray: Set dial to 1 1/2 oz. Add 3 fl oz (6 Tbs) of this product /Weed-B-Gon Chickweed, Clover & Oxalis Killer + 6 fl oz (12 Tbs) of Weed-B-Gon Lawn Weed Killer₂ to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty.

[Note to PM: Optional for Measuring cap packaging]

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use- no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz (2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	Amount of Brush B Gon to Use:	AREA TO TREAT SQ FT
Tank Sprayer	Fill to Line 3 one time (1 fl oz). Add to 1 gal of water.	200 (20 X 10)
Ortho Dial'n Spray Hose-End Sprayer	Fill to Line 4 three times (6 fl oz). DO NOT add water. Set dial to 1 oz and spray.	1200 (20 X 60)

[Note to PM: End of Optional for Measuring cap packaging]

[Note to PM: End of Subset 2 - Turf]

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep out of reach of children and domestic animals.

PESTICIDE DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Do not reuse container, except as directed for refilling.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing during and after application. Wear long-sleeved shirt, long pants, shoes and socks when applying this product. Remove and wash contaminated clothing before reuse. Do not apply this product in a way that will contact any person or pet, either directly or through drift.

[reentry icon] Do not enter or allow people or pets to enter treated areas until spray has dried.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash thoroughly with soap and water after handling.

FIRST AID: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physicians: Emergency Information call 1-800-225-2883

116/116

ORTHO® BRUSH-B-GON® Brush Killer

EPA Reg. No. 239-2491

ENVIRONMENTAL HAZARDS: Do not apply directly to any body of water. Do not pour product or rinse water down any drain. This product contains a chemical that has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

 **Questions, Comments or Medical Information?**
www.ortho.com

Call: 1-800-225-2883

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43041
EPA Reg. No. 239-2491
EPA Est. 239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA