

239-2491

3/8/2010

10/17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Wendy Hollingsworth-Cox  
The Scotts Company  
d/b/a The Ortho Group  
P.O. Box 190  
Marysville, OH 43040

MAR 8 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Ms. Hollingsworth-Cox:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated January 7, 2010 for:

**EPA Registration 239-2491**

**Ortho Brush-B-Gon Brush Killer**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551 .

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2017

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

<b>EPA</b> United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> <b>Registration</b> <input type="checkbox"/> <b>Amendment</b> <input checked="" type="checkbox"/> <b>Other</b>	OPP Identifier Number 2392491LBL20100107
---	---	---

**Application for Pesticide - Section I**

1. Company/Product Number 239-2491	2. EPA Product Manager Joanne Miller	3. Proposed Classification  <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>The Scotts Company/ Ortho Brush-B-Gon Brush Killer</b>	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) <b>The Scotts Company d/b/a The Ortho Group</b> <b>P.O. Box 190</b> <b>Marysville, OH 43040</b>  <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

**Section II**

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	--

**NOTIFICATION**  
**MAR 8 - 2010**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

**Section III**

<b>1. Material This Product Will Be Packaged In:</b>			
<b>Child-Resistant Packaging</b> <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	<b>Unit Packaging</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  If "Yes" Unit Packaging wgt.    No. per Container	<b>Water Soluble Packaging</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  If "Yes" Package wgt.    No. per Container	<b>2. Type of Container</b> <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
<b>3. Location of Net Contents Information</b> <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		<b>4. Size(s) Retail Container</b> 8 fl oz, 24 fl oz	<b>5. Location of Label Directions</b> <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
<b>6. Manner in Which Label is Affixed to Product</b> <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Other Laminated paper with pressure sensitive adhesive <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			


**\*Certification must be submitted**

**Section IV**

<b>1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)</b>		
Name <b>Wendy Hollingsworth-Cox</b>	Title <b>Senior Scientist, Federal Registrations</b>	Telephone No. (Include Area Code) <b>(937) 578-5205</b>

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature <i>The Scotts Company LLC</i> BY:  4. Typed Name <b>Wendy Hollingsworth-Cox</b>	3. Title <b>Sr. Scientist, Federal Registrations</b>  5. Date <b>January 7, 2010</b>	6. Date Application Received <b>(Stamped)</b>
--	--	--

30A17



***The Scotts Company LLC***

*and Subsidiaries*

January 7, 2010

Joanne Miller (PM-23)  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7505P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202

Subject: **Notification per PR Notice 2007-4**  
**Ortho Brush-B-Gon Brush Killer, EPA Reg. No. 239-2491**  
**OPP Identifier Number: 2392491LBL20100107**

Dear Ms. Miller:

Please accept the enclosed notification per PR Notice 2007-4 – "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

The following documentation in support of this submission:

- Application of Pesticide Registration Form 8570-1
- One (1) copies of the revised master label
- One (1) copy of the revised master label with changes marked and highlighted

We respectfully request the Agency to give favorable consideration to this submission and notify us when you put it in your files. If you have any questions or need additional information, please do not hesitate to contact me at 937-578-5205.

Sincerely,

A handwritten signature in black ink, appearing to read "Wendy Hollingsworth-Cox".

Wendy Hollingsworth-Cox  
Senior Scientist, Federal Registrations

Enclosures

14111 Scottslawn Road  
Marysville, Ohio 43041  
Direct line: 937-578-5205  
Facsimile: 937-644-7075  
Email: [wendy.hollingsworth-cox@scotts.com](mailto:wendy.hollingsworth-cox@scotts.com)

40917

**ORTHO® BRUSH-B-GON® Brush Killer**

**EPA Reg. No. 239-2491**

**ABN:** ORTHO® Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer<sub>1</sub>

**[ICON] OUTDOOR USE ONLY**

**[ICON] Water Based**

- Makes 4 / 8 / 16 Gal Spray [pint / quart / ½ gallon]
- Great Value – Concentrate makes 4 / 8 / 16 gallons spray
- Value Priced – Concentrate makes 4 / 8 / 16 gallons spray
- CONCENTRATE
- KILLS WOODY PLANTS, INCLUDING STUMPS AND VINES
- *ALSO CONTROLS LAWN WEEDS POISON OAK, POISON IVY, WILLOWS, OAK, KUDZU, BLACKBERRIES, & OTHER LISTED WOODY PLANTS*
- Also Kills Blackberries, Kudzu & Stumps
- Also kills Blackberries, Kudzu, Stumps & Other Woody Plants - roots and all.
- Kills Poison Ivy & Poison Oak; Kills Blackberries; Kills Kudzu; Controls Poison Ivy and Poison Oak; Controls Blackberries; Controls Kudzu; Works hard so you don't have too; Kills 38 of the toughest weeds; Kills hard-to-control weeds; Tough weeds are no problem with Brush-B-Gon; Your solution to tough weed problems; The solution to tough weed problems; The tough weed solution
- Rainproof in (2) hours for control that won't wash away.
- NOW WITH MEASURING CAP AND POUR SPOUT INCLUDED
- NOW EASIER TO MEASURE AND POUR
- CHILD RESISTANT CAP
- FAST & EASY MEASURING CAP
- EASY POUR SPOUT
- IMPROVED PACKAGE
- Convenient Applicator Top

Deleted: [6/10/98 Notification]

Deleted: [3/3/99 Amendment]

**Active Ingredient**

Triclopyr, triethylamine salt\* .....8%  
 Other Ingredients .....92%

- \* 5.74% triclopyr acid equivalent (0.49 lb/gal of Triclopyr acid equivalent)

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel booklet for additional precautionary statements.

NET CONTENTS 64 FL OZ (1/2 GAL) 1.89 L

NET CONTENTS 32 FL OZ (1 QT) 946 mL

NET CONTENTS 16 FL OZ (1 PT) 473 mL

5 of 17

**ORTHO® BRUSH-B-GON® Brush Killer**

**EPA Reg. No. 239-2491**

BRUSH-B-GON® kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, trails, and home rights-of-way. Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.

Kills the toughest brushy weeds. It works systemically killing weeds right down to the roots.

IMPORTANT: Do not use around edible feed or food crops or areas where grazing is allowed.

SQUEEZE TURN [illustration]

To open: squeeze cap while unscrewing

**Peel open for use directions and further information.**

☞ PULL HERE TO OPEN LABEL PRESS TO RESEAL

Open Resealable Label For Directions & Precautions

PEEL HERE / PRESS TO RESEAL

Open Resealable Label For Directions & Precautions

leaf 17

[Note to PM: Subset 1]

<b>Product Facts</b>
<b>KILLS</b> Including: Blackberries, Black Cottonwood, <b>WEEDS</b> Box Elder, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Mimosa, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Tansy Ragwort, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows
<b>WHERE</b> • Around homes, cabins & other buildings <b>TO USE</b> • Along fences & trails
<b>AMOUNT</b> <b>TO USE</b> 4 fl oz (1/2 cup) per gal of water
<b>Product Information</b> Call 1-800-225-2883 or <a href="http://www.ortho.com">www.ortho.com</a>
Questions, Comments or Medical Information? Call: 1-800-225-2883 <a href="http://www.ortho.com">www.ortho.com</a>

Deleted: 8 Tbs

Deleted: http://

Deleted: http://

**CONTROLS**

Arkansas Rose	Himalayan Blackberry	Red Alder
Big Leaf Maple	Honeysuckle	Sassafras
Black Cottonwood	Kudzu	Scouler Willow
Black Willow	Mackenzie Willow	Sweet Gum
Box Elder	Mesquite	Tansy Ragwort
Brazilian Pepper		
California Rose	Mimosa	Trailing Blackberry
Choke Cherry	Maple	Trumpet Creeper
Common Ragweed	Narrow Leafed Willow	Virginia Creeper
Elderberry	Oak	Wild Blackberry
Elm	Persimmon	Wild Grape
Evergreen Blackberry	Poison Ivy	Wild Rose
Field Horsetail Rush	Poison Oak	Willow
Giant Ragweed	Raspberry	

**THREE DIFFERENT WAYS TO CONTROL BRUSH:**

- Foliar Spray: Treats large areas of unwanted brush.
- Vine Killing: Spot treats vines growing around desirable trees & shrubs.
- Stump Killing: Treats freshly cut stumps to prevent regrowth.

70A17

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Do not use on or around edible feed or food crops.

Deleted: Do not use on or around edible feed or food crops. ¶

**MIXING INSTRUCTIONS**

**Tank Sprayer**

Add 4 fl oz (1/2 cup) to 1 gal of water.

Deleted: 8 Tbs

**Ortho® Dial'n Spray® [Illustration]**

- Set dial to 4 oz.
- For each gal of spray add 4 fl oz (1/2 cup) to sprayer jar.
- **DO NOT** add water.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp), 1 fl oz = 2 Tbs, 8 fl. oz = 1 cup

**HOW TO APPLY**

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Foliage spray not recommended for weed control in lawns.

• If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base & treat as directed for stumps.

Deleted: is

• If desirable plants are accidentally sprayed, rinse off immediately with water.

Deleted: is

[OR]

**HOW TO APPLY [FOLIAGE SPRAY]:** Mix 4 fl oz per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment

**TO KILL STUMPS/FOR STUMPS**

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper & put in trash.

80917

**TO KILL VINES FOR VINES**

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet/ft. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base & treat as directed for stumps.

- Deleted: is
- Deleted: mature
- Deleted: is
- Deleted: a
- Deleted: to avoid damage to shrub,

[OR]

**STUMP & VINE KILLING:** To kill stumps of trees such as Alder, Box Elder, Black Cherry, Choke Cherry, Elm, Manzanita, Maple, Oak, Persimmon, Peach, and Willow, apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots. **VINE KILLING:** When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing. Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

[OR]

Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished. **Note:** To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**

**WHEN TO APPLY**

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

- Deleted: is
- Deleted: Rain within 24 hours after application may reduce effectiveness.

Note: Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & rubber gloves in tightly sealed garbage bags.

[Note to PM: Optional for Measuring cap packaging]

MEASURING CAP: The cap has 4 measuring lines indicated inside, Fill cap to appropriate line for fast, easy, accurate measuring, Close cap tightly after use - no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz (2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill to Line 4 two times (4 oz $\frac{1}{2}$ cup). Add to 1 gal of water.	Spray leaves, stems and trunks until they begin to drip.
ORTHO DIAL 'n SPRAY Hose-End Sprayer	Pour product into sprayer jar. Do not add water. Set dial to 4 oz and spray. Pour leftover concentrate back into package when spraying is complete.	Spray leaves, stems and trunks until they begin to drip.

[Note to PM: End of Optional Measuring cap packaging]

[Note to PM: Optional Lawn Use]

LAWN WEED CONTROL: (Cool Season Grasses-Bluegrass, Fescue, Ryegrass, Bentgrass)-For control of Dandelion, Oxalis, White Clover, Pennywort, Black Medic, Plantains, Wild Geranium, Florida Pusley, Evening Primrose, Red Sorrel and Ironweed, apply 4 tsp per gal of water to treat 200 sq ft (or 4 fl oz per 6 gal of water to treat 1,200 sq ft). May be applied with an ORTHO SPRAY-ETTE Hose-End Sprayer or tank-type sprayer anytime weeds are actively growing. If lawn needs watering, water thoroughly before application. Make new dilution for each use. Hardy Weeds-For hard to control weeds or to control any missed in first application, make a second application in 2 to 3 weeks if necessary.

[Note to PM: End of Optional Lawn Use]

**Important:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not use on St. Augustine, Centipede, or Bermudagrass lawns.

10 of 17

**ORTHO® BRUSH-B-GON® Brush Killer**

**EPA Reg. No. 239-2491**

**IMPORTANT**

BRUSH-B-GON Brush Killer is non-selective. Do not apply to or clean equipment around desirable vegetation or ornamental plant as injury may result. Do not apply when drift may occur.

**[Note to PM: End of Subset 1]**

110917

**ORTHO® BRUSH-B-GON® Brush Killer**

EPA Reg. No. 239-2491

**[Note to PM: Subset 2 –Turf]:**

ABN: ORTHO® Weed-B-Gon® Oxalis, Clover & Chickweed Killer

ABN: ORTHO® Weed-B-Gon® Chickweed, Clover & Oxalis Killer

Covers / Treats 5000 sq ft (pt), 10,000 sq ft (qt)

Deleted: CONCENTRATE

Deleted: Water Based

- Kills weeds, not lawns.
- Kills dandelion, clover & other broadleaf weeds.
- NOW
- Unique Formula - Kills Tough Weeds
- Helps Ensure a Weed Free Lawn
- Tough Weed Formula
- Kills Tough Weeds in Lawns
- Kills / Controls Ground Ivy (Creeping Charlie) & Wild Violet
- Won't Harm Lawn Grasses
- The easy way to stop/kill weeds - roots & all [illustration]
- Kills to the Root [illustration]
- Kills Weeds Systemically [illustration]
- Systemic [illustration]
- Kills weeds - roots & all [illustration]
- Also Kills Creeping Charlie (Ground Ivy) & Other Tough Weeds. Won't Harm Lawns. Special formula for control of tough lawn weeds. Weed-B-Gon Chickweed, Clover & Oxalis Killer kills weeds right down to the roots without harming lawns.

**WON'T HARM COOL SEASON LAWN GRASSES\***

Bent, Buffalo, Fescues, Kentucky Blue, Rye or Zoysia

**KILLS TOUGH WEEDS**

**Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet**

See inside label for many more weeds

- Not for use on Bermuda lawns.

Deleted: <#>Measuring Cap  
 Package:¶  
 NEW/NOW WITH MEASURING CAP & POUR SPOUT¶  
 NOW EASIER TO MEASURE & POUR¶  
 CHILD RESISTANT CAP¶  
 FAST & EASY MEASURING CAP¶  
 EASY POUR SPOUT¶  
 IMPROVED PACKAGE¶  
 ¶  
 Active Ingredient ¶  
 Triclopyr, triethylamine salt . 8%¶  
 Other Ingredients . 92%¶  
 ¶  
**KEEP OUT OF REACH OF CHILDREN¶**  
**CAUTION¶**  
 See back panel booklet for additional precautionary statements.¶  
 NET CONTENTS . 16 FL OZ (1 PT) 473 mL¶  
 . . . 32 FL OZ (1 QT) 946 mL¶

12 of 17

<b>PRODUCT FACTS</b>	
Treats 3,200 sq ft (approx. size of 1½ tennis courts)	
<b>KILLS</b>	Chickweed, Clover, Ground Ivy (Creeping Charlie), <i>illustration of clover</i>
<b>WEEDS</b>	Oxalis, Speedwell (Veronica), Wild Violet & other tough lawn weeds
<b>WHERE</b>	ON LAWNS <i>illustration of lawn</i>
<b>TO USE</b>	Bent, Buffalo, Fescues, Kentucky Blue, Rye & Zoysia
<b>AMOUNT TO USE</b>	1 fl oz (2 Tbs) / gal of water / 200 sq ft
<b>Questions, Comments or Medical Information</b> call 1-800-225-2883 <a href="http://www.ortho.com">www.ortho.com</a>	

Also combine with Weed-B-Gon® Lawn Weed Killer<sub>2</sub> to quickly kill all major broadleaf weeds in lawns. Specially formulated for added control of tough weeds such as / like clover, oxalis & speedwell!

**Weeds Controlled:**

**Chickweed (Common, Mouseear), Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet**  
*plus* Black Medic, Carolina Geranium, Cinquefoil, Dandelion, Evening Primrose, Florida Pusley, Ironweed, Lespedeza, Morning Glory (Bindweed), Pennywort, Plantains, Red Sorrel, Spurge (Garden, Spotted), Thistle, Wild Onion, Yellow Rocket

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Do not use on or around edible feed or food crops.

**Deleted:** Specially formulated for residential use. ¶

¶ *Measuring Cap Package:* ¶  
SQUEEZE TURN TURN illustration ¶  
To open, squeeze cap while unscrewing ¶

-----Page Break-----

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. ¶

¶  
1 Tablespoon (Tbs) = 3 teaspoons (tsp) ¶  
1 Fluid Ounce (fl oz) = 2 Tablespoons (Tbs) ¶  
1 Cup = 8 Fluid Ounces (fl oz) ¶

**Deleted:** Do not use on or around edible feed or food crops. ¶

<b>Mixing Instructions</b>	
<b>Amount to Use:</b> 1 fl oz (2 Tbs) per gallon of water for each 200 sq ft	
<ul style="list-style-type: none"> <li>When using <b>Ortho Dial'n Spray</b>: Set dial to 1 oz. Add 6 fl oz (12 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty.</li> </ul>	

Tablespoon (Tbs) = 3 teaspoon (tsp)

1 fl oz = 2 Tbs

130F17

**How to Apply**

- To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- To spot treat individual weeds in lawn: Use a tank sprayer.

**When to Mow & Water**

- For best results avoid mowing 1 to 2 days before or after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering within 24 hours may reduce effectiveness.

**When to Apply**

- Apply when weeds are actively growing.
- Spray when temperature is below 90° F.
- Spray when air is calm to prevent drift to desirable plants.
- Reapplication can be made in 2 to 3 weeks if necessary.
- Newly seeded lawn can be sprayed after second mowing.

**IMPORTANT**

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers.

Bare are spots can be planted with grass seed 1 week after application.

Deleted: -----Page Break-----

[OR]

140af17

<b>FOR BEST RESULTS</b>	
<b>MEASURE</b> <i>[illustration / walking man]</i>	<ul style="list-style-type: none"> <li>• <b>To treat entire lawn:</b> Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.</li> <li>• <b>To spot treat</b> individual weeds in lawn: Use a tank sprayer.</li> </ul>
<b>MOW</b> <i>[illustration/ mower]</i>	<ul style="list-style-type: none"> <li>• <b>Avoid mowing 1 to 2 days after application.</b></li> </ul>
<b>WATER</b> <i>[illustration /hose ]</i>	<ul style="list-style-type: none"> <li>• If lawn needs watering, water thoroughly before application.</li> <li>• Rain or watering 24 hours after application will not wash away effectiveness.</li> </ul>
<b>WHEN TO APPLY</b> <i>[illustration / weather]</i>	<ul style="list-style-type: none"> <li>• <b>Spray when:</b> <ul style="list-style-type: none"> <li>- weeds are actively growing</li> <li>- temperature is below 90°F</li> <li>- air is calm to prevent drift to desirable plants</li> </ul> </li> <li>• Reapplication can be made in 2 to 3 weeks if necessary.</li> <li>• Newly seeded lawn can be sprayed after second mowing.</li> </ul>

**IMPORTANT**

Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

Combine with Weed-B-Gon® Lawn Weed Killer<sub>2</sub> to quickly kill all major broadleaf weeds in lawns. See the label of Weed-B-Gon® Lawn Weed Killer<sub>2</sub> for more than 80 broadleaf weeds. Follow all directions and precautions on both product labels.

**Mixing Instructions for Combination Spray**

**Amount to Use:** 1fl oz (2 Tbs) of this product + 2 fl oz (4 Tbs) Weed-B-Gon Lawn Weed Killer<sub>2</sub> per gallon of water for each 400 sq ft.

- When using **Ortho Dial'n Spray:** Set dial to 3 oz. Add 3 fl oz of this product + 6 fl oz of Weed-B-Gon Lawn Weed Killer<sub>2</sub> to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty.

OR

150A17

**Mixing Instructions for Combination Spray**

**Amount to Use:** ½ fl oz (1 Tbs) of this product /Weed-B-Gon Chickweed, Clover & Oxalis Killer + 1 fl oz (2 Tbs) Weed-B-Gon Lawn Weed Killer<sub>2</sub> per gallon of water for each 200 sq ft.

- When using **Ortho Dial'n Spray**: Set dial to 1 1/2 oz. Add 3 fl oz (6 Tbs) of this product /Weed-B-Gon Chickweed, Clover & Oxalis Killer + 6 fl oz (12 Tbs) of Weed-B-Gon Lawn Weed Killer<sub>2</sub> to sprayer jar. DO NOT add water. Spray evenly over 1200 sq ft until jar is empty.

**[Note to PM: Optional for Measuring cap packaging]**

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use- no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz (2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	AMOUNT OF PRODUCT TO USE	AREA TO TREAT SQ FT
Tank Sprayer	Fill to Line 3 one time ( 1 fl oz). Add to 1 gal of water.	200 (20 X 10)
Ortho Dial'n Spray Hose-End Sprayer	Fill to Line 4 three times ( 6 fl oz). DO NOT add water. Set dial to 1 oz and spray.	1200 (20 X 60)

**[Note to PM: End of Optional for Measuring cap packaging]**

**[Note to PM: End of Subset 2 - Turf]**

160 of 17

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store this product in its original container and keep out of reach of children and domestic animals.

**PESTICIDE CONTAINER DISPOSAL:** **If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through the skin. Causes moderate eye irritation.

Avoid contact with skin, eyes, or clothing during and after application. Wear long-sleeved shirt, long pants, shoes and socks when applying this product. Remove and wash contaminated clothing before reuse. Do not apply this product in a way that will contact any person or pet, either directly or through drift.

[reentry icon] Do not enter or allow people or pets to enter treated areas until spray has dried.

**User Safety Recommendations:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash thoroughly with soap and water after handling.

**FIRST AID: If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**Note to Physicians:** Emergency Information call 1-800-225-2883

**Deleted:** STORAGE AND DISPOSAL¶  
 STORAGE: Store in original container in a safe place.¶  
 DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.¶  
 ¶  
 PRECAUTIONARY STATEMENTS¶  
 HAZARDS TO HUMANS & DOMESTIC ANIMALS¶  
 CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. ¶  
 ¶  
 [reentry icon] People and pets may enter treated area after spray has dried.¶  
 FIRST AID: If In Eyes: Flush with plenty of water. Call a physician if irritation persists.¶  
 Note to Physician: Emergency Information call 1-800-454-2333¶  
 ¶  
 ENVIRONMENTAL HAZARDS: Do not apply directly to any body of water. Do not pour product or rinse water down any drain.¶  
 NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.¶  
 ¶  
 ☎ Medical Information call: 1-800-454-2333¶  
 Product Information call: 1-800-225-2883 or <http://www.ortho.com>¶  
 (Or Optional Text For One Phone Number) . Questions, Comments or Medical Information? . Call: 1-800-225-2883 -<http://www.ortho.com>¶  
 ¶  
 ¶  
 © Trademark of Monsanto Co.¶  
 © Monsanto Company 1998¶  
 ¶  
 Manufactured for¶  
 The SOLARIS Group of¶  
 Monsanto Company¶  
 P.O. Box 5008¶  
 San Ramon CA 94583-0808¶  
 Form \_\_\_\_\_¶  
 EPA Reg. No. 239-2491¶  
 EPA Est. 239-1A-3, 58996-MO-1^¶  
 Superscript is first letter of lot number¶  
 Made in USA . . Solaris ©¶

**Deleted:** skin,  
**Deleted:** .

17 of 17

**ORTHO® BRUSH-B-GON® Brush Killer**

**EPA Reg. No. 239-2491**

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not pour product or rinse water down any drain. This product contains a chemical that has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**NOTICE:** To the extent allowed by law, buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

📞 Questions, Comments or Medical Information?

Call: 1-800-225-2883

[www.ortho.com](http://www.ortho.com)

Deleted: http://

Manufactured for  
The ORTHO Group  
P.O. Box 190  
Marysville, OH 43041

EPA Reg. No. 239-2491  
EPA Est. 239-1A-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript is first letter of lot number

Made in USA