



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 4, 2024

Mandy Slack
Sr. Analyst, Regulatory Affairs
The Scotts Company d/b/a/ The Ortho Group
PO Box 190 EPA Reg. No.
Marysville, OH 43040

Subject: Label Amendment – Added new marketing claims, added alternate guarantee statements, updated emergency contact information, updated copyright date, and fixed grammatical errors.
Product Name: ORTHO BRUSH-B-GON BRUSH KILLER
EPA Registration Number: 239-2491
Application Date: 4/23/20
Case Number: 474324

Dear Mandy Slack:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ

from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Eric Ingram at 202-566-0061 or at ingram.eric@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis
Senior Regulatory Specialist
Office of Pesticide Programs
Registration Division, Immediate Office

Enclosure

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2491

ORTHO BRUSH-B-GON BRUSH KILLER

Alternate Brand Names

Ortho® Brush-B-Gon® Brush Killer
Ortho® Brush-B-Gon® Poison Ivy Killer Concentrate
Ortho® Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer₁ Concentrate
Ortho® MAX™ Poison Ivy & Tough Brush Killer Concentrate
Ortho® Poison Ivy & Tough Brush Killer Concentrate
Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer Concentrate
Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer for Lawns Concentrate
Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer for Lawns Ready-To-Spray
Ortho® Weed-B-Gon® Creeping Charlie (Ground Ivy) Killer for Lawns Ready-To-Spray
Ortho® Weed-B-Gon® Ground Ivy (Creeping Charlie) Killer for Lawns Ready-To-Spray
Ortho® Weed-B-Gon® Tough Weed Killer for Lawns
Ortho® Weed-B-Gon® Tough Weed Killer for Lawns Ready-To-Spray
Ortho® Weed-B-Gon® Tough Weed Killer for Lawns Concentrate
Ortho® Kudzu MAX™ Tough Brush Killer Concentrate
Ortho® Poison Ivy MAX™ Tough Brush Killer Concentrate
Ortho® Poison Oak MAX™ Tough Brush Killer Concentrate
Ortho® Wild Blackberry MAX™ Tough Brush Killer Concentrate
Ortho GroundClear Poison Ivy Killer₁
Ortho GroundClear Tough Brush Killer₁
Ortho GroundClear Poison Ivy & Tough Brush Killer₁
Ortho GroundClear Tough Weed & Brush Killer₁

ACCEPTED

06/04/2024

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. **239-2491**

Active Ingredient

| | |
|--------------------------------|--------|
| Triclopyr, triethylamine salt* | 8.0% |
| Other Ingredients | 92.0% |
| Total | 100.0% |

*5.74% Triclopyr acid equivalent (0.49 lb/gal)

KEEP OUT OF REACH OF CHILDREN CAUTION

See back [back] [side] [other] [panel] [booklet] for additional precautionary statements.

NET CONTENTS XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing during and after application. This product may cause skin sensitization reactions in some people. Wear long-sleeved shirt, long pants, shoes and socks when applying this product. Remove and wash contaminated clothing before reuse.

Entry Restriction: [[Reentry icon] Do not enter or allow people or pets to enter treated areas until spray has dried.]

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Emergency Information call 1-877-465-5161

ENVIRONMENTAL HAZARDS: Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product contains a chemical that has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

STORAGE AND/ & DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND/ & CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 1 – Brush Application

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS:

- Do not spray plants or grasses you like – they may die too. Foliage spray not recommended for weed control in lawns.
- Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and/& rubber gloves in tightly sealed garbage bags.

USE RESTRICTIONS:

- Do not enter or allow people or pets to enter treated areas until spray has dried. [re-entry icon]
- Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Apply when air is calm to prevent drift to desirable plants.
- Do not apply when wind exceeds 10 mph on average or if wind is gusting.
- Do not exceed the maximum yearly application rate of 5.4 fl. oz. of product per 100 sq. ft. (9.0 lbs. triclopyr per acre).

APPLICATION RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

HOW IT WORKS/PRODUCT INFORMATION

Ortho Brush-B-Gon Brush Killer/Product Name contains a proven weed killer that targets brush and vine weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Wilting or yellowing will occur in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

WHERE TO USE:

Ortho Brush-B-Gon Brush Killer/Product Name/This product can be applied around homes, cabins, out-buildings and along fences and/& trails.

HOW MUCH TO USE:

4 fl. oz. per gallon of water for 100 square feet/sq. ft. (dense brush) to 400 square feet/sq. .ft. (lighter brush). If needed, retreatments can be made, however, do not apply more than 5.4 fl oz of product per 100 sq. ft. in a year from all applications.

WHEN TO APPLY:

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks.
- Hard to kill weeds may require a repeat application if regrowth occurs.

OR

NOTE:***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2491

WHEN TO USE: Apply when weeds are leafed out and actively growing.**WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]*****Some or all of the following weeds will appear on the product label***

| | | |
|----------------------------|-------------------------------|----------------------|
| Arkansas Rose | Giant Ragweed | Red Sorrel |
| Big Leaf Maple | Ground Ivy (Creeping Charlie) | Salmonberry |
| Bindweed | Himalayan Blackberry | Sassafras |
| Black Cottonwood | Honeysuckle, Amur | Speedwell (Veronica) |
| Black Medic | Honeysuckle, Bush | Spurge, Garden |
| Black Willow | Honeysuckle, Japanese | Spurge, Spotted |
| Brazilian Pepper | Ironweed | Scouler Willow |
| California Rose | Kudzu | Sweet Gum |
| Carolina Geranium | Lambsquarters | Thimbleberry |
| Chickweed, Common | Lespedeza | Thistle, Canada |
| Chickweed, Mouseear | Mackenzie Willow | Trailing Blackberry |
| Choke Cherry | Maple | Trumpet Creeper |
| Cinquefoil | Mesquite | Vine Maple |
| Common Ragweed | Narrow Leafed Willow | Virginia Creeper |
| Clover, Red | Oak | Wild Blackberry |
| Clover, White | Oxalis | Wild Grape |
| Dandelion | Pennywort | Wild Rose |
| Elderberry | Persimmon | Wild Violet |
| Elm | Poison Ivy | |
| Evening Primrose | Poison Oak | |
| Evergreen Blackberry | Plantain, Broadleaf | |
| Field Horsetail Rush | Plantain, Buckhorn | |
| Florida Prickly Blackberry | Raspberry Willow | |
| Florida Pusley | Red Alder | |

HOW TO USE:

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base and treat as directed for stumps.
- If desirable plants are accidentally sprayed, rinse off immediately with water.
- Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 fl. oz./gal/100 square feet/sq. ft./ft² for dense areas to 4 fl. oz. /gal/400 square feet/sq. ft./ft² for lighter areas of brush.

[OR]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

HOW TO USE:

[To Kill Brush/For Brush:]

Mix 4 fl. oz. per gal of water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 fl. oz./gal/100 square feet/sq. ft./ft² for dense areas to 4 fl. oz./gal/400 square feet/sq. ft./ft² for lighter areas of brush.

To Kill Stumps/For Stumps:

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper and put in trash.

To Kill Vines/For Vines:

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet/ft. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base and treat as directed for stumps.

[OR]

Stump & Vine Killing:

[Stump Killing:] To kill stumps of trees such as Alder, Choke Cherry, Elm, Maple, Oak, Persimmon and Willow. Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.

Vine Killing: When vines such as Poison Oak and Poison Ivy grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

Directions for Use Options Based on Applicator**Option 1 – Tank Sprayer**

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Add 4 fl. oz. to 1 gallon of water.

[Optional illustrations may be used in conjunction with the above steps]

Option 2 – Dial 'N Spray/Dial 'N Spray with Direct Connect

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:**Set:**

- Turn dial to 4 oz.

Fill:

- Pour desired amount of concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.

Spray:

- Connect [garden] hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray weeds to thoroughly wet foliage, stems and trunk.

Finish:

- Pour unused concentrate back into its original container.
- To clean: refer to the Ortho® Dial 'N Spray® cleaning instructions.

*[Optional illustrations may be used in conjunction with the above steps]***AND/OR**

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:**Set:** [Applicator Name]

- Turn dial to 4 oz.

Connect:

- Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Twist [screw] the Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- Connect [garden] hose to the sprayer and turn on water.

Spray:

- Press and hold trigger for continuous spray. Apply evenly.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Spray weeds to thoroughly wet foliage, stems and trunk.

Finish:

- Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Replace cap on the [product name] concentrate bottle.
- [To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.]

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use, as directed.

Option 3 – Ready-To-Spray

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Connect:

- [Shake well before using.]
- Connect sprayer to [garden] hose.
- Turn on water
- [User tip: Start at the farthest point in your yard and work back.]

Spray:

- To BEGIN spraying, [Bend small plastic tab back and] move/turn/rotate/slide [color] switch/knob/lever/slider to ON position.
- [Spray weeds to thoroughly wet foliage, stems and trunk.]
- [Spray as directed in the [How Much to Use]/[Section Header] [instructions]

Finish:

- To STOP spraying, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Turn off water
- Relieve water pressure by moving/turning/rotating/sliding [color] switch/knob/lever/slider to ON/WATER position.
- After water slows to a drip, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Disconnect sprayer from [garden] hose.

[Optional illustrations may be used in conjunction with the above steps]

End Sublabel 1 – Brush Application

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 2 - Lawn Application

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS:

- Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.
- Bare spots can be planted with grass seed 1 week after application.
- Newly seeded lawn can be sprayed after second mowing.
- If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.
- Avoid mowing 1 to 2 days after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering 6 hours after application will not wash away effectiveness.

USE RESTRICTIONS:

- Do not enter or allow people or pets to enter treated areas until spray has dried. [re-entry icon]
- Do not use on Bahiagrass, Bermudagrass, Centipedegrass, Kikuyugrass or St. Augustinegrass lawns.
- Do not use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.
- Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Do not make applications if air temperature is above 90°F.
- Reapplication can be made in 2 to 3 weeks if necessary, however, do not apply more than 5.4 fl oz product per 100 sq. ft. in a year from all applications.
- Apply when air is calm to prevent drift to desirable plants. Do not apply when wind exceeds 10 mph on average or if wind is gusting.

APPLICATION RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

HOW IT WORKS/PRODUCT INFORMATION

Ortho Brush-B-Gon Brush Killer/Product Name contains a proven weed killer that targets lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control.

WHERE TO USE:

Ortho Brush-B-Gon Brush Killer/Product Name/This product can be applied to residential lawns with the following turfgrass types: Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass and Zoysiagrass.

HOW MUCH TO USE:

1 fl. oz. for 200 square feet.

[16 fl. oz. covers 3200 sq. ft.]

[32 fl. oz. covers 6400 sq. ft.]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2491

WHEN TO USE: Apply when weeds are actively growing.

WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]

Some or all of the following weeds will appear on the product label

| | |
|-------------------------------|----------------------|
| Bindweed | Lespedeza |
| Black Medic | Morning Glory |
| Carolina Geranium | Oxalis |
| Chickweed, Common | Pennywort |
| Chickweed, Mouseear | Plantain, Broadleaf |
| Cinquefoil | Plantain, Buckhorn |
| Clover, Red | Poison Ivy |
| Clover, White | Red Sorrel |
| Dandelion | Speedwell (Veronica) |
| Evening Primrose | Spurge, Garden |
| Florida Pusley | Spurge, Spotted |
| Ground Ivy (Creeping Charlie) | Thistle |
| Ironweed | Wild Violet |
| Lambsquarters | |

Directions for Use Options Based on Applicator

Option 1 – Tank Sprayer

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Add 1 fl. oz. per gallon of water for each 200 sq. ft.

[Optional illustrations may be used in conjunction with the above steps]

Option 2 – Dial ‘N Spray/Dial ‘N Spray with Direct Connect

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set:

- Turn dial to 1 oz.

Fill:

- Pour [desired amount of] concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.

Spray:

- Connect [garden] hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray only until the surface the weed is wet.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Finish:

- Pour unused concentrate back into its original container.
- To clean: refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

AND/OR

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set: [Applicator Name]

- Turn dial to 1 oz.

Connect:

- Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Twist [screw] the Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- Connect [garden] hose to the sprayer and turn on water.

Spray:

- Press and hold trigger for continuous spray. Apply evenly.
- Spray only until the surface of the weed is wet.

Finish:

- Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Replace cap on the [product name] concentrate bottle.
- To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

Option 3 – Ready-To-Spray

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:**Connect:**

- [Shake well before using.]
- Connect sprayer to [garden] hose.
- Turn on water
- [User tip: Start at the farthest point in your yard and work back.]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Spray:

- To BEGIN spraying, [Bend small plastic tab back and] move/turn/rotate/slide [color] switch/knob/lever/slider to ON position.
- [Spray only until the surface of the weed is wet.] [Spray evenly]
- [Spray as directed in the [How Much to Use]/[Section Header] [instructions]

Finish:

- To STOP spraying, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Turn off water
- Relieve water pressure by moving/turning/rotating/sliding [color] switch/knob/lever/slider to ON/WATER position.
- After water slows to a drip, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Disconnect sprayer from [garden] hose.

*[Optional illustrations may be used in conjunction with the above steps]***End Sublabel 2 – Lawn Application****SUBLABEL 3 – Alternate Brush and Lawn Applications****Note to PM: Option 1 – Brush Application****Optional “Product Facts” Table**

| [PRODUCT FACTS] | |
|---|--|
| WHAT IT DOES /KILLS WEEDS | [Including:] [Blackberries, Black Cottonwood, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows] [as listed] [any or all weeds listed] |
| WHERE TO USE | <ul style="list-style-type: none"> • Around homes, cabins & other buildings • Along fences & trails |
| | [Insert claim from “ <i>optional marketing claims</i> ”] |
| AMOUNT TO USE | 4 fl. oz. (1/2 cup) per gal of water [Makes [XX] gallons] |
| [Reentry icon] | Do not enter or allow people or pets to enter treated areas until spray has dried. |
| [phone icon] Questions, Comments or Medical Information Call 1-800-225-2883 and/&/or [www.]ortho.com | |

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Weeds identified on product packaging may include any/all of the following:**WEEDS CONTROLLED**

| | | |
|----------------------------|-------------------------------|----------------------|
| Arkansas Rose | Giant Ragweed | Red Sorrel |
| Big Leaf Maple | Ground Ivy (Creeping Charlie) | Salmonberry |
| Bindweed | Himalayan Blackberry | Sassafras |
| Black Cottonwood | Honeysuckle, Amur | Speedwell (Veronica) |
| Black Medic | Honeysuckle, Bush | Spurge, Garden |
| Black Willow | Honeysuckle, Japanese | Spurge, Spotted |
| Brazilian Pepper | Ironweed | Scouler Willow |
| California Rose | Kudzu | Sweet Gum |
| Carolina Geranium | Lambsquarters | Thimbleberry |
| Chickweed, Common | Lespedeza | Thistle, Canada |
| Chickweed, Mouseear | Mackenzie Willow | Trailing Blackberry |
| Choke Cherry | Maple | Trumpet Creeper |
| Cinquefoil | Mesquite | Vine Maple |
| Common Ragweed | Narrow Leafed Willow | Virginia Creeper |
| Clover, Red | Oak | Wild Blackberry |
| Clover, White | Oxalis | Wild Grape |
| Dandelion | Pennywort | Wild Rose |
| Elderberry | Persimmon | Wild Violet |
| Elm | Poison Ivy | |
| Evening Primrose | Poison Oak | |
| Evergreen Blackberry | Plantain, Broadleaf | |
| Field Horsetail Rush | Plantain, Buckhorn | |
| Florida Prickly Blackberry | Raspberry Willow | |
| Florida Pusley | Red Alder | |

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

MIXING INSTRUCTIONS**[Amount to Use:]****Tank Sprayer** [icon]

- Add 4 fl. oz. (½ cup) to 1 gal of water.

[Amount to Use:]**Ortho® Dial 'N Spray®** [icon]

- Set dial to 4 oz.
- For each gal of spray add 4 fl. oz. (½ cup) to sprayer jar.
- **DO NOT** add water.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- After spraying, unused product can be poured back into its original container.

Optional Instructions:

Ortho® Dial 'N Spray® with Direct Connect [Applicator Name] [icon]

[Prepare applicator:] [illustration]

- Set dial to 4 oz.

[Connect:] [illustration]

- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Insert suction tube into bottle opening and twist the Ortho Dial N Spray applicator [applicator name] onto bottle to attach.
- Connect hose to the sprayer and turn on water.

[Spray:] [illustration] *directions will vary by product type*

- Hold sprayer in upright position and apply evenly to area to be treated.
- Spray only until the surface of the foliage is wet.

[Finish:] [illustration]

- After use, untwist to remove the [insert product name] concentrate bottle from the Ortho Dial N Spray applicator [applicator name].
- Replace cap on the [insert product name] concentrate bottle.

Refer to the Ortho Dial 'N Spray applicator [applicator name] booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl. oz. = 2 Tbs

4 fl. oz. = ½ cup

HOW TO APPLY [icon]

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Foliage spray not recommended for weed control in lawns.
- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base & treat as directed for stumps.
- If desirable plants are accidentally sprayed, rinse off immediately with water.
- Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 oz/gal/100 [square feet] [sq. ft.] [ft²] for dense areas to 4oz/gal/400 [square feet] [sq. ft.] [ft²] for lighter areas of brush.

[OR]

HOW TO APPLY [FOLIAGE SPRAY]:

Mix 4 fl. oz. per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 oz/gal/100 [square feet] [sq. ft.] [ft²] for dense areas to 4oz/gal/400 [square feet] [sq. ft.] [ft²] for lighter areas of brush.

To Kill Stumps/For Stumps

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper & [and] put in trash.

To Kill Vines/For Vines

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet [ft.]. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base & [and] treat as directed for stumps.

[OR]

Stump & Vine Killing: To kill stumps of trees such as Alder, Choke Cherry, Elm, Maple, Oak, Persimmon and Willow. Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.

Vine Killing: When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

[OR]

Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished.

Note: To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**

WHEN TO APPLY [icon]

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks.
- Hard to kill weeds may require a repeat application if regrowth occurs.

Note: Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & [and] rubber gloves in tightly sealed garbage bags.

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Optional for Measuring Cap Packaging

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use - no need to rinse.

Line 1 = 1 teaspoon (tsp)

Line 3 = 1 fl. oz. (2 Tbs)

Line 2 = 1 Tablespoon (Tbs) = 3 tsp

Line 4 = 2 fl. oz. (4 Tbs)

| APPLICATOR | MIXING INSTRUCTIONS | AREA TO TREAT |
|---|--|--|
| Tank Sprayer | Fill to Line 4 two times (4 oz. / ½ cup). Add to 1 gal. of water. | Spray leaves, stems and trunks until they begin to drip. |
| ORTHO DIAL 'N SPRAY Hose-End Sprayer | Pour product into sprayer jar. Do not add water. Set dial to 4 oz. and spray. Pour leftover concentrate back into package when spraying is complete. | Spray leaves, stems and trunks until they begin to drip. |

Note to PM: End of Optional Measuring Cap Packaging

Note to PM: Option 2 – Lawn Application

Optional “Product Facts” Table

| [PRODUCT FACTS] | |
|---|---|
| [Treats 3,200 sq. ft.] [(approx. size of 1½ tennis courts)] | |
| WHAT IT DOES /KILLS WEEDS | [Including :] [Chickweed, Clover, Ground Ivy, (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet &/and other tough lawn weeds] [as listed] [any or all weeds listed] [illustrations] |
| WHERE TO USE | ON LAWNS [illustration of lawn] Buffalo, Fescues, Kentucky Blue, Rye &/and Zoysia |
| AMOUNT TO USE | 1 fl. oz. (2 Tbs) / gal of water / 200 sq. ft. |
| [Reentry icon] | Do not enter or allow people or pets to enter treated areas until spray has dried. |
| [phone icon] Questions, Comments or Medical Information Call 1-800-225-2883 and/&/or [www].ortho.com | |

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Weeds identified on product packaging may include any/all of the following:

WEEDS CONTROLLED

Bindweed
Black Medic
Carolina Geranium
Chickweed, Common
Chickweed, Mouseear
Cinquefoil
Clover, Red
Clover, White
Dandelion
Evening Primrose
Florida Pusley
Ground Ivy (Creeping Charlie)
Ironweed
Lambsquarters

Lespedeza
Morning Glory
Oxalis
Pennywort
Plantain, Broadleaf
Plantain, Buckhorn
Poison Ivy
Red Sorrel
Speedwell (Veronica)
Spurge, Garden
Spurge, Spotted
Thistle
Wild Violet

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

MIXING INSTRUCTIONS

[Amount to Use:]

[Tank Sprayer] [icon]

- 1 fl. oz. (2 Tbs) per gallon of water for each 200 sq. ft.

Amount to Use:]

[Ortho® Dial 'N Spray®] [icon]

- [When using **Ortho Dial 'N Spray:**] Set dial to 1 oz. Add 6 fl. oz. (12 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Instructions:

Ortho® Dial 'N Spray® with Direct Connect [Applicator Name] [icon]

[Prepare applicator:] [illustration]

- Set dial to 1 oz.

[Connect:] [illustration]

- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Insert suction tube into bottle opening and twist the Ortho Dial N Spray applicator [applicator name] onto bottle to attach.
- Connect hose to the sprayer and turn on water.

[Spray:] [illustration] *directions will vary by product type*

- Hold sprayer in upright position and apply evenly to area to be treated.
- Spray only until the surface of the lawn is wet.

[Finish:] [illustration]

- After use, untwist to remove the [insert product name] concentrate bottle from the Ortho Dial N Spray applicator [applicator name].
- Replace cap on the [insert product name] concentrate bottle.

Refer to the Ortho Dial N Spray applicator [applicator name] booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

Tablespoon (Tbs) = 3 teaspoon (tsp)

1fl oz = 2 Tbs

How to Apply [Measure] [icon]

- To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- To spot treat individual weeds in lawn: Use a tank sprayer.

When to Mow & Water [Water] [Mow] [icon]

- For best results avoid mowing 1 to 2 days before or after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering within 6 hours may reduce effectiveness.

When to Apply [icon]

- Apply when weeds are actively growing.
- Spray when temperature is below 90° F.
- Spray when air is calm to prevent drift to desirable plants. Do not apply when wind exceeds 10 mph on average or if wind is gusting.
- Reapplication can be made in 2 to 3 weeks if necessary, however, do not apply more than 5.4 fl oz product per 100 sq. ft. in a year from all applications.
- Newly seeded lawn can be sprayed after second mowing.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers.

Bare spots can be planted with grass seed 1 week after application.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

[OR]

| FOR BEST RESULTS | |
|--|--|
| MEASURE [illustration/walking man] | <ul style="list-style-type: none"> • To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area. • To spot treat individual weeds in lawn: Use a tank sprayer. |
| MOW [illustration/ mower] | <ul style="list-style-type: none"> • Avoid mowing 1 to 2 days after application. |
| WATER [illustration /hose] | <ul style="list-style-type: none"> • If lawn needs watering, water thoroughly before application. • Rain or watering 6 hours after application will not wash away effectiveness. |
| WHEN TO APPLY [illustration/weather] | <ul style="list-style-type: none"> • Apply when weeds are actively growing • Spray when temperature is below 90°F • Spray when air is calm (wind is less than 10 mph and not gusting) to prevent drift to desirable plants. • Reapplication can be made in 2 to 3 weeks if necessary, however do not apply more than 5.4 fl. oz. product per 100 sq. ft. in a year from all applications. • Newly seeded lawn can be sprayed after second mowing. |

IMPORTANT

Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

Note to PM: Option 1 – Optional Mixing Instructions for Combination Spray

| MIXING INSTRUCTIONS |
|---|
| [Amount to Use:] [Tank Sprayer] [icon] <ul style="list-style-type: none"> • 1 fl. oz. (2 Tbs) of this product [+] [and] 2 fl. oz. (4 Tbs) Weed-B-Gon Lawn Weed Killer₂ [Brand Name] per gallon of water for each 400 sq. ft. |
| Amount to Use:] [Ortho® Dial'N Spray®] [icon] <ul style="list-style-type: none"> • [When using Ortho Dial'N Spray:] Set dial to 3 oz. Add 3 fl. oz. of this product [+] [and] 6 fl. oz. of Weed-B-Gon Lawn Weed Killer₂ [Brand Name] to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty. |

[OR]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Option 2 – Optional Mixing Instructions for Combination Spray

| MIXING INSTRUCTIONS |
|--|
| [Amount to Use:] [Tank Sprayer] [icon] <ul style="list-style-type: none">• ½ fl. oz. (1 Tbs) of [this product] [Weed-B-Gon Chickweed, Clover & Oxalis Killer] [Brand Name] [+] [and] 1 fl. oz. (2 Tbs) Weed-B-Gon Lawn Weed Killer₂ [Brand Name] per gallon of water for each 200 sq. ft. |
| Amount to Use:] [Ortho® Dial'N Spray®] [icon] <ul style="list-style-type: none">• [When using Ortho Dial'N Spray:] Set dial to 1 1/2 oz. Add 3 fl. oz. (6 Tbs) of [this product] [Weed-B-Gon Chickweed, Clover & Oxalis Killer] [Brand Name] [+] [and] 6 fl. oz. (12 Tbs) of Weed-B-Gon Lawn Weed Killer₂ [Brand Name] to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty. |

Note to PM: Optional for Measuring Cap Packaging

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use- no need to rinse.

Line 1 = 1 teaspoon (tsp)

Line 2 = 1 Tablespoon (Tbs) = 3 tsp

Line 3 = 1 fl oz (2 Tbs)

Line 4 = 2 fl oz (4 Tbs)

| APPLICATOR | AMOUNT OF PRODUCT TO USE | AREA TO TREAT (Sq. Ft.) |
|-------------------------------------|---|-------------------------|
| Tank Sprayer | Fill to Line 3 one time (1 fl. oz.). Add to 1 gal of water. | 200 (20 X 10) |
| ORTHO DIAL'N SPRAY Hose-End Sprayer | Fill to Line 4 three times (6 fl. oz.). DO NOT add water. Set dial to 1 oz and spray. | 1200 (20 X 60) |

Note to PM: End of Optional Measuring Cap Packaging

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Marketing Claims

Brush Application Claims

The following Product Facts format is optional and the information may appear inside or outside of a box.

| [PRODUCT FACTS] | |
|--------------------------------------|--|
| WHAT IT DOES/ KILLS WEEDS | [Including:] [Blackberries, Black Cottonwood, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows] [as listed] [any or all weeds listed] |
| WHERE TO USE | <ul style="list-style-type: none"> • Around homes, cabins & other buildings • Along fences & trails |
| | [Insert claim from " <i>optional marketing claims</i> "] |
| AMOUNT TO USE | 4 fl. oz. per gallon of water [Makes [XX] gallons] |
| [Reentry icon] | Do not enter or allow people or pets to enter treated areas until spray has dried. |

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

1. [Ortho Brush-B-Gon® Brush Killer [Brand Name] kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, trails, and home rights-of-way. Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.]
2. [Three Different Ways To Control Brush: Foliar Spray: Treats large areas of unwanted brush. Vine Killing: Spot treats vines growing around desirable trees & shrubs. Stump Killing: Treats freshly cut stumps to prevent regrowth.]
3. Also Kills Blackberries, Kudzu & Stumps
4. Also Kills Blackberries, Kudzu, Stumps & Other Listed Woody Plants
5. Also Controls Lawn Weeds Poison Oak, Poison Ivy, Willows, Oak, Kudzu, Blackberries, & Other Listed Woody Plants
6. Concentrate makes [4/8/16] gallons [of spray]
7. For Outdoor Home Use [Only]
8. [Formulated] for Residential Use
9. It works systemically killing weeds right down to the roots.
10. Kills Over [XX] Types of Tough Brush & Weeds: [Including] Poison Ivy/Poison Oak/Kudzu
11. Kills [Poison Ivy [and/&] Poison Oak] [Blackberries] [Kudzu]
12. Controls [Poison Ivy and/& Poison Oak] [Blackberries] [Kudzu]
13. Works hard so you don't have to
14. Kills [XX] of the toughest weeds⁺
15. Kills hard-to-control weeds⁺
16. Tough weeds⁺ are no problem with Brush-B-Gon [Brand Name]
17. Your/The solution to tough weed problems/The tough weed solution/formula
18. Kills the toughest brushy weeds⁺.
19. Kills Woody Plants, Including Stumps and Vines⁺
20. Makes [4/8/16] Gallon Spray [pint/quart/½ gallon]
21. Makes [XX] Gallons
22. Rainproof in [2] hours [for control that won't wash away.] ***Note to PM: to be used on the brush label.***
23. Value Priced – Concentrate makes[4/8/16] gallons spray

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

24. To control grasses, use Roundup TriMark™ Concentrate
25. Kills to the Root[s][guaranteed†]
26. Kills/Controls Poison Ivy
27. Kills/Controls Tough Brush
28. Kills/Controls Blackberries
29. Kills/Controls Kudzu
30. CONCENTRATE

Lawn Application Claims

The following Product Facts format is optional and the information may appear inside or outside of a box.

| [PRODUCT FACTS] [Treats 3,200 sq. ft.] [(approx. size of 1½ tennis courts)] | |
|--|---|
| WHAT IT DOES / KILLS WEEDS | [Including:] [Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet &/and other tough lawn weeds] [as listed] [any or all weeds listed] |
| WHERE TO USE | ON Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass &/and Zoysiagrass |
| AMOUNT TO USE | 1 fl. oz./gallon of water/200 sq. ft. |
| [Reentry icon] | Do not enter or allow people or pets to enter treated areas until spray has dried. |

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

31. Also Kills Creeping Charlie (Ground Ivy) & Other Tough Weeds As Listed
32. Kills Weeds - Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet and/& other tough lawn weeds as listed
33. Covers/Treats [XXXX] sq. ft.
34. For Lawns
35. For Home Lawn Use [Only]
36. Formulated for control of tough lawn weeds*. Weed-B-Gon Chickweed, Clover & Oxalis Killer for Lawns Concentrate kills weeds right down to the roots without harming lawns**.
37. Helps Ensure a Weed Free Lawn
38. Kills dandelion, clover & other listed broadleaf weeds.
39. Kills/Controls Creeping Charlie (Ground Ivy) & Wild Violet
40. Kills/Controls Ground Ivy (Creeping Charlie) & Wild Violet
41. Kills to the Root[s][guaranteed†]
42. Kills Weeds to the Root[s]
43. Kills Tough Weeds+ [in Lawns]
44. Kills Weeds, Not Lawns™
45. Kills weeds [illustration]
46. Kills Weeds [Systemically]
47. Rainproof in [as fast as] [6] hours [for control that won't wash way.]
48. Systemic
49. The easy way to stop/kill weeds
50. The Tough Weed Formula
51. Tough Weed Killer
52. Won't Harm Lawns**
53. Won't Harm Lawn Grasses**
54. Won't harm lawn grasses when used as directed
55. Won't Harm the Lawn – Guaranteed**

000239-02491.AMEND.20200423

Page 21 of 24

1000263809_902_000_030080z prddi5 MMCLAIN1 2020-04-27T13:37:14 1.000

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

56. Won't Harm Cool Season Lawn Grasses[†] (Buffalo/Buffalograss, Fescues, Kentucky Blue/Kentucky Bluegrass, Rye/Ryegrass or Zoysia/Zoysiagrass) [†]Not for use on Bermuda/Bermudagrass lawns
57. Kills Tough Weeds – Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet. See inside label for [many more] [other listed] weeds.
58. Kills Wild Violet
59. Kills Creeping Charlie (Ground Ivy)
60. Kills Ground Ivy (Creeping Charlie)

Applicator Claims

61. Convenient Applicator Top
62. Hands stay dry
63. No messy clean-up
64. One-handed operation [use] [spraying]
65. [Requires] no measuring, [no mixing]
66. The Easy way to spray
67. [Easy] [Ergonomic] [Comfort] [Grip] [Handle]
68. Ergonomic [Design]
69. Easy Grip [Control]
70. [Simply] attach to [garden] hose and spray [go]
71. Easy [Simple] to attach [to [garden] hose]
72. Gentle shower [applicator] [spray pattern]
73. Includes water [only]setting [option]
74. One step prep
75. Ready-Spray®/Ready-To-Spray®/Applicator Name
76. The value of XX [size RTU] in one concentrate
77. Convenient [Simple] Design
78. Easy/Simple/and Simple [to use]
79. Quick & Easy [to Use]
80. Save[s] time [and energy]
81. Easy measure cap [top] [lid] [cup]
82. Mess free cap [top] [lid] [cup]
83. Measure with ease
84. Quick, convenient, and mess free
85. [reusable] [drain-back/measuring] cap
86. Drain-Back [Cap] [Top] [Lid] [Cup]
87. Easy-Measure [Cap] [Top] [Lid] [Cup]
88. Easy Pour Spout
89. Fast & Easy Measuring Cap
90. Now Easier To Measure And Pour
91. Now With Measuring Cap and Pour Spout Included
92. Direct[ly] [Easily] Connects to [the] Ortho® Dial 'N Spray®
93. Direct/Easily connect to Ortho® Dial 'N Spray® [applicator name] [means no more measuring]
94. Exact measurement and improved efficacy with Ortho® Dial 'N Spray® [applicator name]
95. Great Value
96. No concentrate contact with Ortho® Dial 'N Spray® [applicator name]
97. No measure, direct connect capability with Ortho® Dial 'N Spray® [applicator name]
98. No measuring! Attaches directly to the Ortho® Dial 'N Spray® [applicator name]
99. No more measuring concentrates with Ortho® Dial 'N Spray® [applicator name]
100. No over/under application, direct connect capability to Ortho® Dial 'N Spray® [applicator name]
101. No over/under application with Ortho® Dial 'N Spray® [applicator name]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 102. Quick and easy to attach to Ortho® Dial 'N Spray® [applicator name]
- 103. Simple, direct connect capability with Ortho® Dial 'N Spray® [applicator name]
- 104. With a quick twist, attach directly to the Ortho® Dial 'N Spray® [applicator name]

Other

- 105. [For] Outdoor Use Only
- 106. For Home Use Only
- 107. Water Based
- 108. Lawn friendly** Weed Control
- 109. Ace Promise – Satisfaction Guaranteed
- 110. Ace Quality since 1924
- **when used as directed
- +See inside label for [many more] [other listed] weeds

Optional Instructions for Side Clip Tape

Open Resealable Label for Directions & Precautions

Peel open for use directions and further information

PULL HERE TO OPEN LABEL PRESS TO RESEAL

PEEL HERE/PRESS TO RESEAL

Open Resealable Label for Directions & Precautions

SQUEEZE TURN]

To Open: Squeeze cap while unscrewing

Questions & Comments [icon phone] [icon computer]

Call 1-800- 225-2883 and/&/or [visit] our website at] [www.]ortho.com

NOTICE: To the extent consistent with applicable law, buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

[†]The ORTHO Guarantee [Consumer Guarantee]: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho & Your Environment

Your yard is a place for family and pets to enjoy. That's why Ortho® [subregistrant name] products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage and disposal.

Scotts No-Quibble Money Back Guarantee™

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us original evidence of purchase and we will mail you a refund check promptly.

Dedicated to a Beautiful World™

Trusted by generations of homeowners, Scotts® is dedicated to helping you enhance and protect the beauty of your home environment.

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Alternate Guarantee: †**GUARANTEED RESULTS or your money back.** If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

The ***[insert company/brand]*** Promise: If this [company/brand] product when used for its intended purpose fails to give you complete satisfaction return the item to the [company] store where purchased for free replacement of the same or similar item.

Money Back Guarantee. See back panel for details* *Great quality. Great Price. Guaranteed. Our guarantee is a promise that you'll be fully satisfied with the quality of every (Product Brand Name) product. If for any reason you aren't happy, we'll replace it or return your money – whichever you prefer. All you need to do is return the empty packaging. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase. Questions or comments? Call (855-481-2977)

[Product of] [Made in] [Assembled in] [Country Name] [USA]

©Year The Ortho Group. [Company Name] World rights reserved.

Manufactured [by]/for]/[Sold by]/Distributed by]:

The ORTHO Group

P.O. Box 190

Marysville, OH 43040

EPA Reg. No. 239-2491

EPA Est. XXX-XXX-X

[Superscript is first letter of lot number]