PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

STATEMENT OF PRACTICAL TREATMENT

Note to Physicians: Emergency [illegible] call (415) 233-3737

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE [illegible]Y IN ACCORDANCE WITH PRECAUTION[illegible]ARY STATEMENTS AND DIR[illegible]TIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, [illegible] equipment.
Open dumping is prohibited.
Do not reuse [illegible] container.

STORAGE

Keep pesticide in original container.
Do not put concentrate or dilute in food or drink containers.
Store in a cool, dry place. Do protect from temperatures below [illegible]
Do not store in direct sunlight [illegible]

PESTICIDE DISPOSAL

For pesticide spray mixtures or rinse water, follow [illegible] label instructions must be followed. Follow applicable [illegible] state or local procedures.

CONTAINER DISPOSAL

[illegible]

DIRECTIONS

DO NOT ADD SURFACTANT EXCEPT WHERE SPECIFICALLY INDICATED BELOW.

APPLES Apple Scab (for protection to pink or petal fall stage to prevent primary infection stage only. Spring Application in dormant or up to 1/4" Green Stage. Midwestern and Eastern States Only. For Protection to Pink Stage: Apply 1.5 lb. [illegible] For Protection up to Petal Fall Stage: [illegible] Caution: [illegible]

BLUEBERRIES For Control of Fusicoccum Canker, Mummyberry and Phomopsis Twig Blight, Anthracnose Fruit Rot: [illegible]

Chevron ORTHO

DIFOLATAN® 80

Water Dispersible Granules

A WATER DISPERSIBLE GRANULAR FUNGICIDE FOR PLANT DISEASE CONTROL

	By Wt.
Active Ingredient	
*Captafol	80%
Inert Ingredients	20%

*cis-N-[(1,1,2,2-tetrachloroethyl)thio]-4-cyclohexene-1,2-dicarboximide
U.S. Pat. No. 3,178,447

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED
JAN 24 1983
Richmond CA 94804-0036

Chevron Chemical Company
Ortho Agricultural Chemicals Division
San Francisco CA 94120-7144

Product 5482 Made in U.S.A.
R Form 10108 D
EPA Reg. No. 239-2495

NET WEIGHT 25 POUNDS

Fusicoccum Canker: [illegible]

Mummyberry and Phomopsis Twig Blight: [illegible]

Anthracnose Fruit Rot: [illegible]

SOUR CHERRIES (Montmorency Variety Only — Mechan[illegible] Only): Monolinia Brown Rot Blossom Blight: [illegible]

Coccomyces Leaf Spot — a) Seasonal Program: [illegible] **b) Reduced Applic[illegible]** [illegible] **c) Postharvest (late season) Control:** [illegible] **Monolinia Fruit Brown Rot:** [illegible]

CRANBERRIES Fruit Rot: [illegible]

CUCUMBERS Downy Mildew, Scab, Gummy Stem Blight, [illegible]ternaria Leaf Blight: [illegible] — (Southeastern states only) [illegible]

MACADAMIA NUTS (Hawaii) Racemo or Blossom Blight: [illegible]

MELONS (Cantaloupe, Honey Dew, Muskmelon and O[illegible]) Leaf Blight, Downy Mildew, Anthracnose, Gummy Stem Bl[illegible]: [illegible]

ONIONS Purple Blotch: [illegible]

ORANGES, GRAPEFRUIT, TANGERINES, LEMONS AND LI[illegible] ONLY: Ground Application: [illegible] Add CHE[illegible] [illegible]

Scab, Melanose and Rust Mite: [illegible]

TEMPLE ORANGES Scab and Rust Mite: [illegible]

DANCY TANGERINES Alternaria Brown Spot and Rust M[illegible]: [illegible]

CAUTION: [illegible]

PEANUTS For Control of Early Cercospora Leafspot in [illegible] Areas. Suppression of Web Blotch in Texas and Oklaho[illegible]

ORTHO

FOLATAN® 80

r Dispersible Granules

ER DISPERSIBLE GRANULAR
CIDE FOR PLANT DISEASE
OL

edient	By Wt.
fol	80%
dients	20%

1,1,2,2-tetrachloroethylthio]-4-
exene-1,2-dicarboximide
o. 3,178,447

EP OUT OF REACH OF CHILDREN

DANGER

E SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

ACCEPTED
JAN 24 1983

Chemical Company
ltural Chemicals Division
o CA 94120-7144 Richmond CA 94804-0036
Made in U.S.A.
S D
239-2495

WEIGHT 25 POUNDS

Fusicoccum Canker

Mummberry and Phomopsis Twig Blight

Anthracnose Fruit Rot

SOUR CHERRIES Montmorency Variety Only. Mechanically Harvested Only. Monilinia Brown Rot Blossom Blight

Coccomyces Leaf Spot a. Seasonal Program

b. Reduced Application Program

c. Postharvest late season Control

Monilinia Fruit Brown Rot

CRANBERRIES Fruit Rot

CUCUMBERS Downy Mildew, Scab, Gummy Stem Blight, Anthracnose, Alternaria Leaf Blight

Fruit Belly Rot

Southeastern states only

MACADAMIA NUTS Hawaii Racemic or Blossom Blight Botrytis

MELONS Cantaloupe, Honey Dew, Muskmelon and Others Alternaria Leaf Blight, Downy Mildew, Anthracnose, Gummy Stem Blight

ONIONS Purple Blotch

ORANGES (GRAPEFRUIT, TANGERINES, LEMONS AND LIMES IN FLORIDA ONLY Ground Application

Aerial Application

Scab, Melanose and Rust Mite

TEMPLE ORANGES Scab and Rust Mite

DANCY TANGERINES Alternaria Brown Spot and Rust Mite

CAUTION

PEANUTS

Rot in Florida

PINEAPPLES Pineapple Heart Rot — Dip Treatment

Spray Treatment

POTATOES Early Blight, Late Blight

PRUNES Brown Rot Blossom Blight — (California and Oregon only)

SWEET CORN Florida Only. For Fresh Vegetable Use only. Do Not Apply to Sweet Corn to be Processed — Northern and Southern Corn Leaf Blight:

TOMATOES Mechanically Harvested Only): Anthracnose, Early Blight, Late Blight, Gray Leaf Spot (Stemphylium spp.), Nail Head Spot, Septoria Leaf Spot, Fruit Rot

For the Control of Anthracnose Fruit Rot — DIFOLATAN 80 Water Dispersible Granules at 10 to 20 lbs. per acre may be used

Alternata — California Only

CAUTION

WATERMELONS: Gummy Stem Blight, Anthracnose, Downy Mildew

WETLAND TARO (HAWAII ONLY). Phytophthora Leaf Blight — 1 to 2 lbs.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption

COMPATIBILITY

CONDITIONS OF SALE