

239-2495 PM 21 1064

300  
17  
135766  
11

300  
17  
144655  
12

SEP 9 1985

Chevron Chemical Co.  
Ortho Agricultural Chemicals Division  
940 Hensley Street  
Richmond, CA 94804-0036

Attention: Ms. Jackie DiMaggio

Gentlemen:

Subject: Difolatan 80 Water Dispersible Granules  
EPA Registration No. 239-2495  
Your Applications Dated October 31, 1984  
and January 16, 1985

The proposed labeling submitted with your application of January 16, 1985, to comply with the labeling requirements specified in the Captafol Registration Standard dated September 28, 1984, and this Agency's letter to all registrants of captafol products dated November 29, 1984 (amended to remove "Restricted Use" classification), will be acceptable provided that you:

1. Add on the following compatibility statement which you outlined in your proposed application dated October 31, 1984:

Difolatan 80 Water Dispersible Granules may not be compatible with certain formulations of Parathion, Guthion, Thiodan, Copper-Count N and Acaraben, especially when using concentrated spray mixtures. Other products may have similar problems. Test mixing is recommended.

2. Submit five (5) printed copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. Final printed labeling is described in A-79 enclosure.


RD/FHB:JOB:88699:Y.Brown:RD-36:Kendrick & Co:898-1270:8/19/85:Del.8/29/85:eg

CONCURRENCES

		CONCURRENCES					
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767)

Enclosure

COPY A

**DANGER**

Causes irreversible eye damage and causes skin irritation. Can cause allergic skin reactions. Harmful if swallowed, inhaled, or absorbed through the skin. May be harmful following prolonged or repeated exposure. Do not get in eyes, on skin or on clothing. Wear goggles, mid-forearm to elbow length chemical resistant gloves, long sleeve shirt and long pants when handling. Avoid breathing dust or spray mist. Mixer/loaders must wear dust mask. Contaminated clothing should be laundered separately in hot water before reuse. Persons in treated areas engaged in activities such as pruning, thinning, cultivation, weeding, harvesting or packing and grading operations may become sensitized and suffer allergic contact dermatitis. Exposure during these operations can be reduced by wearing a long sleeve shirt, long pants and gloves.

COPY B

This product is extremely toxic to fish. Fish may be killed at recommended application rates. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

COPY C

Wear mid-forearm to elbow length chemical resistant gloves, full body clothing during handling and application.

COPY D

Do not allow persons to enter treated areas within 24 hours following application unless protective clothing is worn.

COPY E

, reentry times :

COPY F

Water from cranberry bogs must not be used for direct irrigation of crops other than those with registered captafol uses.

ACCEPTED  
with COMMENTS  
EPA Letter Dated  
SEP 9 1985  
Under the Fungicide, Insecticide, Fungicide Act  
and Fungicide, Insecticide, Fungicide Act  
regist. pesticide reg. No.  
239-2495

CONFIDENTIAL  
PROPERTY OF  
CHEVRON CHEMICAL COMPANY  
UNTI L A S S E S S E D B Y E P A

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
DANGER**

Causes irreversible eye damage and skin irritation. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes, or skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or spray mist.

**STATEMENT OF PRACTICAL TREATMENT**

If in eyes, wash eyes for at least 15 minutes and see a doctor. For skin contact, wash immediately with soap and water. See a doctor if irritation occurs or rash develops. If swallowed, immediately drink a large quantity of water and induce vomiting. See a doctor immediately. Note to Physicians: Emergency Information - call (415) 233-3737.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

**REENTRY STATEMENT**

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not enter treated areas without protective clothing until sprays have dried.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Open dumping is prohibited.

**STORAGE**

Keep pesticide in original container.

Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place.

Do not store or transport near feed or food.

For help with any spill, leak, fire, or exposure involving this material, call day or night (415) 233-3737.

**PESTICIDE DISPOSAL**

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not reuse container. Dispose of liner and container in a sanitary landfill or by incineration if allowed by State and local authorities.

**DIRECTIONS**

DO NOT ADD SURFACTANT EXCEPT WHERE SPECIFICALLY INDICATED BELOW.

APPLES: Apple Scab (for protection to pink or petal fall stage to prevent primary infection stage only)—Spring Application in dormant or up to 1/4" Green Stage; Midwestern and Eastern States Only: For Protection to Pink Stage — Apply 15 lbs. in 100 to 400 gals. of spray per acre. Use the high gallonage for large trees. For Protection up to Petal Fall Stage—Apply 25 lbs. per acre in 100 to 400 gals. of spray per acre. Use the higher gallonage for large trees to provide thorough coverage. May be combined with Superior type spray oils. NOTE: Do not apply oils after DIFOLATAN 80 Water Dispersible Granules applications as phytotoxicity may occur. Applications of DIFOLATAN 80 Water Dispersible Granules made after 1/4" green stage may cause fruit russet or phytotoxicity to primary leaves. For control of secondary apple scab and summer diseases use ORIHOCIDE captan or another fungicide registered for this use, beginning at the pink stage if the 15 lb. rate of DIFOLATAN 80 Water Dispersible Granules was applied



**ORTHO**

**DIFOLATAN® 80**

**Water Dispersible Granules**

**A WATER DISPERSIBLE GRANULAR  
FUNGICIDE FOR PLANT DISEASE  
CONTROL**

Active Ingredient	By Wt.
*Captafol	80%
Inert Ingredients	20%
*cis-N-[(1,1,2,2-tetrachloroethyl)thio]-4-cyclohexene-1,2-dicarboximide	

**KEEP OUT OF REACH OF CHILDREN  
DANGER—PELIGRO**  
SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS  
PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**Chevron Chemical Company © 1984**

Ortho Agricultural Chemicals Division  
San Francisco CA 94120-7146 Richmond CA 94804-0036

Product 5482 Made in U.S.A.

R Form 10108-J

EPA Reg. No. 239-2495

**NET WEIGHT 25 POUNDS**

in th  
of C  
perio  
BAU  
maga  
lbs.  
esse  
Fyde  
week  
linue  
Mum  
Gree  
Anth  
to 2  
SOU  
Only  
ing a  
popc  
to 4  
Coco  
spray  
catio  
10 d  
334  
trees  
quat  
throu  
tion  
per  
durin  
ment  
durin  
ment  
peat  
CRAN  
acre,  
14 d  
with  
CUCU  
terme  
requi  
first  
— (\$  
gals.  
run.  
Do n  
MAC  
lbs. i  
plicat  
perio  
MELC  
leaf  
lbs. i  
depe  
repe  
ONIC  
plicat  
ORAN  
ONLY  
age.  
tion  
at th  
hedg  
Shob  
perib  
sewle  
Gign  
recom  
ules  
throu  
TEAP  
DIFOL  
is ont  
fectio  
weeks  
uf. or  
DANC  
prote  
Grant  
spring  
supli  
When  
tion f  
be co  
festat