

239-2499

6/5/2001

1/7

Registered Product Name: WEED-B-GON Weed Killer
EPA Reg. No. 239-2499

ABN: ORTHO READY-TO-USE WEED-B-GON WEED KILLER

[ICON] OUTDOOR USE ONLY
[water droplet icon] water based

KILLS BROADLEAF LAWN WEEDS-ROOTS AND ALL
READY-TO-USE
NO MIXING

[1 qt. size only] 33% MORE FREE GET 32 OUNCES FOR THE PRICE OF 24
OUNCES

[1.33 Gal. Size only] 33% MORE than 1 Gal Size

Kills: Dandelion, Clovers, Plantains, Chickweeds, Oxalis, Spurges, Henbit, English
Daisy, Wild Onion and (Many) Other Listed Weeds/Broadleaf Weeds.

For home lawns only

Active Ingredients

* 2,4-D, dimethylamine salt 0.20%

† Mecoprop, dimethylamine salt 0.20%

Other Ingredients 99.60%

*2,4-Dichlorophenoxyacetic acid equivalent,
isomer specific by AOAC Method 6.275: 0.16%

† 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent: 0.17%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel (booklet) for additional precautionary statements.

NET 6 fl oz / 177 ml


NET CONTENTS 24 fl oz (1 pt 8 fl oz) 709 ml


NET CONTENTS 64 fl oz (1/2 gal) 1.89 L

NET CONTENTS 1 gal/3.78 L

NET CONTENTS 1.75 gal/6.62 L

NET CONTENTS 1.33 gal/5.00 L



Product Facts	
[Container treats up to 50 weeds [6 oz size]]	
[Container treats more than 200 weeds [24 oz Size]]	
[Container treats more than 500 weeds [Half Gal Size]]	
[Container treats more than 1000 weeds [Gal Size]]	
[Container treats more than 1333 weeds [1.33 Gal Size]]	
KILLS WEEDS	Dandelion, Clover, Chickweed <i>[illustration]</i> and other broadleaf weeds
WHERE TO USE	ON LAWNS <i>[illustration]</i> without harming lawn grasses
	Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

Kills weeds in your lawn - won't harm lawn grasses. Weed-B-Gon singles out weeds, enters through leaves and moves inside the weed to the roots.

-----OPTION 1 (QCS)-----

Quick Connect Sprayer Package Design Directions:

NOW with quick connect sprayer. 1. Pull sprayer from bottle. 2. Pull [color] hose connector and coil from sprayer handle. 3. Insert hose connector into [color] spout on cap until it clicks in place. 4. Flip up spout. Turn sprayer nozzle to open, and spray. [3/21/96]Quick connect sprayer. 1. Remove sprayer. Pull cord ALL THE WAY OUT. 2. Insert red plug into spout (on cap) until it clicks. 3. Flip up spout. Open nozzle at end of sprayer.

-----END OF OPTION 1 (QCS)-----

[Weed-B-Gon] kills broadleaf weeds in lawns -- roots and all. Kills weeds - Not lawn grasses when used according to directions. Ready-To-Use. No Mixing.

PULL HERE TO OPEN LABEL
PRESS TO RESEAL

WEEDS [Illustration]: Bur Clover, Carpetweeds, Chickweeds, Creeping Charlie, Cudweed, Curly Dock, Dandelion, English Daisy, False Dandelion, Filaree, Florida Pusley, Heartleaf Drymary, Henbit, Oxalis, Pennywort, Plantains, Purslane, Red Sorrel, Sheep Sorrel, Spurges, Spurweed, Thistles, Toadflax, White Clover, Wild Carrot, Wild Geranium, Wild Onion And other broadleaf weeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL

PRECAUTIONARY STATEMENTS AND DIRECTIONS.

KILLS: Bur Clover, Carpetweeds, Chickweeds, Creeping Charlie, Cudweed, Curly Dock, Dandelion, English Daisy, False Dandelion, Filaree, Florida Pusley, Heartleaf Drymary, Henbit, Oxalis, Pennywort, Plantains, Purslane, Red Sorrel, Sheep Sorrel, Spurges, Spurweed, Thistles, Toadflax, White Clover, Wild Carrot, Wild Geranium, Wild Onion.

-----**OPTION 1 (QCS)**-----

HOW TO USE: [3/21/96] Turn sprayer nozzle to open. Adjust spray nozzle to give a coarse spray. Aim at center of weed and spray to wet. Spray any time weeds are actively growing. Do not apply when rain or temperatures over 90° are expected within 6 hours. Hard to control weeds may require repeat application in 2-3 weeks. Weeds in newly seeded lawns may be sprayed after lawn has been mowed 3 times.

-----**END OF OPTION 1 (QCS)**-----

-----**OPTION 2 (QCS/TRIGGER SPRAYER)**-----

HOW TO APPLY *[icon]*

- Turn sprayer nozzle to open.
- Adjust sprayer nozzle as desired.
- Aim at center of weed and spray to lightly cover.

-----**END OF OPTION 2 (QCS/TRIGGER SPRAYER)**-----

(Language for OPTION 3 only to be used with Alternate CSF D or E)

-----**OPTION 3 (WEED-B-GON FOAMER APPLICATOR)**-----

HOW TO APPLY *[icon]*

- Turn sprayer nozzle to desired position – FOAM [MARKER] or STREAM [MIST] [SPRAY] [NO MARKER] [NO FOAM]. FOAM [MARKER] marks treated weeds for up to (x) minutes, allowing you to easily see where you've sprayed. STREAM [MIST] [SPRAY] [NO MARKER] [NO FOAM] provides a coarse spray that does not foam.
- Aim at center of weed and spray until covered.

-----**END OF OPTION 3 (WEED-B-GON FOAMER APPLICATOR)**-----

WHEN TO APPLY *[icon]*

- Spray when weeds are actively growing.
- Spray when temperature is below 90°F.
- Hard to kill weeds may require a repeat application in 2 to 3 weeks.
- Rain or watering 6 hours after application will not wash away effectiveness.

IMPORTANT: Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants. Do not use **on** or around fruits,

vegetables or flowers. Temporary discoloration may occur on St. Augustine, Centipede, and Bentgrass lawns.

STORAGE AND DISPOSAL [Optional Icon]

[For conventional trigger sprayers]

STORAGE: Rotate nozzle to closed position. [or] Turn sprayer nozzle to "OFF"

[For conventional trigger sprayers larger than 24 oz] Place trigger sprayer under handle on container to keep sprayer above the level of contents

[For Quick Connect sprayer and bottle]

STORAGE: Flip down spout to close. No need to disconnect trigger sprayer. Close nozzle on trigger sprayer. Snap sprayer back in place.

[For FOAMER Applicator, which is only to be used for production/packaging of Alternate CSF D or E]

(FOR Trigger Sprayer Head) Turn nozzle to OFF position.

(FOR Quick Connect Sprayer Head) Flip down spout to close. NO NEED TO DISCONNECT TRIGGER SPRAYER. Turn nozzle on trigger sprayer to OFF position. Snap sprayer back in place.

(Following to be used with all Storage Text) Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

(Following Disposal text to be used with all Sprayer Package Designs)

DISPOSAL: Do not reuse empty container. Wrap container and put in trash

PRODUCT: Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

[Optional Icon]

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. APPLYING: When applying this product wear goggles or face shield, long pants, long sleeved shirt, socks, shoes, and chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. Remove contaminated clothing and launder separately before reuse. Remove saturated clothing as soon as possible and shower.

[Reentry Icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physicians: Emergency Information-call 1-800- 225-2883.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Exercise caution when disposing of waste as groundwater contamination may result from careless handling or spills. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[📞 Questions, Comments or Medical Information
call 1-800-225-2883 www.ortho.com]

Manufactured for
The ORTHO Group
P.O. Box 1749
Columbus, OH 43216
Form 0-305-1
EPA Reg. No. 239-2499
EPA Est. 239-1A-3¹, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA
UPC

APPENDIX 1: Formula Claims

Weed-B-Gon kills weeds, not the lawn.
Weed-B-Gon kills weeds not lawns.
ORTHO® WEED-B-GON® for the lawn.
For a beautiful Weed-Free Lawn & Garden
Use Weed-B-Gon to control weeds everywhere around (or in) your lawn and garden.
Kills weeds (and grasses) in patios, driveways, sidewalks and other non-lawn areas.
Kills weeds and grasses down to the root.
Rainproof in two (2) hours.
Kills broadleaf weeds in your lawn.
Won't harm most lawn grasses.
Ideal for spot treating individual lawn weeds.
Rain proof in hours.
Kills Dandelion, Clover & Other Broadleaf Weeds - Won't Harm Lawns.
Kills Weeds - Not Lawn Grasses
Kills Weeds – Not Lawns, Rain Proof In Hours

APPENDIX 2: Applicator Claims

Now With Quick Connect Sprayer
 Quick Click Sprayer
 Quick & Easy to Use
 No Leaks or Mess
 Easy to Store
 EASY-TO-USE
 33% more than 1 gallon size
 New! (6 months)
 New and Improved! (6 months)
 Improved[!]
 WEED-B-GON WEED KILLER the easy way to kill lawn weeds

CLAIMS FOR FOAM FORMULA (Alternate CSF D or E)

1. See [shows] where [the weeds] [what] [how much] you [you've] spray [sprayed] [applied]
2. See [shows] exactly [precisely] where [the weeds] [what] [how much] you [you've] spray [sprayed] [applied] [treated]
3. See [shows] [marks] area covered [treated] [sprayed].
4. (Foam) Marks [shows] treated [sprayed] weeds
5. (Foam) Marks [shows] treated [sprayed] weeds for up to 5 minutes
6. (Foam) Marks [shows] the weeds you've sprayed [treated]
7. (Foam) Marks [shows] the weeds you've sprayed [treated] for up to 5 minutes
8. Visible foam marks weeds
9. Visible foam marks [shows] weeds you've sprayed [treated]
10. Visible foam marks [shows] weeds for up to 5 minutes
11. Visible foam marks [shows] weeds you've sprayed [treated] for up to 5 minutes
12. Easily [Easy to] see where [the weeds] [what] you've sprayed [treated] [applied]
13. Easily [Easy to] see exactly [precisely] where [the weeds] [what] you've sprayed [treated] [applied]
14. Visible foam makes it easy [easier] to see where [the weeds] [what] you've sprayed [treated] [applied]
15. Visible foam makes it easy [easier] to see exactly [precisely] where [the weeds] [what] you've sprayed [treated] [applied]
16. Foam makes it easy [easier] to see where [the weeds] [what] you've sprayed [treated] [applied]
17. Foam makes it easy [easier] to see exactly [precisely] where [the weeds] [what] you've sprayed [treated] [applied]
18. Treated [sprayed] weeds stay visible [marked] for up to 5 minutes
19. Treated [sprayed] weeds can easily be seen for up to 5 minutes
20. Choose foam or clear stream [no foam]
21. See where you spray technology
22. Marker [Foam] [Foaming] Technology
23. Hit [spray] [target] precisely [exactly] what you want
24. Foam marks the spot
25. Foaming action
26. New!

- 27. Now!
- 28. Accurate
- 29. For Visible Results
- 30. See what you've hit
- 31. The accurate way to spray
- 32. Hit what you aim at
- 33. Ideal for use in (flower and vegetable) gardens

)