



ORTHO

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid inhalation of dust. Avoid contamination of food and feed. Wash thoroughly after handling. Keep children and pets off treated area until completely dry. Kitchen utensils such as eating cups should not be used for food purposes after contact with pesticide. **STATEMENT OF PRACTICAL TREATMENT:** If swallowed, DO NOT make person vomit unless directed by a doctor. If in eyes, take person and container to doctor or in emergency, hospital. If this is not possible, telephone for medical advice. In case of eye contact, immediately flush eyes with fresh water for 15 minutes. If irritation persists, see a doctor. If on skin, wash thoroughly with soap and water.

Physicians: Emergency information: call (415) 233-3232. Diazinon is an organophosphorus cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is anticholinergic. 2-PAM may also be given in conjunction with atropine, but should not be used alone.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and birds. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposing of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Use of Treatment: Imported Fire Ants. To control imported fire ants in lawns and other recreational areas, apply 1/2 lb. of granules per 1,000 sq. ft. over and around each fire ant mound. Immediately after application, water in thoroughly. A minimum of 1 gallon of water could be applied to each sq. ft. and area. Do not use more than 100 gallons of water. Apply water gently to avoid disturbing mounds. Do not use high pressure watering equipment. The use of high pressure water is reducing effectiveness of treatment. If new mounds appear, for best results, repeat application in 7-10 days. Repeat in the early morning or late afternoon.

Diazinon Granular Fire Ant Killer

Ready To Use Granules

Aids In Controlling Imported Fire Ants

For Use In Lawns and

Other Recreational Areas

Active Ingredient

*Diazinon

Inert Ingredients

*O,O diethyl O (2 isopropyl 6 methyl-4-pyrimidinyl) phosphorothioate


By Wt.
5%
95%

Keep out of reach of children

CAUTION

See additional precautionary statements on back of bag.

NET WT. 10 LBS.



STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT—Partially filled bag may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER—**Do not reuse bag. Discard bag in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1984

Ortho Consumer Products Division

San Francisco CA 94120 7144

Richmond CA 94804 0036

Product 5496

Made in U.S.A.

Form 10225-C

EPA Reg. No. 239-2503

EPA Est. 239-NJ-1-239-MO-1

Superscript used in first letter of last number