

ORTHO® Diazinon Granular Fire Ant Killer
(ABN Fire Ant Killer Granules)
Ready-To-Use Granules
Controls Imported Fire Ants

For Use On Home Lawns and Other
Outdoor Home Recreational Areas Only

Active Ingredient

Diazinon [O,O-diethyl O-(2-isopropyl-6-
methyl-4-pyrimidinyl) phosphorothioate]..... 5%

Inert Ingredients 95%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements on back of bag.

NET WT 3 LBS 8 OZ / 1.59 kg

ACCEPTED
SEP - 6 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered for the pesticide
under
234-2503

Ready-To-Use Granules

Controls Imported Fire Ants

For Use on Home Lawns and Other Outdoor Home Recreational Areas Only

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

FIRE ANTS

Home Lawns: Apply 1/2 cup over, and 2 ft around, each fire ant mound. For best results apply when temperatures are between 65 and 80°F.

To avoid disturbing ants, gently water granules in immediately after application. Use 1 gallon of water per mound. High pressure watering may disturb the ants and cause them to move and form new mounds.

Treat new mounds as they appear.

~~FIRE ANTS~~

~~Spot Treatment Imported Fire Ants in home lawns and other outdoor home recreational areas: apply 1/2 cup in a 3 ft diameter over and around each fire ant mound. Immediately after application, water in thoroughly. A minimum of 1 gal of water should be applied to each mound area. Do not use more than 2 gal of water. Apply water gently to avoid disturbing ants. High pressure watering may disturb the ants and cause migration, reducing effectiveness of treatment. For best results apply in cool weather, 65 to 80°F, or in early morning or late evening. Treat new mounds as they appear.~~

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. DISPOSAL: PRODUCT-Partially filled bag may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER-Do not reuse bag. Discard bag in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not store near food or feed products. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides. Do not contaminate ornamental fish ponds. Do not allow children or pets on treated areas until granules have been

watered into the soil and the grass or soil is dry. FIRST AID If swallowed, call a physician immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing. If inhaled, remove victim to fresh air and apply artificial respiration, if indicated. If on skin, wash promptly with plenty of soap and water. Rinse thoroughly. Get medical attention. If in eyes, rinse eyes with plenty of water and call a physician immediately. Note to Physicians: Emergency Information-call 1-800-454-2333. This is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

ENVIRONMENTAL HAZARDS: This product is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl (ducks or geese) feeding or drinking on treated areas may be killed. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds. Granules that are spilled or are visible on soil surfaces should be covered with soil or thoroughly mixed into the soil.

For lawns, follow all watering instructions in the directions for use, however, stop watering before puddling occurs. For lawns, do not apply this product to sites occupied by waterfowl, or within 75 ft. of any body of water which may attract waterfowl, such as ponds or lakes.

Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water. Runoff may be hazardous to fish and other aquatic organisms in neighboring areas.

Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

~~This product is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.~~

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

☛ Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

®Trademark of Monsanto Company
©Monsanto Company 1994

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Product 5496
Form RS783-A
EPA Reg. No. 239-2503
EPA Est. 58996-MO-1
Made in USA