

1 of 6

TEST NO. 1
In Accordance with EPA Reg. No. 239-2509
EPA Reg. No. 239-2509 2-7-86

KLEENUP Grass & Weed Killer
EPA Reg. No. 239-2509

COPY A

Dallisgrass

COPY B

Curly Dock

COPY C

Goathead

COPY D

Kikuyugrass

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA


2 of 6



ORTHO

KLEENUP® Grass & Weed Killer

**Ready To Use
No Mixing**



KLEENUP® Grass & Weed Killer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. In case of contact, immediately flush eyes with fresh water for 15 minutes. Get medical attention if eye irritation persists.

Note to Physicians: Emergency Information—call (415) 233-3131.
ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food.

Kills Annual Weeds

Annual Bluegrass
Crackweed
Common Fiddleneck
Common Ragweed
Cudweed***
Evening Primrose
Florida Pusley
Garden Spurge
Goosegrass
Green Foxtail
Hair Crabgrass

Kills Biennial and Perennial Weeds

Bahagrass
Bermgrass
Bermudagrass
Blackseed Plantain
Broadleaf Plantain
Brownseed
Paspalum
Buckhorn Plantain
Bull Thistle
Canada Thistle
Centipedegrass
Clover***
Common Mullen
Common Plantain
Creeping
Beggarweed
***Annual or Biennial

Henbit
Lambsquarter
Large Crabgrass
London Rocket
Mayweed
Oralis
Picky Lettuce
Prostrate Knotweed
Prostrate Pigweed
Puncture Vine
Purslane
Creeping Charlie
Creeping Lantana
Dandelion
Dogfennel
False Dandelion
Field Bindweed
(Wild)
Morningglory
Hypericum
Johnsongrass
Kentucky Bluegrass
Nimblewill
Nutsedge
(Nutsedge)
Orchardgrass
Poison Ivy

Red Dead Nettle
Redroot Pigweed
Sardspur
Shepherdspurse
Sowthistle
Smartweed
Smooth Crabgrass
Velvetweed
Wild Geranium***
Wild Violet

Poison Oak
Quackgrass
Ragweed
Sour Dock
Spurge***
St. Augustinegrass
Tall Fescue
Tall Thistle
(Field Thistle)
Tansy
Torpedograss
Virginia Creeper
Wild Blackberry
Wild Carrot
Yellow Oxalis
Zostagrass

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Flower Beds, Around Trees and Shrubs, in Lawns, Walks, Driveways, in Gravel or Bark Ground Mulch.

KLEENUP Grass & Weed Killer is formulated for "spot" application to individual weeds. The weed killer moves systematically through all parts of the plant. Visible effects usually occur within 1 week on most weeds with complete kill in 1 to 2 weeks.

HOW TO USE

Apply with hand trigger sprayer. Sprayer nozzle should be adjusted to allow a coarse spray for applying to cover area occupied by unwanted weeds or grasses. Stand close to weed (1 to 2 feet) with spray nozzle aimed at weed and away from face. Spray to cover center of weed. Do not overspray. One application will kill most weeds listed. If certain tough weeds, i.e., Bermudagrass, Canada thistle or hard bindweed are not completely controlled within 2 weeks, repeat application. This product is a non-selective weed killer and will kill all vegetation contacted. Treated areas in lawns can be resceded 7 days after application.

IMPORTANT: KLEENUP Grass & Weed Killer is a contact herbicide that will kill all green plant tissue. Be careful when treating weeds not to spray surrounding desirable grasses or nearby plants as they will also be killed. Also avoid spraying under conditions involving possible drift to desirable plants. Do not apply when rainfall is expected within 6 hours of application as weed control will be reduced. If spray accidentally contacts desirable foliage, wash off immediately with water.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing. **Important:** After each use, store sprayer nozzle under handle on container above liquid level of contents to prevent leakage and siphoning from nozzle.

DISPOSAL: PRODUCT—Partially filled jug may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER**—Do not reuse empty jug. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

ACCEPTED

FEB - 7 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 729-2507

In Accordance with EPA Reg. No. 239-2509
1 2-7-86

KLEENUP Grass & Weed Killer
EPA Reg. No. 239-2509

COPY A

Dallisgrass

COPY B

Curly Dock

COPY C

Goathead

COPY D

Kikuyugrass

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

BEST AVAILABLE COPY


4 of 6



ORTHO

KLEENUP® Grass & Weed Killer

Ready To Use
No Mixing



KLEENUP® Grass & Weed Killer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. In case of contact, immediately flush eyes with fresh water for 15 minutes. Get medical attention if eye irritation persists.

Note to Physicians: Emergency Information—call (415) 233-3737.
ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food.

Kills Annual Weeds

Annual Bluegrass
Chickweed
Common Fiddleneck
Common Ragweed
Cudweed***
Evening Primrose
Florida Pusley
Garden Spurge
Goosegrass
Green Foxtail
Hairy Crabgrass
Kills Biennial and Perennial Weeds

Bahgrass
Bentgrass
Bermudagrass
Blackseed Plantain
Broadleaf Plantain
Brownseed
Paspalum
Buckhorn Plantain
Bull Thistle
Canada Thistle
Centipedegrass
Clover***
Common Mullen
Common Plantain
Creeping
Beggarweed
***Annual or Biennial

Henbit
Lambsquarter
Large Crabgrass
London Rocket
Mayweed
Oxalis
Prickly Lettuce
Prostrate Knotweed
Prostrate Pigweed
Puncture Vine
Purslane
Red Dead Nettle
Redroot Pigweed
Sandspur
Sheepspurge
Sowthistle
Smartweed
Smooth Crabgrass
Velvetweed
Wild Geranium***
Wild Violet

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Flower Beds, Around Trees and Shrubs, in Lawns, Walks, Driveways, in Gravel or Bark Ground Mulch

KLEENUP Grass & Weed Killer is formulated for "spot" application to individual weeds. The weed killer moves systemically through all parts of the plant. Visible effects usually occur within 1 week on most weeds with complete kill in 1 to 2 weeks.

HOW TO USE

Apply with hand trigger sprayer. Sprayer nozzle should be adjusted to allow a coarse spray for applying to cover area occupied by unwanted weeds or grasses. Stand close to weed (1 to 2 feet) with spray nozzle aimed at weed and away from face. Spray to cover center of weed. Do not overspray. One application will kill most weeds listed. If certain tough weeds, i.e., Bermudagrass, Canada thistle or field bindweed are not completely controlled within 2 weeks, repeat application. This product is a non-selective weed killer and will kill all vegetation contacted. Treated areas in lawns can be reseeded 7 days after application.

IMPORTANT: KLEENUP Grass & Weed Killer is a contact herbicide that will kill all green plant tissue. Be careful when treating weeds not to spray surrounding desirable grasses or nearby plants as they will also be killed. Also avoid spraying under conditions involving possible drift to desirable plants. Do not apply when rainfall is expected within 6 hours of application as weed control will be reduced. If spray accidentally contacts desirable foliage, wash off immediately with water.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing. **Important:** After each use, store sprayer nozzle under handle on container above liquid level of contents to prevent leakage and siphoning from nozzle.

DISPOSAL: PRODUCT—Partially filled jug may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER—**Do not reuse empty jug. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

ACCEPTED

FEB - 7 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 229-2509

5 of 6



ORTHO




ORTHO

KLEENUP[®]
Grass & Weed
Killer

KLEENUP[®]
Grass & Weed Killer

Ready To Use
No Mixing



Kills Weeds & Grasses
in 1 to 2 weeks—
Roots and all

READY TO USE
No mixing

Chevron Chemical Company • 1984
Ortho Consumer Products Division
San Francisco CA 94120-7144 Richmond CA 94804-0036
Product 5512 Made in U.S.A.
Form 10429-E EPA Reg. No. 239-2509-AA
EPA Est. 235-V-V-J

Active Ingredients	By Wt
Isopropylamine salt of *glyphosate	0.50%
Sodium salt of **acifluorfen	0.12%
Inert Ingredients	99.38%
*N-(phosphonomethyl)glycine	
**Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate	
†Patent Pending	

Keep out of reach of children
CAUTION
See back panel for additional
precautionary statements.


NET CONTENTS ½ GAL



ORTHO

KLEENUP® Grass & Weed Killer

Ready To Use
No Mixing



KLEENUP® Grass & Weed Killer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. In case of contact, immediately flush eyes with fresh water for 15 minutes. Get medical attention if eye irritation persists.

Note to Physicians: Emergency Information—call (415) 233-3737. **ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food.

Kills Annual Weeds

Annual Bluegrass
Chickweed
Common Fiddleneck
Common Ragweed
Cudweed***
Evening Primrose
Florida Pusley
Garden Spurge
Goathead
Goosegrass
Green Foxtail
Hairy Crabgrass

Horsetail
Kikuyugrass
Lambquarter
Large Crabgrass
London Rocket
Mayweed
Oxalis
Picky Lettuce
Prostrate Knotweed
Prostrate Pigweed
Puncture Vine
Purslane

Red Dead Nettle
Redroot Pigweed
Sandspur
Shepherdspurse
Sowthistle
Smartweed
Smooth Crabgrass
Velvetweed
Wild Geranium***
Wild Violet

Kills Biennial and Perennial Weeds

Bullgrass
Bentgrass
Bermudagrass
Blackseed Plantain
Broadleaf Plantain
Brownseed
Paspalum
Buckhorn Plantain
Bull Thistle
Canada Thistle
Centipede
Clover***
Common Mullen
Common Plantain
Creeping
Begganweed
Creeping Charlie

Creeping Lantana
Curly Dock
Dallisgrass
Dandelion
Dogfennel
False Dandelion
Field Bindweed
(Wild)
Morningglory
Hypericum
Johnsongrass
Kentucky Bluegrass
Nutsedge
Orchardgrass
Poison Ivy

Poison Oak
Quackgrass
Ragweed
Sour Dock
Spurge***
St. Augustinegrass
Tall Fescue
Tall Thistle
(Field Thistle)
Tansy
Torpedograss
Virginia Creeper
Wild Blackberry
Wild Carrot
Yellow Oaks
Zoysiagrass

***Annual or Biennial

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Flower Beds, Around Trees and Shrubs, in Lawns, Walks, Driveways, in Gravel or Bark Ground Mulch.

KLEENUP Grass & Weed Killer is formulated for "spot" application to individual weeds. The weed killer moves systemically through all parts of the plant. Visible effects usually occur within 1 week on most weeds with complete kill in 1 to 2 weeks.

HOW TO USE*

Apply with hand trigger sprayer. Sprayer nozzle should be adjusted to allow a coarse spray, for applying to cover area occupied by unwanted weeds or grasses. Stand close to weed (1 to 2 feet) with spray nozzle aimed at weed and away from face. Spray to cover center of weed. Do not overspray. One application will kill most weeds listed. If certain tough weeds, i.e., Bermudagrass, Canada thistle or field bindweed are not completely controlled, within 2 weeks, repeat application. This product is a non-selective weed killer and will kill all vegetation contacted. Treated areas in lawns can be reseeded 7 days after application.

IMPORTANT: KLEENUP Grass & Weed Killer is a contact herbicide that will kill all green plant tissue. Be careful when treating weeds not to spray surrounding desirable grasses or nearby plants as they will also be killed. Also avoid spraying under conditions involving possible drift to desirable plants. Do not apply when rainfall is expected within 6 hours of application as weed control will be reduced. If spray accidentally contacts desirable foliage, wash off immediately with water.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing. Important: After each use, store sprayer nozzle under handle on container above liquid level of contents to prevent leakage and siphoning from nozzle. **DISPOSAL:** PRODUCT—Partially filled jug may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER:** Do not reuse empty jug. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY