

Back Panel

KLEENUP Weed & Grass Killer

Illustrations with new carrier containers package directions located on top.
Now with quick connect sprayer. 1. Pull sprayer from bottle. 2. Pull (color) hose
connector and coil from sprayer handle. 3. Insert hose connector into (color)
scoop on cap until it clicks in place. 4. Flip up scoop from sprayer bottle to open
and spray.

Gives Complete Kill of Tough Weeds in Flower Beds, Around Trees, Shrubs, in
Lawns, Walks, Driveways, and Mulch. The weed killer moves systemically through
all parts of the plant. Visible results in 3 Days with complete kill in 1 to 2 weeks.
This product is a non-selective weed killer and will kill all vegetation contacted.


DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a
manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL
PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

HOW TO USE: Adjust sprayer nozzle to a coarse spray or jet stream. Stand close
to weed (1 to 2 feet) with spray nozzle aimed at weed and away from face. Spray
to cover center of weed. Do not over spray. Be careful when treating weeds not
to spray surrounding desirable grasses or nearby plants as they will also be killed.
One application will kill most weeds listed. If tough weeds are not completely
controlled within 2 weeks, repeat application. Do not use for spot weed control in
lawns. Do not apply when rainfall is expected within 6 hours as weed control will
be reduced. If spray accidentally contacts desirable foliage, wash off immediately
with water.

- | | | |
|--------------------|---------------------|--------------------|
| Annual Bluegrass | Common Mullein | Morningglory) |
| Bahiagrass | Common Ragweed | Florida Pusley |
| Bentgrass | Common Fiddleneck | Garden Spurge |
| Bermudagrass | Creeping Beggarweed | Goathead |
| Blackseed Plantain | Creeping Lantana | Goosegrass |
| Broadleaf Plantain | Creeping Charlie | Green Foxtail |
| Brownseed Paspalum | Cudweed | Hairy Crabgrass |
| Buckhorn Plantain | Curly Dock | Henbit |
| Bull Thistle | Dallisgrass | Hypericum |
| Canada Thistle | Dandelion | Johnsongrass |
| Centipedegrass | Dogfennel | Kentucky Bluegrass |
| Chickweed | Evening Primrose | Kikuyugrass |
| Clover | False Dandelion | Lambsquarter |
| Common Plantain | Field Bindweed(Wild | Large Crabgrass |

- London Rocket
- Mayweed
- Nimblewill
- Nutgrass(Nutsedge)
- Orchardgrass
- Oxalis
- Poison Ivy
- Poison Oak
- Prickly Lettuce
- Prostrate Pigweed
- Prostrate Knotweed
- Puncture Vine
- Purslane
- Quackgrass
- Ragweed
- Red Dead Nettle
- Redroot Pigweed
- Sandspur
- Shepherdspurse
- Smartweed
- Smooth Crabgrass
- Sour Dock
- Sowthistle
- Spurge
- St. Augustinegrass
- Tall Thistle (Field Thistle)
- Tall Fescue
- Tansy
- Torpedograss
- Velvetweed
- Virginia Creeper
- Wild Blackberry
- Wild Carrot
- Wild Violet
- Wild Geranium
- Yellow Oxalis
- Zoysiagrass



STORAGE AND DISPOSAL

~~{24 or 26 oz. size}~~

~~{For conventional trigger sprayers}~~

~~STORAGE: To store, rotate nozzle to closed position.~~

~~{For other conventional sprayers, place trigger sprayer under handle on container to keep sprayer above level of contents.~~

~~{For trigger sprayer with bottle}~~

~~STORAGE: Flip down sprayer to close. No need to disconnect trigger sprayer. Rotate nozzle to closed position. Snap sprayer back in place.~~

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferable in a locked storage area. Keep from freezing.

~~{1/2 & 1 gal size} STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing.~~

~~IMPORTANT: After each use, rotate nozzle to closed position. Store sprayer nozzle under handle of container above liquid level of contents to prevent leakage and siphoning from nozzle.~~

~~DISPOSAL: PRODUCT- Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.~~

~~CONTAINER: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.~~

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. In case of contact, immediately flush eyes with fresh water for 15 minutes. Get medical attention if eye irritation persists. Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food. Note to Physicians: Emergency Information-call 1-800-454-2333.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

☛ Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883



5 7 5

This product is protected by U. S. Patent No. 4,405,531. Other patents pending.
No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company
©Monsanto Company 1995

The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form RS669-A Product 5512
EPA Reg. No. 239-2509
EPA Est. 239-1A-3
Made in USA

2392509.EPA
New pkg amendments

August 3, 1994
April 25, 1995

41
10
5
5