

ORTHO®

KLEENUP® Grass & Weed Killer

[icon] Outdoor Use only

[water droplet icon] Water Based Product

[ABN: KLEERAWAY™ Grass & Weed Killer]

[ABN: Yard Basics Weed & Grass Killer]

NOTIFICATION

NOV 4 - 1997

READY-TO-USE NO MIXING
Kills Weeds & Grasses in 1 to 2 weeks-
Roots and all
Fast Acting Formula
for GENERAL WEED CONTROL

Contains Glyphosate and Blazer
Before [Used with an illustration]
After [Used with an illustration]
New, Fast Acting Formula
Quickly Clears Away Weeds & Grasses
Visible results in 3 days
Ideal For Spot Treatment in Driveways, Sidewalks, Patios & Around Trees
Premixed Formula
Kills Quickly
Kills Roots & All

[10/24/97 Notification] Contains No Diquat

Ornamental gardens can be reseeded or replanted soon / 1 day after treatment
Water Based Formula
New Quick Connect Sprayer Now With Quick Connect Sprayer
Quick Click Sprayer Quick & Easy To Use
No Leaks or Mess Easy to Store
See Back for Instructions

Active Ingredients


Isopropylamine salt of *glyphosate 0.50%
Sodium salt of **acifluorfen.....0.12%
Inert Ingredients99.38%
*N-(phosphonomethyl) glycine
**Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-
2-nitrobenzoate

[10/24/97 Notification - PR 97-5]

OR

Active Ingredients

Glyphosate	0.50%
Acifluorfen	0.12%
Inert Ingredients	99.38%



Keep out of reach of children

CAUTION

See back panel [10/24/97 Notification] booklet for additional precautionary statements.

NET CONTENTS 24 fl oz (1 pt 8 fl oz) 709 mL 26 fl oz (1 pt 10 fl oz) 768 mL
64 fl oz (1/2 gal) 1.89 L 1 gal / 3.78 L

[Back Panel]

KLEENUP Weed & Grass Killer

[Illustrations with new Larger Containers package directions located on top] Now with quick connect sprayer. 1. Pull sprayer from bottle. 2. Pull [color] hose connector and coil from sprayer handle. 3. Insert hose connector into [color] spout on cap until it clicks in place. 4. Flip up spout. Turn sprayer nozzle to open, and spray.

[10/27/95][Alternative package language.] 1. Remove sprayer. Pull cord ALL THE WAY OUT.

2. Insert red plug into spout (on cap) until it clicks. 3. Flip up spout. Open nozzle at end of sprayer.

Gives Complete Kill of Tough Weeds in Flower Beds, Around Trees, Shrubs, in Lawns, Walks, Driveways, and Mulch. The weed killer moves systemically through all parts of the plant. Visible results in 3 days with complete kill in 1 to 2 weeks.


This product is a non-selective weed killer and will kill all vegetation contacted.

[10/27/95] This product is specially formulated for residential use only.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.


HOW TO USE: Adjust sprayer nozzle to a coarse spray or jet stream. Stand close to weed (1 to 2 feet) with spray nozzle aimed at weed and away from face. Spray to cover center of weed. Do not over spray. Be careful when treating weeds not to spray surrounding desirable grasses or nearby plants as they will also be killed. One application will kill most weeds listed. If tough weeds are not completely controlled within 2 weeks, repeat application. Do not use for spot weed control in lawns. Do not apply when rainfall is expected within 6 hours as weed control will be reduced. If spray accidentally contacts desirable foliage, wash off immediately with water. Ornamental gardens can be reseeded or replanted soon / 1 day after treatment.



Annual Bluegrass
 Bahiagrass
 Bentgrass
 Bermudagrass
 Blackseed Plantain
 Broadleaf Plantain
 Brownseed Paspalum
 Buckhorn Plantain
 Bull Thistle
 Canada Thistle
 Centipedegrass
 Chickweed
 Clover
 Common Plantain
 Common Mullein
 Common Ragweed
 Common Fiddleneck
 Creeping Beggarweed
 Creeping Lantana
 Creeping Charlie
 Cudweed
 Curly Dock
 Dallisgrass
 Dandelion
 Dogfennel
 Evening Primrose
 False Dandelion
 Field Bindweed(Wild
 Momingglory)
 Florida Pusley
 Garden Spurge
 Goathead
 Goosegrass
 Green Foxtail
 Hairy Crabgrass
 Henbit
 Hypericum
 Johnsongrass
 Kentucky Bluegrass
 Kikuyugrass
 Lambsquarters
 Large Crabgrass
 London Rocket

Mayweed
 Nimblewill
 Nutgrass(Nutsedge)
 Orchardgrass
 Oxalis
 Poison Ivy
 Poison Oak
 Prickly Lettuce
 Prostrate Pigweed
 Prostrate Knotweed
 Puncture Vine
 Purslane
 Quackgrass
 Ragweed
 Red Dead Nettle
 Redroot Pigweed
 Sandspur
 Shepherdspurse
 Smartweed
 Smooth Crabgrass
 Sour Dock
 Sowthistle
 Spurge
 St. Augustinegrass

Tall Thistle (Field
 Thistle)
 Tall Fescue
 Tansy
 Torpedograss
 Velvetweed
 Virginia Creeper
 Wild Blackberry
 Wild Carrot
 Wild Violet
 Wild Geranium
 Yellow Oxalis
 Zoysiagrass



STORAGE AND DISPOSAL

[For conventional trigger sprayers]

STORAGE: Rotate nozzle to closed position.

[For larger conventional sprayers] Place trigger sprayer under handle on container to keep sprayer above level of contents.

[For proprietary sprayer and bottle]

STORAGE: Flip down spout to close. No need to disconnect trigger sprayer. ~~Rotate nozzle to closed position.~~ [10/27/95] Close nozzle on trigger sprayer. Snap sprayer back in place.

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing.

DISPOSAL: PRODUCT- Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER:** Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS


CAUTION: Avoid contact with eyes. In case of contact, immediately flush eyes with fresh water for 15 minutes. Get medical attention if eye irritation persists. [reentry icon] Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food. Note to Physicians: Emergency Information-call 1-800-454-2333.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

☎ Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED



® ,™ Trademarks of Monsanto Company
©Monsanto Company 1995

The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form ~~RS669-G~~ 7-669-01 Product 6039
EPA Reg. No. 239-2509
EPA Est. 239-IA-3
Made in USA

[10/27/97 Notification] Solaris®
[FIX-A-FORM LABEL TEXT]
Press here to reseal
Pull label here to open label.

[Proprietary Formulation specific language]
See results in 24 hours
Visible results in 24 hours with complete kill in 1 to 2 weeks.

