

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly after handling. Keep out of reach of children and domestic animals.

IMPORTANT: KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.

STATEMENT OF PRACTICAL TREATMENT: In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. If swallowed, DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container to a doctor or an emergency hospital. If this is not possible, telephone for medical advice. If on skin, wash thoroughly with soap and water. **Note to Physicians:** Emergency Information - call (415) 233-3737. Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. **ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO USE: If ground is dry, water area to be treated thoroughly. While wearing protective gloves, scatter the product on the ground. DO NOT PUT PRODUCT IN PILES. Apply 1 lb. of product to each 2,000 sq. ft. Do not apply to foliage or other plant parts. Always sprinkle lightly with water after application to moisten granules and make them more attractive to snails, slugs and the other listed pests. Withhold heavy watering for at least 2 days after treatment.

Prior to spring planting, bait areas to prevent damage to transplants or seedlings. Repeat treatment every two weeks or as needed. During periods of high rainfall or frequent irrigations, repeat treatments may be needed more frequently. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.



ORTHO GET-A-BUG™ Snail, Slug & Insect Killer

1 LB. TREATS

UP TO

2,000 SQ. FT.

Kills Snails, Slugs, Cutworms, Armyworms, Earwigs, Sowbugs and Other Listed Insects

Can Be Used Around Fruits & Vegetables


Small Granules

Contains Metaldehyde & SEVIN® Carbaryl Insecticide

Remains Effective After Rain or Watering

Active Ingredients	By Wt.
Carbaryl (1-Naphthyl N-methylcarbamate)	5%
Metaldehyde	2%
Inert Ingredients	93%

SEVIN®—Reg. TM of Union Carbide Corp. for Carbaryl Insecticide.



Keep out of reach of children
CAUTION
See side panel for additional precautionary statements.

NET WT. 1 LB.

TO CONTROL SLUGS, SNAILS, CUTWORMS, ARMYWORMS, EARWIGS, SOWBUGS, CRICKETS, MILLIPEDES, PILLBUGS, ANTS, GRASSHOPPERS IN ORNAMENTAL GARDENS, PLANTED BORDERS, DICHONDRA, GRASS LAWNS, TURF AND GROUND COVERS: Apply 1 lb. per 2,000 sq. ft. by scattering directly from container or by using an ORTHO WHIRLYBIRD Spreader at setting No. 3. **AROUND FRUITS AND VEGETABLES:** 1 lb. treats 2,000 sq. ft. (40'x50') of garden area. Distribute granules around listed fruits and vegetables. Do not contaminate edible parts.

VEGETABLES

CUCUMBERS, MELONS, SQUASH, PEAS, BEANS, CARROTS, CORN, EGGPLANT, OKRA, PEPPER, POTATO, TOMATO

ROOT CROPS AND HEADING VEGETABLES

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, LETTUCE (HEAD), BEETS, PARSNIP, RADISH, RUTABAGA, TURNIP

LEAFY VEGETABLES

COLLARDS, ENDIVE, KALE, LETTUCE (LEAF), PARSLEY, SPINACH, SWISS CHARD, TURNIP TOPS

FRUIT AND NUT TREES

ALMONDS, APPLES, AVOCADOS, CHERRIES, CITRUS, PEACHES, PEACHES, PLUMS, WALNUTS, NECTARINES

SMALL FRUITS

STRAWBERRIES, GRAPES, BERRIES (BLACKBERRIES, BLUEBERRIES, BOYSENBERRIES, DEWBERRIES, LOGANBERRIES)

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT—Partially filled carton may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER: Do not reuse carton. Discard carton in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1985

Ortho Consumer Products Division
San Francisco CA 94120-7144 Richmond CA 94804-0036
Product 5506 Made in U.S.A.
Form 10375-C
EPA Reg. No. 239-2514

EPA Est. 239-CA-1, 239-NJ-1, 239-MO-1
Superscript used is first letter of lot number.

239-2514

06/05/85

1/1