### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid contact with eves, skin or clothing. Avoid breathing dust, Wash thoroughly after handling. Keep. out of reach of children and domestic animals. IMPORTANT, KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.

STATEMENT OF PRACTICAL TREATMENT: In case of eve contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. If swallowed, DO NOT make person vomit unless directed to do so by a doctor, immediately take person and container to a doctor or an emergency hospital. If this is not possible, telephane for medical advice. If on skin, wash thoroughly with soap and water. Note to Physicians: Emergency Information - call (415) 233-3737, Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

7

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIR-ECTIONS.

HOW TO USE: If ground is dry, water area to be treated thoroughly. While wearing protective gloves, scatter the product on the ground, DO NOT PUT PRODUCT IN PILES. Apply 1 lb, of product to each 2,000 sq. ft. Do not apply to follage or other plant parts. Always sprinkle lightly with water after application to moisten granules and make them more attractive to snalls, slugs and the other listed pests. Withhold heavy watering for at least 2 days after treatment.

Prior to spring planting, balt areas to prevent damage to transplants or soedlings. Repeat treatment every two weeks or as needed. During periods of high rainfall or frequent triagtions, repeat treatments may be needed more trequently.

Subsequent planting of food and feed crops in treated soll must be made with crops on this or other carbaryl labels, ; ,

I we will also see the second state that

UP TO 2,000 SQ. FT. **GET-A-BUG** Snail, Slug & **Insect Killer** 

Kills Snails, Slugs, Cutworms, Armyworms, Earwigs, Sowbugs and Other Listed Insects

## NOW IN GRANULAR FORM

Can Be Used Around Fruits & Vegetables Small Granules

Contains Metaldehyde & SEVIN® Carbaryl Insectticide

Remains Effective After Rain or Watering

Active Ingredients Carboryl (I-Naphthyl N-methylcarbamate) Metaldolivde	By Wt. 
Inert Ingredients	
SEVIN®—Reg. TM of Unan Carbide Lorg Insecticide.	TED



المسمولية المتروب والأجافات الال

Keen out of reach of childrened, for the pesticide egistered under EPA Reg. No.

CAUTION

See side panel for additional precautionary statements.

# 1 LB. TREATS

COPY A

TO CONTROL SLUGS, SNAILS, CUTWORMS, ARMY-WORMS, EARWIGS, SOWBUGS, CRICKETS, MILLIPEDES, PILLBUGS, ANTS, GRASSHOPPERS IN, ORNAMENTAL GARDENS, PLANTED BORDERS, DICHONDRA, GRASS LAWNS, TURF AND GROUND COVERS: Apply 1 lb. per 2.000 sa. ft. by scattering directly from container or by using an ORTHO WHIRLYBIRD Spreader at setting No. 3. AROUND FRUITS AND VEGETABLES: 1 1b, treats 2,000 sq. ft. (40'x50') of garden area. Distribute granules a- 📡 round listed fruits and vegetables. Do not contaminate 2 edible parts. COPY C VEGETABLES

Cucumbers, Melons Squash Peas, Bearis Corrols Com Eachlant VOkra Pepper Potato Tomato ROOT CROPS AND HEADING VEGETABLES Broccoll & Brussels Sprouts Cabbage Constit (Head) Beers Parship Radish Rotabago humip

LEAFY VEGETABLES

Collards & Endive, Kaler Lettuce (Leat) Parsley Shinach Solar Solar Stability Stability Stability States

FRUIT AND NUT TREES

Almondson Applesan Avocadasen Cherriesan Cirror Pectas Peachast Plumst Walnuts Nacronina SMALL FRUITS

Strawberries, Grapes, Berries W Black Berries, Blueberries, Boysenberries, Dewberries, Ugunberries)

STORAGE: Keep pesticide in original container. Do not 4 but into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area,

DISPOSAL, PRODUCT-Partially filled carton may be disposed of by securely wrapping original container in seven eral lavers of nowspaper and discard in trash whether CONTAINER-Do not reuse carton, Discard carton in trash.

NOTEXTHIS PACKAGE IS HILLED TO PROPERTY BUT VARIATION VIN PRODUCT DENSITY NARYING FILLEVELS IN BOX. and the second

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Unevron Une	emical Company	©	1985
Ortho Consumer	Products Division		•
San Francisco	CA 94120-7144		
Product 5506	Mada in U.S.A.		
Form:10375-D,			
EPA Reg. No. 23	39-2514	÷	